

4. Cancer-Research

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545
<http://www.isrn.com/journals/mb/2012/706545/>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

Gene expression patterns in the human breast after pregnancy

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases

Int J Cancer 118(1): 74-89 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtos, F.:

Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection

Int J Biol Markers 19(2): 100-108 (2004)

<http://cat.inist.fr/?aModele=afficheN&cpsidt=15941984>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Rippo M.R., Procopio A., Grosso F., Libener R.:

miRNAs signature in microdissected tissues and primary cultured cells of malignant mesotelioma

J Clin Oncol 29: 2011 (suppl; abstr e21031)

http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897

Bourdeaut F, Hérault A, Gentien D, Pierron G, Ballet S, Reynaud S, Paris R, Schleiermacher G, Baumann C, Philippe-Chomette P, Gauthier-Villars M, Peuchmaur M, Radvanyi F, Delattre O:

Mosaicism for oncogenic G12D KRAS mutation associated with epidermal nevus, polycystic kidneys and rhabdomyosarcoma

J Med Genet 47(12):859-62 (2010)

<http://jmg.bmj.com/content/47/12/859.short>

Buob D, Fauvel H, Buisine MP, Truant S, Mariette C, Porchet N, Wacrenier A, Copin MC, Leteurtre E:

The Complex Intratumoral Heterogeneity of Colon Cancer Highlighted by Laser Microdissection

Dig Dis Sci. 2011 Dec 25., DOI 10.1007/s10620-011-2023-1

<http://dx.doi.org/10.1007/s10620-011-2023-1>

Cavallari I, Silic-Benussi M, Rende F, Martines A, Fogar P, Basso D, Vella MD, Pedrazzoli S, Herman JG, Chieco-Bianchi L, Esposito G, Ciminale V, D'Agostino DM:

Decreased expression and promoter methylation of the menin tumor suppressor in pancreatic ductal adenocarcinoma

Genes Chromosomes Cancer 48(5):383-96 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.20650/full>

Chan MK, Ocampo-Hafalla MT, Vartanian V, Jaruga P, Kirkali G, Koenig KL, Brown S, Lloyd RS, Dizdaroglu M, Teebor GW:

Targeted deletion of the genes encoding NTH1 and NEIL1 DNA N-glycosylases reveals the existence of novel carcinogenic oxidative damage to DNA

DNA Repair (Amst). 2009 Jul 4;8(7):786-94

<http://dx.doi.org/10.1016/j.dnarep.2009.03.001>

Chen, Z. and Gu, J.:

Immunoglobulin G expression in carcinomas and cancer cell lines

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)

<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

Choong, N.W., Dietrich, S., Seiwert, T.Y., Tretiakova, M.S., Nallasura, V., Davies, G.C., Lipkowitz, S., Husain, A.N., Salgia, R., and Ma, P.C.:

Gefitinib response of erlotinib-refractory lung cancer involving meninges--role of EGFR mutation

Nat Clin Pract Oncol 3(1): 50-57; quiz 51 p following 57 (2006)

<http://www.nature.com/nrclinonc/journal/v3/n1/full/ncponc0400.html>

Chui, D.T., Hammond, D., Baird, M., Shield, L., Jackson, R., and Jarrett, R.F.:

Classical Hodgkin lymphoma is associated with frequent gains of 17q

Genes Chromosomes Cancer 38(2): 126-136 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.10266/full>

Cook CC, Kim A, Terao S, Gotoh A, Higuchi M

Consumption of oxygen: a mitochondrial-generated progression signal of advanced cancer

Cell Death Dis. 2012 Jan 19;3:e258. doi: 10.1038/cddis.2011.141

<http://dx.doi.org/10.1038/cddis.2011.141>

Crescenzi M, Persano L, Esposito G, Zulato E, Borsi L, Balza E, Ruol A, Ancona E, Indraccolo S, Amadori A:

Vandetanib improves anti-tumor effects of L19mTNFalpha in xenograft models of esophageal cancer

Clin Cancer Res. 2011 Feb 1;17(3):447-58

<http://clincancerres.aacrjournals.org/content/17/3/447.short>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

de Chaisemartin L, Goc J, Damotte D, Validire P, Magdeleinat P, Alifano M, Cremer I, Fridman WH, Sautes-Fridman C, Dieu-Nosjean MC:

Characterization of chemokines and adhesion molecules associated with T cell presence in tertiary lymphoid structures in human lung cancer

Cancer Res. 2011 Sep 7. [Epub ahead of print]

<http://cancerres.aacrjournals.org/content/early/2011/09/06/0008-5472.CAN-11-0952.long>

Dellmann A, Schroeder HG, Donhuijsen K:

Destructive tumours of the larynx mimicking osteosarcoma: two cases of osteoblastoma with organ-saving resection and follow-up

Eur Arch Otorhinolaryngol. 2010 Jan;267(1):151-4

<http://www.springerlink.com/content/151254313937q5j3/>

Dong, B., Sato, M., Sakurada, A., Sagawa, M., Endo, C., Wu, S., Yamanaka, S., Horii, A., and Kondo, T.:

Computed tomographic images reflect the biologic behavior of small lung adenocarcinoma: they correlate with cell proliferation, microvascularization, cell adhesion, degradation of extracellular matrix, and K-ras mutation

J Thorac Cardiovasc Surg 130(3): 733-739 (2005)

<http://www.jtcvsonline.org/article/S0022-5223%2805%2900791-9/abstract>

Du L, Peng R, Björkman A, Filipe de Miranda N, Rosner C, Kotnis A, Berglund M, Liu C, Rosenquist R, Enblad G, Sundström C, Hojjat-Farsangi M, Rabbani H, Teixeira MR, Revy P, Durandy A, Zeng Y, Gennery AR, de Villartay JP, Pan-Hammarström Q:

Cernunnos influences human immunoglobulin class switch recombination and may be associated with B cell lymphomagenesis

J Exp Med. 2012 Feb 6. [Epub ahead of print]

<http://www.jem.org/cgi/pmidlookup?view=long&pmid=22312109>

Ellsworth, D.L., Ellsworth, R.E., Love, B., Deyarmin, B., Lubert, S.M., Mittal, V., and Shriver, C.D.:

Genomic patterns of allelic imbalance in disease free tissue adjacent to primary breast carcinomas

Breast Cancer Res Treat 88(2): 131-139 (2004)

<http://www.springerlink.com/content/p08585p766261t33/>

Ellsworth, R.E., Ellsworth, D.L., Lubert, S.M., Hooke, J., Somiari, R.I., and Shriver, C.D.:

High-throughput loss of heterozygosity mapping in 26 commonly deleted regions in breast cancer

Cancer Epidemiol Biomarkers Prev 12(9): 915-919 (2003)

<http://cebp.aacrjournals.org/content/12/9/915.long>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:

A gene expression signature that defines breast cancer metastases

Clin Exp Metastasis 26(3):205-13 (2009)

<http://www.springerlink.com/content/102574228038m751/>

Ellsworth RE, Ellsworth DL, Weyandt JD, Fantacone-Campbell JL, Deyarmin B, Hooke JA, Shriver CD:

Chromosomal Alterations in Pure Nonneoplastic Breast Lesions: Implications for Breast Cancer Progression

Ann Surg Oncol. 2010 Jun;17(6):1688-94

<http://www.springerlink.com/content/b611350886456851/>

Esposito, G.:

Complementary techniques: laser capture microdissection--increasing specificity of gene expression profiling of cancer specimens

Adv Exp Med Biol 593: 54-65 (2007)

<http://www.springerlink.com/content/g448m0n0710r420n/>

Feltmate, C.M., Lee, K.R., Johnson, M., Schorge, J.O., Wong, K.K., Hao, K., Welch, W.R., Bell, D.A., Berkowitz, R.S., and Mok, S.C.:

Whole-genome allelotyping identified distinct loss-of-heterozygosity patterns in mucinous ovarian and appendiceal carcinomas

Clin Cancer Res 11(21): 7651-7657 (2005)

<http://clincancerres.aacrjournals.org/content/11/21/7651.long>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:

Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma

Am J Pathol 161(4): 1315-1323 (2002)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Frietsch JJ, Grunewald TG, Jasper S, Kammerer U, Herterich S, Kapp M, Honig A, Butt E:

Nuclear localisation of LASP-1 correlates with poor long-term survival in female breast cancer

Br J Cancer. 2010 May 25;102(11):1645-53

<http://www.nature.com/bjc/journal/v102/n11/full/6605685a.html>

Fujita K, Yamamoto H, Matsumoto T, Hirahashi M, Gushima M, Kishimoto J, Nishiyama K, Taguchi T, Yao T, Oda Y :

Sessile Serrated Adenoma With Early Neoplastic Progression: A Clinicopathologic and Molecular Study

Am J Surg Pathol. 2011 Feb;35(2):295-304

http://journals.lww.com/ajsp/Abstract/2011/02000/Sessile_Serrated_Adenoma_With_Early_Neoplastic.15.aspx

Funel N, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Campani D:

Critical Role of Laser Microdissection for Genetic and Epigenetic Analyses in Pancreatic Cancer: Ten Years of Monocentric Experience

JOP. J Pancreas (Online) 2011 Oct 11; 12(5 Suppl):535

<http://www.joplink.net/prev/201109/162.html>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Funel N, Morelli M, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Cavazzana A, Campani D:

Loss of Heterozygosity Status of D9S105 Marker Is Associated with Downregulation of Krüppel-Like Factor 4 Expression in Pancreatic Ductal Adenocarcinoma and Pancreatic Intraepithelial Lesions

Pancreatology. 2011 Mar 16;11(1):30-42.

<http://content.karger.com/produktedb/produkte.asp?doi=322990>

Giovannetti E, Del Tacca M, Mey V, Funel N, Nannizzi S, Ricci S, Boggi U, Orlandini C, Campani D, Del Chiaro M, Iannopolo M, Codacci-Pisanelli G, Bevilacqua G, Mosca F and Danesi R:

Expression of genes involved in the gemcitabine pathway and clinical outcome in pancreatic cancer patients
Proc Amer Assoc Cancer Res, Volume 47 (2006)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2006/1/734-a>

Giuffre, G., Muller, A., Brodegger, T., Bocker-Edmonston, T., Gebert, J., Kloor, M., Dietmaier, W., Kullmann, F., Buttner, R., Tuccari, G., and Ruschoff, J.:

Microsatellite analysis of hereditary nonpolyposis colorectal cancer-associated colorectal adenomas by laser-assisted microdissection: correlation with mismatch repair protein expression provides new insights in early steps of tumorigenesis

J Mol Diagn 7(2): 160-170 (2005)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960542-9/abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopolo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, Funel N, Peters GJ, Del Chiaro M, Erozcenci LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gong L, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Clonal status and clinicopathological observation of cervical minimal deviation adenocarcinoma

Diagn Pathol 5:25 (2010)

<http://diagnosticpathology.org/content/5/1/25/abstract>

Guerra A, Sapio MR, Marotta V, Campanile E, Rossi S, Forno I, Fugazzola L, Budillon A, Moccia T, Fenzi G, Vitale M

The Primary Occurrence of BRAFV600E Is a Rare Clonal Event in Papillary Thyroid Carcinoma

J Clin Endocrinol Metab. 2011 Dec 14. [Epub ahead of print]

<http://jcem.endojournals.org/cgi/pmidlookup?view=long&pmid=22170714>

Guidoboni, M., Ponzoni, M., Caggiari, L., Lettini, A.A., Vago, L., De Re, V., Gloghini, A., Zancai, P., Carbone, A., Boiocchi, M., and Dolcetti, R.:

Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma

J Virol 79(4): 2643-2649 (2005)

<http://jvi.asm.org/cgi/content/full/79/4/2643?view=long&pmid=15681466>

Hosono Y, Yamaguchi T, Mizutani E, Yanagisawa K, Arima C, Tomida S, Shimada Y, Hiraoka M, Kato S, Yokoi K, Suzuki M, Takahashi T:

MYBPH, a transcriptional target of TTF-1, inhibits ROCK1, and reduces cell motility and metastasis

EMBO J. 2011 Nov 15. doi: 10.1038/emboj.2011.416.

<http://www.nature.com/emboj/journal/vaop/ncurrent/full/emboj2011416a.html>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis

Proc Amer Assoc Caner Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&andorexacttitle=&andtitleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexacttitleabs=&andorexactfulltext=&andsearchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Huang YS, Bu DF, Li XY, Ma ZH, Yang Y, Lin ZM, Lu FM, Tu P, Li H:

Unique features of PTCH1 mutation spectrum in Chinese sporadic basal cell carcinoma

J Eur Acad Dermatol Venereol. 2012 Feb 7. doi: 10.1111/j.1468-3083.2012.04453.x.

<http://dx.doi.org/10.1111/j.1468-3083.2012.04453.x>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Ikeda, J., Morii, E., Tomita, Y., Xu, J.X., Kimura, H., Kohara, M., Hoshida, Y., and Aozasa, K.:

Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma

Int J Hematol 83(4): 363-365 (2006)

<http://www.springerlink.com/content/2700876436721844/>

Imaoka, T., Okamoto, M., Nishimura, M., Nishimura, Y., Ootawara, M., Kakinuma, S., Tokairin, Y., and Shimada, Y.:

Mammary tumorigenesis in ApcMin/+ mice is enhanced by X irradiation with a characteristic age dependence

Radiat Res 165(2): 165-173 (2006)

<http://www.rjournal.org/doi/full/10.1667/RR3502.1>

Ito S, Fujii H, Matsumoto T, Abe M, Ikeda K, Hino O:

Frequent expression of Niban in head and neck squamous cell carcinoma and squamous dysplasia

Head Neck 32(1):96-103 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/hed.21153/full>

Ito, S., Ohga, T., Saeki, H., Nakamura, T., Watanabe, M., Tanaka, S., Kakeji, Y., and Maehara, Y.:

p53 mutation profiling of multiple esophageal carcinoma using laser capture microdissection to demonstrate field carcinogenesis

Int J Cancer 113(1): 22-28 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20500/full>

Iwatsuki M, Mimori K, Ishii H, Yokobori T, Takatsuno Y, Sato T, Toh H, Onoyama I, Nakayama KI, Baba H, Mori M :

Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: clinical significance

Int J Cancer 126(8):1828-37 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24879/full>

Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:

A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer

J Surg Oncol. 2009 Sep 1;100(3):261-6.

<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>

Joseph A, Gnanapragasam VJ:

Laser-Capture Microdissection and Transcriptional Profiling in Archival FFPE Tissue in Prostate Cancer
Methods Mol Biol. 2011;755:291-300.

<http://www.springerlink.com/content/x5g8x31w083p3239/#section=924966&page=1&locus=5>

Kato K, Kuhara A, Yoneda T, Inoue T, Takao T, Ohgami T, Dan L, Kuboyama A, Kusunoki S, Takeda S, Wake N:
Sodium butyrate inhibits the self-renewal capacity of endometrial tumor side-population cells by inducing a DNA damage response.

Mol Cancer Ther. 2011 Jun 1; doi: 10.1158/1535-7163.MCT-10-1062

<http://mct.aacrjournals.org/content/early/2011/06/01/1535-7163.MCT-10-1062.abstract>

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)

<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijournal/26/6/1549>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8150452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Komuta M, Govaere O, Vandecaveye V, Akiba J, Van Steenberg W, Verslype C, Pirenne J, Aerts R, Yano H, Nevens F, Topal B, Roskams T

Histological diversity in cholangiocellular carcinoma reflects the different cholangiocyte phenotypes

Hepatology. 2012 Jan 23. doi: 10.1002/hep.25595.

<http://dx.doi.org/10.1002/hep.25595>

Kudo N, Ogoe A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iiarjournals.org/content/29/6/2219.short>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:
Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences
Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Langenkamp E, vom Hagen FM, Zwiers PJ, Moorlag HE, Schouten JP, Hammes HP, Gouw ASH, and Molema G:
Tumor Vascular Morphology Undergoes Dramatic Changes during Outgrowth of B16Melanoma While Proangiogenic Gene Expression Remains Unchanged

ISRN Oncology, Vol 2011, Article ID 409308, 14 pages, doi:10.5402/2011/409308

<http://www.isrn.com/journals/oncology/2011/409308/>

LeGrand J, Park ES, Wang H, Gupta S, Owens JD Jr, Nelson PJ, Dubois W, Bair T, Janz S, Mushinski JF:
Global gene expression profiling in mouse plasma cell tumor precursor and bystander cells reveals potential intervention targets for plasma-cell neoplasia

Blood. 2011 Dec 6.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22147894>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Risio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)

<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Li JN, Zhang WY, Tang Y, Li GD, Dong DD:

In situ follicular lymphoma with progressive transformation of the germinal centers confirmed by laser capture microdissection, IGH gene rearrangement analysis, and fluorescence in situ hybridization for t(14;18)

Hum Pathol. 2011 Jul 4. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0046817711001547>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Liu WB, Ao L, Cui ZH, Zhou ZY, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

Molecular analysis of DNA repair gene methylation and protein expression during chemical-induced rat lung carcinogenesis

Biochem Biophys Res Commun. 2011 Apr 21.

<http://dx.doi.org/10.1016/j.bbrc.2011.04.067>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:

Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma

Med Oncol. 2010 Dec 4. [Epub ahead of print]

<http://www.springerlink.com/content/1h53134871563152/>

Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:

Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma

Blood 110(1): 339-344 (2007)

<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>

Lin Y, Jiang X, Shen Y, Li M, Ma H, Xing M, Lu Y:

Frequent mutations and amplifications of the PIK3CA gene in pituitary tumors

Endocr Relat Cancer 16(1):301-10 (2009)

<http://erc.endocrinology-journals.org/cgi/content/abstract/16/1/301>

Liu WB, Ao L, Zhou ZY, Cui ZH, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

CpG island hypermethylation of multiple tumor suppressor genes associated with loss of their protein expression during rat lung carcinogenesis induced by 3-methylcholanthrene and diethylnitrosamine

Biochem Biophys Res Commun. 2010 Nov 19;402(3):507-14

<http://dx.doi.org/10.1016/j.bbrc.2010.10.061>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Mazzanti CM, Hamad MA, Fanelli G, Scatena C, Zammarchi F, Zavaglia K, Lessi F, Pistello M, Naccarato AG, Bevilacqua G:

A Murine Mammary Tumor Virus env-Like Exogenous Sequence Is Strictly Related to Progression of Human Sporadic Breast Carcinoma

Am J Pathol. 2011 Aug 17, doi:10.1016/j.ajpath.2011.06.046

<http://www.sciencedirect.com/science/article/pii/S0002944011006961>

Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:
Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1

J Transl Med. 2012 Jan 10;10(1):8.

<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>

Mihelich BL, Khrantsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:

The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells

J Biol Chem. 2011 Nov 1. [Epub ahead of print]

<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>

Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:

Identification of molecular markers for metastasis-related genes in primary breast cancer cells

Clin Exp Metastasis 22(1): 59-67 (2005)

<http://www.springerlink.com/content/ju17kr07r6101603/>

Miyagaki H, Yamasaki M, Miyata H, Takahashi T, Kurokawa Y, Nakajima K, Takiguchi S, Fujiwara Y, Ishii H, Tanaka F, Mori M, Doki Y:

Overexpression of PFTK1 predicts resistance to chemotherapy in patients with oesophageal squamous cell carcinoma

Br J Cancer. 2012 Feb 14. doi: 10.1038/bjc.2012.35

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc201235a.html>

Miyagaki H, Yamasaki M, Takahashi T, Kurokawa Y, Miyata H, Nakajima K, Takiguchi S, Fujiwara Y, Mori M, Doki Y:

DOK2 as a Marker of Poor Prognosis of Patients with Gastric Adenocarcinoma After Curative Resection

Ann Surg Oncol. 2011 Dec 1. [Epub ahead of print]

<http://www.springerlink.com/content/d337x47663351170/>

- Miyai K, Yamamoto S, Aida S, Shimazaki H, Takano M, Kudoh K, Furuya K, Tamai S, Matsubara O:
Massive intra-abdominal undifferentiated carcinoma derived from an endometrioid adenocarcinoma in a "normal-sized" ovary
Int J Gynecol Pathol. 2010 Jul;29(4):321-7.
http://journals.lww.com/intjgynpathology/Abstract/2010/07000/Massive_Intra_abdominal_Undifferentiated_Carcinoma.4.aspx
- Mohri D, Asaoka Y, Ijichi H, Miyabayashi K, Kudo Y, Seto M, Ohta M, Tada M, Tanaka Y, Ikenoue T, Tateishi K, Isayama H, Kanai F, Fukushima N, Tada M, Kawabe T, Omata M, Koike K:
Different subtypes of intraductal papillary mucinous neoplasm in the pancreas have distinct pathways to pancreatic cancer progression
J Gastroenterol. 2011 Nov 1. [Epub ahead of print]
<http://www.springerlink.com/content/w85p1173382j550h/>
- Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:
Analysis of the gene-expression profile regarding the progression of human gastric carcinoma
Surgery 131(1 Suppl): S39-47 (2002)
<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>
- Mueller, A., O'Rourke, J., Grimm, J., Guillemin, K., Dixon, M.F., Lee, A., and Falkow, S.:
Distinct gene expression profiles characterize the histopathological stages of disease in Helicobacter-induced mucosa-associated lymphoid tissue lymphoma
Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)
<http://www.pnas.org/content/100/3/1292.long>
- Muller, A., Giuffre, G., Edmonston, T.B., Mathiak, M., Roggendorf, B., Heinmoller, E., Brodegger, T., Tuccari, G., Mangold, E., Buettner, R., and Ruschoff, J.:
Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry
J Mol Diagn 6(4): 308-315 (2004)
<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960526-0/abstract>
- Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:
Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma
Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]
<http://www.sciencedirect.com/science/article/pii/S0344033811001208>
- Nagahara, H., Mimori, K., Ohta, M., Utsunomiya, T., Inoue, H., Barnard, G.F., Ohira, M., Hirakawa, K., and Mori, M.:
Somatic mutations of epidermal growth factor receptor in colorectal carcinoma
Clin Cancer Res 11(4): 1368-1371 (2005)
<http://clincancerres.aacrjournals.org/content/11/4/1368.long>
- Nakayama T, Ling ZQ, Mukaisho K, Hattori T, Sugihara H:
Lineage analysis of early and advanced tubular adenocarcinomas of the stomach: continuous or discontinuous?
BMC Cancer. 2010 Jun 21;10:311
<http://www.biomedcentral.com/1471-2407/10/311/>
- Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.
Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma
Cancer Sci 100(9):1605-1611 (2009)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:
Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19874819/?tool=pubmed>

Obrador E, Benlloch M, Pellicer JA, Asensi M, Estrela JM:

Intertissue Flow of Glutathione (GSH) as a Tumor Growth-promoting Mechanism: INTERLEUKIN 6 INDUCES GSH RELEASE FROM HEPATOCYTES IN METASTATIC B16 MELANOMA-BEARING MICE

J Biol Chem. 2011 May 6;286(18):15716-27

<http://www.jbc.org/content/286/18/15716.short>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

Ooki A, Yamashita K, Kikuchi S, Sakuramoto S, Katada N, Watanabe M:

Phosphatase of regenerating liver-3 as a convergent therapeutic target for lymph node metastasis in esophageal squamous cell carcinoma

Int J Cancer. 2010 Aug 1;127(3):543-54.

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25082/full>

Oparka R, Cassidy A, Reilly S, Stenhouse A, McCluggage WG, Herrington CS:

The C134W (402 C>G) FOXL2 mutation is absent in ovarian gynandroblastoma: insights into the genesis of an unusual tumour

Histopathology. 2012 Feb 1. doi: 10.1111/j.1365-2559.2011.04148.x.

<http://dx.doi.org/10.1111/j.1365-2559.2011.04148.x>

Oshima H, Hioki K, Popivanova BK, Oguma K, Van Rooijen N, Ishikawa TO, Oshima M:

Prostaglandin E₂ signaling and bacterial infection recruit tumor-promoting macrophages to mouse gastric tumors

Gastroenterology. 2011 Feb;140(2):596-607.e7

<http://dSPACE.lib.kanazawa-u.ac.jp/dSPACE/handle/2297/26532>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:
FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer
Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.
<http://www.springerlink.com/content/45444108t4327750/>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:
Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells
PLoS ONE 6(7): e22379
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:
Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression
Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631
<http://www.nature.com/onc/journal/vaop/ncurrent/full/onc2011631a.html>

Prowse, A.H., Fakis, G., Manek, S., Churchman, M., Edwards, S., Rowan, A., Koninckx, P., Kennedy, S., and Tomlinson, I.P.:
Allelic loss studies do not provide evidence for the "endometriosis-as-tumor" theory
Fertil Steril 83 Suppl 1: 1134-1143 (2005)
<http://www.fertstert.org/article/S0015-0282%2804%2903224-8/abstract>

Prowse, A.H., Manek, S., Varma, R., Liu, J., Godwin, A.K., Maher, E.R., Tomlinson, I.P., and Kennedy, S.H.:
Molecular genetic evidence that endometriosis is a precursor of ovarian cancer
Int J Cancer 119(3): 556-562 (2006)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21845/full>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:
Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient
Hum Pathol 32(12): 1410-1413 (2001)
<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Rabien A, Fritzsche FR, Jung M, Tölle A, Diamandis EP, Miller K, Jung K, Kristiansen G, Stephan C:
KLK15 is a prognostic marker for progression-free survival in patients with radical prostatectomy
Int J Cancer 127(10):2386-94 (2010)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25435/full>

Ren X, Daa T, Yada N, Kashima K, Fujitomi Y, Yokoyama S:
Expression and mutational status of RON in neoplastic lesions of the breast: analysis of MSP/RON signaling in ductal carcinoma in situ and invasive ductal carcinoma
APMIS, 2011, DOI: 10.1111/j.1600-0463.2011.02841.x
<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0463.2011.02841.x/full>

Saito T, Mitomi H, Suehara Y, Okubo T, Torigoe T, Takagi T, Kaneko K, Yao T:
A case of de novo secondary malignant giant-cell tumor of bone with loss of heterozygosity of p53 gene that transformed within a short-term follow-up
Pathology - Research and Practice (2011), ISSN 0344-0338, doi:10.1016/j.prp.2011.07.009
<http://www.sciencedirect.com/science/article/pii/S0344033811001701>

- Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:
Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis
Int J Cancer 118(5): 1325-1329 (2006)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>
- Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:
Proteomic signatures for histological types of lung cancer
Proteomics 5(11): 2939-2948 (2005)
<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>
- Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:
Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma
Am J Surg Pathol 28(10): 1384-1388 (2004)
<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>
- Seto M, Ohta M, Asaoka Y, Ikenoue T, Tada M, Miyabayashi K, Mohri D, Tanaka Y, Ijichi H, Tateishi K, Kanai F, Kawabe T, Omata M:
Regulation of the hedgehog signaling by the mitogen-activated protein kinase cascade in gastric cancer
Mol Carcinog. 2009 Aug;48(8):703-12
<http://onlinelibrary.wiley.com/doi/10.1002/mc.20516/full>
- Shieh, D.B., Chou, W.P., Wei, Y.H., Wong, T.Y., and Jin, Y.T.:
Mitochondrial DNA 4,977-bp deletion in paired oral cancer and precancerous lesions revealed by laser microdissection and real-time quantitative PCR
Ann N Y Acad Sci 1011: 154-167 (2004)
<http://onlinelibrary.wiley.com/doi/10.1196/annals.1293.016/full>
- Shieh, Y.S., Shiah, S.G., Jeng, H.H., Lee, H.S., Wu, C.W., and Chang, L.C.:
DNA methyltransferase 1 expression and promoter methylation of E-cadherin in mucoepidermoid carcinoma
Cancer 104(5): 1013-1021 (2005)
<http://onlinelibrary.wiley.com/doi/10.1002/cncr.21278/full>
- Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:
Proteomics of breast carcinoma
J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)
<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>
- Song JY, Eberle FC, Xi L, Raffeld M, Rahma O, Wilson WH, Dunleavy K, Pittaluga S, Jaffe ES:
Coexisting and Clonally Identical Classic Hodgkin Lymphoma and Nodular Lymphocyte Predominant Hodgkin Lymphoma
Am J Surg Pathol. 2011 May;35(5):767-72.
http://journals.lww.com/ajsp/Abstract/2011/05000/Coexisting_and_Clonally_Identical_Classic_Hodgkin.18.aspx
- Souda M, Umekita Y, Abeyama K, Yoshida H:
Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene
Int J Cancer. 2009 Sep 15;125(6):1285-97.
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>
- Sugimoto T, Ohta M, Ikenoue T, Yamada A, Tada M, Fujishiro M, Ogura K, Yamaji Y, Okamoto M, Kanai F, Kawabe T, Omata M:
Macroscopic morphologic subtypes of laterally spreading colorectal tumors showing distinct molecular alterations
Int J Cancer. 2010 Oct 1;127(7):1562-9
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25180/full>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:

Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis

Journal of Toxicologic Pathology 22(4): pp.281

http://www.jstage.jst.go.jp/article/tox/22/4/22_281/article

Sunde, J.S., Donniger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:

Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- β Signaling in Ovarian Cancer

Cancer Res 66(17): 8404-8412 (2006)

<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:

Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue

Carcinogenesis 25(3): 439-443 (2004)

<http://carcin.oxfordjournals.org/content/25/3/439.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Tada M, Kanai F, Tanaka Y, Sanada M, Nannya Y, Tateishi K, Ohta M, Asaoka Y, Seto M, Imazeki F, Yoshida H, Ogawa S, Yokosuka O, Omata M:

Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism array in gastric cancer

Cancer Sci. 2010 May;101(5):1261-9

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2010.01500.x/full>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:

Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model

Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)

<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Tancredi M, Sensi E, Cipollini G, Aretini P, Lombardi G, Di Cristofano C, Presciuttini S, Bevilacqua G, Caligo MA:
Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion

Eur J Hum Genet 12(9): 775-777 (2004)

<http://www.nature.com/ejhg/journal/v12/n9/full/5201223a.html>

Tao Y, Hart J, Lichtenstein L, Joseph LJ, Ciancio MJ, Hu S, Chang EB, Bissonnette M:

Inducible heat shock protein 70 prevents multifocal flat dysplastic lesions and invasive tumors in an inflammatory model of colon cancer

Carcinogenesis 30(1):175-82 (2009)

<http://carcin.oxfordjournals.org/content/30/1/175.short>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsakamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:
Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer
Clin Cancer Res 17(8):2444-50 (2011)
<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Valencia T, Joseph A, Kachroo N, Darby S, Meakin S, Gnanapragasam VJ:
Role and expression of FRS2 and FRS3 in prostate cancer
BMC Cancer. 2011 Nov 11;11(1):484.
<http://www.biomedcentral.com/1471-2407/11/484>

van Dijk, M.C., Rombout, P.D., Mooi, W.J., van de Molengraft, F.J., van Krieken, J.H., Ruiter, D.J., and Ligtenberg, M.J.:
Allelic imbalance in the diagnosis of benign, atypical and malignant Spitz tumours
J Pathol 197(2): 170-178 (2002)
<http://onlinelibrary.wiley.com/doi/10.1002/path.1119/full>

van Schanke, A., van Venrooij, G.M., Jongsma, M.J., Banus, H.A., Mullenders, L.H., van Kranen, H.J., and de Gruijl, F.R.:
Induction of nevi and skin tumors in Ink4a/Arf Xpa knockout mice by neonatal, intermittent, or chronic UVB exposures
Cancer Res 66(5): 2608-2615 (2006)
<http://cancerres.aacrjournals.org/content/66/5/2608.long>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S
miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression
Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.
<http://dx.doi.org/10.1038/onc.2011.209>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:
Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance
Clin Cancer Res 12(3 Pt 1): 690-700 (2006)
<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wei, M., Grushko, T.A., Dignam, J., Hagos, F., Nanda, R., Sveen, L., Xu, J., Fackenthal, J., Tretiakova, M., Das, S., and Olopade, O.I.:
BRCA1 promoter methylation in sporadic breast cancer is associated with reduced BRCA1 copy number and chromosome 17 aneusomy
Cancer Res 65(23): 10692-10699 (2005)
<http://cancerres.aacrjournals.org/content/65/23/10692.long>

Wilting SM, Snijders PJ, Verlaat W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:
Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis
Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.
<http://dx.doi.org/10.1038/onc.2012.20>

Xiao, W., Zhang, Q., Jiang, F., Pins, M., Kozlowski, J.M., and Wang, Z.:
Suppression of prostate tumor growth by U19, a novel testosterone-regulated apoptosis inducer
Cancer Res 63(15): 4698-4704 (2003)
<http://cancerres.aacrjournals.org/content/63/15/4698.long>

Xu, A.M., Zhang, S.H., Zheng, J.M., Zheng, W.Q., and Wu, M.C.:

Pathological and molecular analysis of sporadic hepatic angiomyolipoma

Hum Pathol 37(6): 735-741 (2006)

<http://www.humanpathol.com/article/S0046-8177%2806%2900076-1/abstract>

Yamamoto S, Tsuda H, Suzuki K, Takano M, Tamai S, Matsubara O:

An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway

Virchows Arch. 2009 Sep;455(3):261-70

<http://www.springerlink.com/content/ph8l21053g3w1p13/>

Yancovitz M, Litterman A, Yoon J, Ng E, Shapiro RL, Berman RS, Pavlick AC, Darvishian F, Christos P, Mazumdar M, Osman I, Polsky D:

Intra- and Inter-Tumor Heterogeneity of BRAF^{V600E} Mutations in Primary and Metastatic Melanoma

PLoS ONE 7(1): e29336. doi:10.1371/journal.pone.0029336 (2012)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0029336>

Yardy GW, Bicknell DC, Wilding JL, Bartlett S, Liu Y, Winney B, Turner GD, Brewster SF, Bodmer WF:

Mutations in the AXIN1 Gene in Advanced Prostate Cancer

Eur Urol 56(3):486-94 (2009)

<http://www.europeanurology.com/article/S0302-2838%2808%2900638-6>

Zammarchi, F., Pistello, M., Piersigilli, A., Murr, R., Di Cristofano, C., Naccarato, A.G., and Bevilacqua, G.:

MMTV-like sequences in human breast cancer: a fluorescent PCR/laser microdissection approach

J Pathol 209(4): 436-444 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1997/full>

Zen C, Zen Y, Mitry RR, Corbeil D, Karbanová J, O'Grady J, Karani J, Kane P, Heaton N, Portmann BC, Quaglia A:

Mixed phenotype hepatocellular carcinoma after transarterial chemoembolization and liver transplantation

Liver Transpl. 2011 Aug;17(8):943-54

<http://onlinelibrary.wiley.com/doi/10.1002/lt.22314/abstract>

Zhang L, Hu S, Korteweg C, Chen Z, Qiu Y, Su M, Gu J:

Expression of immunoglobulin G in esophageal squamous cell carcinomas and its association with tumor grade and Ki67

Hum Pathol. 2011 Aug 18; PMID: 21855109

<http://www.sciencedirect.com/science/article/pii/S0046817711002462>

Zhang, Q., Rubenstein, J.N., Jang, T.L., Pins, M., Javonovic, B., Yang, X., Kim, S.J., Park, I., and Lee, C.:

Insensitivity to transforming growth factor-beta results from promoter methylation of cognate receptors in human prostate cancer cells (LNCaP)

Mol Endocrinol 19(9): 2390-2399 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2390>

Zhou J, Zheng W, Cao L, Liu M, Han F, Li A:

Antiangiogenic tumor treatment: noninvasive monitoring with contrast pulse sequence imaging for contrast-enhanced grayscale ultrasound

Acad Radiol. 2010 May;17(5):646-51

<http://www.academicradiology.org/article/S1076-6332%2810%2900058-9/abstract>