

Selection of Publications Leica Laser Microdissection

Content

Selection of Publications Leica Laser Microdissection	1
Content	1
1. DNA-Research	2
2. RNA-Research	12
3. Proteomics	30
4. Fluorescence Applications	35
5. Cancer-Research.....	36
6. Neurosciences	54
7. Clinical Applications.....	64
8. Developmental Research	67
9. Plant Research.....	71
10. Forensics	76
11. Miscellaneous	78
12. Living Cell Culture.....	86

Last update: May 2012

Sorted by application and alphabet

Are you missing a citation? Please do not hesitate to contact your local Leica Microsystems CMS support:

<http://www.leica-microsystems.com/contact-support/contact-us-online/>

This list as well as further information on the current laser microdissection systems can be found on:

<http://www.leica-microsystems.com/lmd>

1. DNA-Research

Aguilar-Mahecha, A., Hales, B.F., and Robaire, B.:

Effects of acute and chronic cyclophosphamide treatment on meiotic progression and the induction of DNA double-strand breaks in rat spermatocytes

Biol Reprod 72(6): 1297-1304 (2005)

<http://www.biolreprod.org/content/72/6/1297.long>

Amé JC, Fouquerel E, Gauthier LR, Biard D, Boussin FD, Dantzer F, de Murcia G, Schreiber V:

Radiation-induced mitotic catastrophe in PARG-deficient cells

J Cell Sci. 2009 Jun 15;122(Pt 12):1990-2002

<http://jcs.biologists.org/content/122/12/1990.long>

Archer, A., Sauvaget, D., Chauffeton, V., Bouchet, P.E., Chambaz, J., Pincon-Raymond, M., Cardot, P., Ribeiro, A., and Lacasa, M.:

Intestinal apolipoprotein A-IV gene transcription is controlled by two hormone-responsive elements: a role for hepatic nuclear factor-4 isoforms

Mol Endocrinol 19(9): 2320-2334 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2320>

Bayona-Bafaluy, M.P., Blits, B., Battersby, B.J., Shoubbridge, E.A., and Moraes, C.T.:

Rapid directional shift of mitochondrial DNA heteroplasmy in animal tissues by a mitochondrially targeted restriction endonuclease

Proc Natl Acad Sci U S A 102(40): 14392-14397 (2005)

<http://www.pnas.org/content/102/40/14392.long>

Begus-Nahrman, Y., Lechel, A., Obenauf, A., Nalapareddy, K., Peit, E., Hoffmann, E., Schlaudraff, F., Liss, B., Schirmacher, P., Kestler, H., Danenberg, E., Barker, N., Clevers, H., Speicher, M., Rudolph, K.L.

p53 deletion impairs clearance of chromosomal-*instable* stem cells in aging telomere-dysfunctional mice

Nature Genetics 41(10): 1138-43 (2009)

<http://www.nature.com/ng/journal/v41/n10/full/ng.426.html>

Bourdeaut F, Hérault A, Gentien D, Pierron G, Ballet S, Reynaud S, Paris R, Schleiermacher G, Baumann C, Philippe-Chomette P, Gauthier-Villars M, Peuchmaur M, Radvanyi F, Delattre O:

Mosaicism for oncogenic G12D KRAS mutation associated with epidermal nevus, polycystic kidneys and rhabdomyosarcoma

J Med Genet 47(12):859-62 (2010)

<http://jmg.bmj.com/content/47/12/859.short>

Cameselle-Teijeiro J, Ferreira R, Caramés N, Abdulkader I, Máximo V, Soares P, Sobrinho-Simões M:

Absence of the BRAF and the GRIM-19 Mutations in Oncocytic (Hurthle Cell) Solid Cell Nests of the Thyroid

Am J Clin Pathol. 2012 Apr;137(4):612-8

<http://ajcp.ascpjournals.org/content/137/4/612.full>

Chan MK, Ocampo-Hafalla MT, Vartanian V, Jaruga P, Kirkali G, Koenig KL, Brown S, Lloyd RS, Dizdaroglu M, Teebor GW:

Targeted deletion of the genes encoding NTH1 and NEIL1 DNA N-glycosylases reveals the existence of novel carcinogenic oxidative damage to DNA

DNA Repair (Amst). 2009 Jul 4;8(7):786-94

<http://dx.doi.org/10.1016/j.dnarep.2009.03.001>

Choong, N.W., Dietrich, S., Seiwert, T.Y., Tretiakova, M.S., Nallasura, V., Davies, G.C., Lipkowitz, S., Husain, A.N., Salgia, R., and Ma, P.C.:

Gefitinib response of erlotinib-refractory lung cancer involving meninges--role of EGFR mutation

Nat Clin Pract Oncol 3(1): 50-57; quiz 51 p following 57 (2006)

<http://www.nature.com/nrclinonc/journal/v3/n1/full/ncponc0400.html>

Chui, D.T., Hammond, D., Baird, M., Shield, L., Jackson, R., and Jarrett, R.F.:

Classical Hodgkin lymphoma is associated with frequent gains of 17q

Genes Chromosomes Cancer 38(2): 126-136 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.10266/full>

De Raeve, L.E., Claes, A., Ruiters, D.J., van Muijen, G.N., Roseeuw, D., and van Kempen, L.C.:

Distinct phenotypic changes between the superficial and deep component of giant congenital melanocytic naevi: a rationale for curettage

Br J Dermatol 154(3): 485-492 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2133.2005.07055.x/full>

Di Cristofano, C., Mrad, K., Zavaglia, K., Bertacca, G., Aretini, P., Cipollini, G., Bevilacqua, G., Ben Romdhane, K., and Cavazzana, A.:

Papillary lesions of the breast: a molecular progression?

Breast Cancer Res Treat 90(1): 71-76 (2005)

<http://www.springerlink.com/content/k541817888758k14/>

Dong, B., Sato, M., Sakurada, A., Sagawa, M., Endo, C., Wu, S., Yamanaka, S., Horii, A., and Kondo, T.:

Computed tomographic images reflect the biologic behavior of small lung adenocarcinoma: they correlate with cell proliferation, microvascularization, cell adhesion, degradation of extracellular matrix, and K-ras mutation

J Thorac Cardiovasc Surg 130(3): 733-739 (2005)

<http://www.jtcvsonline.org/article/S0022-5223%2805%2900791-9/abstract>

Du L, Peng R, Björkman A, Filipe de Miranda N, Rosner C, Kotnis A, Berglund M, Liu C, Rosenquist R, Enblad G, Sundström C, Hojjat-Farsangi M, Rabbani H, Teixeira MR, Revy P, Durandy A, Zeng Y, Gennery AR, de Villartay JP, Pan-Hammarström Q:

Cernunnos influences human immunoglobulin class switch recombination and may be associated with B cell lymphomagenesis

J Exp Med. 2012 Feb 6. [Epub ahead of print]

<http://www.jem.org/cgi/pmidlookup?view=long&pmid=22312109>

Ellsworth, D.L., Ellsworth, R.E., Love, B., Deyarmin, B., Lubert, S.M., Mittal, V., and Shriver, C.D.:

Genomic patterns of allelic imbalance in disease free tissue adjacent to primary breast carcinomas

Breast Cancer Res Treat 88(2): 131-139 (2004)

<http://www.springerlink.com/content/p08585p766261t33/>

Ellsworth, D.L., Shriver, C.D., Ellsworth, R.E., Deyarmin, B., and Somiari, R.I.:

Laser capture microdissection of paraffin-embedded tissues

Biotechniques 34(1): 42-44, 46 (2003)

http://www.biotechniques.com/multimedia/archive/00010/03341bm05_10303a.pdf

Ellsworth, R.E., Ellsworth, D.L., Lubert, S.M., Hooke, J., Somiari, R.I., and Shriver, C.D.:

High-throughput loss of heterozygosity mapping in 26 commonly deleted regions in breast cancer

Cancer Epidemiol Biomarkers Prev 12(9): 915-919 (2003)

<http://cebp.aacrjournals.org/content/12/9/915.long>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Engeham S, Mdaki K, Jewell K, Austin R, Lehner AN, and Langley-Evans SC:

Mitochondrial Respiration Is Decreased in Rat Kidney Following Fetal Exposure to a Maternal Low-Protein Diet

Journal of Nutrition and Metabolism Volume 2012 (2012), Article ID 989037, 10 pages, doi:10.1155/2012/989037

<http://www.hindawi.com/journals/jnume/2012/989037/>

Feltmate, C.M., Lee, K.R., Johnson, M., Schorge, J.O., Wong, K.K., Hao, K., Welch, W.R., Bell, D.A., Berkowitz, R.S., and Mok, S.C.:

Whole-genome allelotyping identified distinct loss-of-heterozygosity patterns in mucinous ovarian and appendiceal carcinomas

Clin Cancer Res 11(21): 7651-7657 (2005)

<http://clincancerres.aacrjournals.org/content/11/21/7651.long>

Giuffrè, G., Müller, A., Brodegger, T., Bocker-Edmonston, T., Gebert, J., Kloor, M., Dietmaier, W., Kullmann, F., Buttner, R., Tuccari, G., and Ruschhoff, J.:

Microsatellite analysis of hereditary nonpolyposis colorectal cancer-associated colorectal adenomas by laser-assisted microdissection: correlation with mismatch repair protein expression provides new insights in early steps of tumorigenesis

J Mol Diagn 7(2): 160-170 (2005)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960542-9/abstract>

Greaves LC, Barron MJ, Plusa S, Kirkwood TB, Mathers JC, Taylor RW, Turnbull DM:

Defects in multiple complexes of the respiratory chain are present in ageing human colonic crypts

Exp Gerontol 45(7-8):573-9 (2010)

<http://dx.doi.org/10.1016/j.exger.2010.01.013>

Greaves, L.C., Preston, S.L., Tadrous, P.J., Taylor, R.W., Barron, M.J., Oukrif, D., Leedham, S.J., Deheragoda, M., Sasieni, P., Novelli, M.R., Jankowski, J.A., Turnbull, D.M., Wright, N.A., and McDonald, S.A.:

Mitochondrial DNA mutations are established in human colonic stem cells, and mutated clones expand by crypt fission

Proc Natl Acad Sci U S A 103(3): 714-719 (2006)

<http://www.pnas.org/content/103/3/714.long>

Grisotto, M.G., Garin, A., Martin, A.P., Jensen, K.K., Chan, P., Sealfon, S.C., and Lira, S.A.:

The human herpesvirus 8 chemokine receptor vGPCR triggers autonomous proliferation of endothelial cells

J Clin Invest 116(5): 1264-1273 (2006)

<http://www.jci.org/articles/view/26666>

Guerra A, Sapio MR, Marotta V, Campanile E, Rossi S, Forno I, Fugazzola L, Budillon A, Moccia T, Fenzi G, Vitale M

The Primary Occurrence of BRAFV600E Is a Rare Clonal Event in Papillary Thyroid Carcinoma

J Clin Endocrinol Metab. 2011 Dec 14. [Epub ahead of print]

<http://jcem.endojournals.org/cgi/lookup?view=long&pmid=22170714>

Guidoboni, M., Ponzoni, M., Caggiari, L., Lettini, A.A., Vago, L., De Re, V., Gloghini, A., Zancai, P., Carbone, A., Boiocchi, M., and Dolcetti, R.:

Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma

J Virol 79(4): 2643-2649 (2005)

<http://jvi.asm.org/cgi/content/full/79/4/2643?view=long&pmid=15681466>

Gründemann, Falk Schlaudraff, F., Haeckel, O., Liss, B.

Elevated α -synuclein mRNA levels in individual UV-laser-microdissected dopaminergic *substantia nigra* neurons in idiopathic Parkinson's disease

Nucleic Acids Research, 2008, 1–16, doi:10.1093/nar/gkn084

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Heinmoller, E., Bockholt, A., Werther, M., Ziemer, M., Muller, A., Ghadimi, B.M., and Ruschoff, J.:

Laser microdissection of small tissue samples-application to chronic pancreatitis tissues

Pathol Res Pract 199(6): 363-371 (2003)

<http://dx.doi.org/10.1078/0344-0338-00432>

Heinmoller, E., Schlake, G., Renke, B., Liu, Q., Hill, K.A., Sommer, S.S., and Ruschoff, J.:

Microdissection and molecular analysis of single cells or small cell clusters in pathology and diagnosis--significance and challenges

Anal Cell Pathol 24(4-5): 125-134 (2002)

<http://iospress.metapress.com/content/9uvwg5dtv43bcqxh/?p=b340043114c641c2a4487363174b3505&pi=0>

Huang YS, Bu DF, Li XY, Ma ZH, Yang Y, Lin ZM, Lu FM, Tu P, Li H:

Unique features of PTCH1 mutation spectrum in Chinese sporadic basal cell carcinoma

J Eur Acad Dermatol Venereol. 2012 Feb 7. doi: 10.1111/j.1468-3083.2012.04453.x.

<http://dx.doi.org/10.1111/j.1468-3083.2012.04453.x>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192,

10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Ikeda, J., Morii, E., Tomita, Y., Xu, J.X., Kimura, H., Kohara, M., Hoshida, Y., and Aozasa, K.:

Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma

Int J Hematol 83(4): 363-365 (2006)

<http://www.springerlink.com/content/2700876436721844/>

Imaoka, T., Okamoto, M., Nishimura, M., Nishimura, Y., Ootawara, M., Kakinuma, S., Tokairin, Y., and Shimada, Y.:

Mammary tumorigenesis in ApcMin/+ mice is enhanced by X irradiation with a characteristic age dependence

Radiat Res 165(2): 165-173 (2006)

<http://www.rjournal.org/doi/full/10.1667/RR3502.1>

Ito, S., Ohga, T., Saeki, H., Nakamura, T., Watanabe, M., Tanaka, S., Kakeji, Y., and Maehara, Y.:

p53 mutation profiling of multiple esophageal carcinoma using laser capture microdissection to demonstrate field carcinogenesis

Int J Cancer 113(1): 22-28 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20500/full>

Janssen, M.J., Waanders, E., te Morsche, R.H.M., Xing, R., Dijkman, H.B.P.M., Woudenberg, J., Drenth, J.P.H.:
Secondary, Somatic Mutations Might Promote Cyst Formation in Patients with Autosomal-Dominant Polycystic Liver Disease

Gastroenterology (2011), doi: 10.1053/j.gastro.2011.08.004
<http://www.sciencedirect.com/science/article/pii/S0016508511011528>

Kalantari M, Garcia-Carranca A, Morales-Vazquez CD, Zuna R, Montiel DP, Calleja-Macias IE, Johansson B, Andersson S, Bernard HU:

Laser capture microdissection of cervical human papillomavirus infections: Copy number of the virus in cancerous and normal tissue and heterogeneous DNA methylation

Virology 390(2):261-7 (2009)
<http://dx.doi.org/10.1016/j.virol.2009.05.006>

Kantlehner M, Kirchner R, Hartmann P, Ellwart JW, Alunni-Fabbroni M, Schumacher A.:

A high-throughput DNA methylation analysis of a single cell.

Nucleic Acids Res. 2011 Apr;39(7):e44.
<http://nar.oxfordjournals.org/content/39/7/e44.long>

Kato K, Kuhara A, Yoneda T, Inoue T, Takao T, Ohgami T, Dan L, Kuboyama A, Kusunoki S, Takeda S, Wake N:
Sodium butyrate inhibits the self-renewal capacity of endometrial tumor side-population cells by inducing a DNA damage response.

Mol Cancer Ther. 2011 Jun 1. [Epub ahead of print]
<http://mct.aacrjournals.org/content/early/2011/06/01/1535-7163.MCT-10-1062.abstract>

Katz SF, Lechel A, Obenaus AC, Begus-Nahrmann Y, Kraus J, Hoffmann EM, Duda J, Eshraghi P, Hartmann D, Liss B, Schirmacher P, Kestler HA, Speicher MR, Rudolph KL

Disruption of Trp53 in Livers of Mice Induces Formation of Carcinomas with Bilineal Differentiation

Gastroenterology. 2012 Feb 15. [Epub ahead of print]
[http://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(12\)00204-1](http://linkinghub.elsevier.com/retrieve/pii/S0016-5085(12)00204-1)

Kraytsberg Y, Bodyak N, Myerow S, Nicholas A, Ebralidze K, Khrapko K:

Collection of isolated cells for studying mitochondrial DNA mutations within individual cells

Methods Mol Biol. 2009;554:315-27
<http://www.springerlink.com/content/r736437041711552/#section=67449&page=1>

Krishnan KJ, Blackwood JK, Reeve AK, Turnbull DM, Taylor RW:

Detection of mitochondrial DNA variation in human cells

Methods Mol Biol. 2010;628:227-57
<http://www.springerlink.com/content/g920m483112120k6/#section=676826&page=1>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Risio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)
<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)
<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Lin Y, Jiang X, Shen Y, Li M, Ma H, Xing M, Lu Y:

Frequent mutations and amplifications of the PIK3CA gene in pituitary tumors

Endocr Relat Cancer 16(1):301-10 (2009)
<http://erc.endocrinology-journals.org/cgi/content/abstract/16/1/301>

Lipata F, Parkash V, Talmor M, Bell S, Chen S, Maric V, Hui P:

Precise DNA genotyping diagnosis of hydatidiform mole

Obstet Gynecol. 2010 Apr;115(4):784-94.

http://journals.lww.com/greenjournal/Abstract/2010/04000/Precise_DNA_Genotyping_Diagnosis_of_Hydatidiform_18.aspx

Liu WB, Ao L, Zhou ZY, Cui ZH, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

CpG island hypermethylation of multiple tumor suppressor genes associated with loss of their protein expression during rat lung carcinogenesis induced by 3-methylcholanthrene and diethylnitrosamine

Biochem Biophys Res Commun. 2010 Nov 19;402(3):507-14

<http://dx.doi.org/10.1016/j.bbrc.2010.10.061>

Longley MJ, Clark S, Yu Wai Man C, Hudson G, Durham SE, Taylor RW, Nightingale S, Turnbull DM, Copeland WC, Chinnery PF:

Mutant POLG2 disrupts DNA polymerase gamma subunits and causes progressive external ophthalmoplegia

Am J Hum Genet. 2006 Jun;78(6):1026-34.

[http://linkinghub.elsevier.com/retrieve/pii/S0002-9297\(07\)63923-8](http://linkinghub.elsevier.com/retrieve/pii/S0002-9297(07)63923-8)

Lucchini V:

Il difetto ossidativo mitocondriale e le alterazioni del DNA mitocondriale in topi transgenici modello animale della Atassia Spinocerebellare di tipo 1

Tesi di Dottorato, PhD thesis

http://air.unimi.it/bitstream/2434/169922/4/phd_unimi_R08149.pdf

Ma L, Xiao Y, Huang H, Wang Q, Rao W, Feng Y, Zhang K, Song Q:

Direct determination of molecular haplotypes by chromosome microdissection

Nat Methods 7(4):299-301 (2010)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2871314/>

Machado, R.D., James, V., Southwood, M., Harrison, R.E., Atkinson, C., Stewart, S., Morrell, N.W., Trembath, R.C., and Aldred, M.A.:

Investigation of second genetic hits at the BMPR2 locus as a modulator of disease progression in familial pulmonary arterial hypertension

Circulation 111(5): 607-613 (2005)

<http://circ.ahajournals.org/cgi/content/full/111/5/607>

Markaryan, A., Nelson, E.G., and Hinojosa, R.:

Detection of mitochondrial DNA deletions in the cochlea and its structural elements from archival human temporal bone tissue

Mutat Res 640(1-2): 38-45 (2008)

<http://dx.doi.org/10.1016/j.mrfmmm.2007.12.007>

Markaryan A, Nelson EG, Hinojosa R:

Major arc mitochondrial DNA deletions in cytochrome c oxidase-deficient human cochlear spiral ganglion cells

Acta Otolaryngol. 2010 Jul;130(7):780-7

<http://informahealthcare.com/doi/abs/10.3109/00016480903397702>

Mazzanti CM, Hamad MA, Fanelli G, Scatena C, Zammarchi F, Zavaglia K, Lessi F, Pistello M, Naccarato AG, Bevilacqua G:

A Murine Mammary Tumor Virus env-Like Exogenous Sequence Is Strictly Related to Progression of Human Sporadic Breast Carcinoma

Am J Pathol. 2011 Aug 17, doi:10.1016/j.ajpath.2011.06.046

<http://www.sciencedirect.com/science/article/pii/S0002944011006961>

Muller, A., Giuffre, G., Edmonston, T.B., Mathiak, M., Roggendorf, B., Heinmoller, E., Brodegger, T., Tuccari, G., Mangold, E., Buettner, R., and Ruschoff, J.:

Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry

J Mol Diagn 6(4): 308-315 (2004)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960526-0/abstract>

Murata, N., Masuda, K., Nishiyama, R., and Nomura, K.:

Construction of a micro-library enriched with genomic replication origins of carrot somatic embryos by laser microdissection

Plant Physiol Biochem 43(6): 513-519 (2005)

<http://dx.doi.org/10.1016/j.plaphy.2005.04.004>

Nagahara, H., Mimori, K., Ohta, M., Utsunomiya, T., Inoue, H., Barnard, G.F., Ohira, M., Hirakawa, K., and Mori, M.:

Somatic mutations of epidermal growth factor receptor in colorectal carcinoma

Clin Cancer Res 11(4): 1368-1371 (2005)

<http://clincancerres.aacrjournals.org/content/11/4/1368.long>

Nakayama T, Ling ZQ, Mukaisho K, Hattori T, Sugihara H:

Lineage analysis of early and advanced tubular adenocarcinomas of the stomach: continuous or discontinuous?

BMC Cancer. 2010 Jun 21;10:311

<http://www.biomedcentral.com/1471-2407/10/311/>

Oparka R, Cassidy A, Reilly S, Stenhouse A, McCluggage WG, Herrington CS:

The C134W (402 C>G) FOXL2 mutation is absent in ovarian gynandroblastoma: insights into the genesis of an unusual tumour

Histopathology. 2012 Feb 1. doi: 10.1111/j.1365-2559.2011.04148.x.

<http://dx.doi.org/10.1111/j.1365-2559.2011.04148.x>

Podd, B.S., Thoits, J., Whitley, N., Cheng, H.Y., Kudla, K.L., Taniguchi, H., Halkias, J., Goth, K., and Camerini, V.:

T cells in cryptopatch aggregates share TCR gamma variable region junctional sequences with gamma delta T cells in the small intestinal epithelium of mice

J Immunol 176(11): 6532-6542 (2006)

<http://www.jimmunol.org/content/176/11/6532.long>

Post, R.J., Krüger, A., and Somiari, S.B.:

Laser-assisted microdissection of polytene chromosomes from Diptera for the development of molecular markers

Molecular Ecology Notes (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-8286.2006.01369.x/abstract>

Prowse, A.H., Fakis, G., Manek, S., Churchman, M., Edwards, S., Rowan, A., Koninckx, P., Kennedy, S., and Tomlinson, I.P.:

Allelic loss studies do not provide evidence for the "endometriosis-as-tumor" theory

Fertil Steril 83 Suppl 1: 1134-1143 (2005)

<http://www.fertstert.org/article/S0015-0282%2804%2903224-8/abstract>

Prowse, A.H., Manek, S., Varma, R., Liu, J., Godwin, A.K., Maher, E.R., Tomlinson, I.P., and Kennedy, S.H.:

Molecular genetic evidence that endometriosis is a precursor of ovarian cancer

Int J Cancer 119(3): 556-562 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21845/full>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Sansonno, D., Tucci, F.A., De Re, V., Lauletta, G., Montrone, M., Libra, M., and Dammacco, F.:

HCV-associated B cell clonalities in the liver do not carry the t(14;18) chromosomal translocation

Hepatology 42(5): 1019-1027 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/hep.20887/full>

Schraders, M., de Jong, D., Kluin, P., Groenen, P., and van Krieken, H.:

Lack of Bcl-2 expression in follicular lymphoma may be caused by mutations in the BCL2 gene or by absence of the t(14;18) translocation

J Pathol 205(3): 329-335 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1689/full>

Shieh, D.B., Chou, W.P., Wei, Y.H., Wong, T.Y., and Jin, Y.T.:

Mitochondrial DNA 4,977-bp deletion in paired oral cancer and precancerous lesions revealed by laser microdissection and real-time quantitative PCR

Ann N Y Acad Sci 1011: 154-167 (2004)

<http://onlinelibrary.wiley.com/doi/10.1196/annals.1293.016/full>

Shieh, Y.S., Shiah, S.G., Jeng, H.H., Lee, H.S., Wu, C.W., and Chang, L.C.:

DNA methyltransferase 1 expression and promoter methylation of E-cadherin in mucoepidermoid carcinoma

Cancer 104(5): 1013-1021 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cncr.21278/full>

Sperka T, Song Z, Morita Y, Nalapareddy K, Guachalla LM, Lechel A, Begus-Nahrman Y, Burkhalter MD, Mach M, Schlaudraff F, Liss B, Ju Z, Speicher MR, Rudolph KL:

Puma and p21 represent cooperating checkpoints limiting self-renewal and chromosomal instability of somatic stem cells in response to telomere dysfunction

Nat Cell Biol. 2011 Dec 4. doi: 10.1038/ncb2388.

<http://www.nature.com/ncb/journal/vaop/ncurrent/full/ncb2388.html>

Tada M, Kanai F, Tanaka Y, Sanada M, Nannya Y, Tateishi K, Ohta M, Asaoka Y, Seto M, Imazeki F, Yoshida H, Ogawa S, Yokosuka O, Omata M:

Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism array in gastric cancer

Cancer Sci. 2010 May;101(5):1261-9

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2010.01500.x/full>

Tancredi, M., Sensi, E., Cipollini, G., Aretini, P., Lombardi, G., Di Cristofano, C., Presciuttini, S., Bevilacqua, G., and Caligo, M.A.:

Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion

Eur J Hum Genet 12(9): 775-777 (2004)

<http://www.nature.com/ejhg/journal/v12/n9/full/5201223a.html>

Taylor, R.W., Barron, M.J., Borthwick, G.M., Gospel, A., Chinnery, P.F., Samuels, D.C., Taylor, G.A., Plusa, S.M., Needham, S.J., Greaves, L.C., Kirkwood, T.B., and Turnbull, D.M.:

Mitochondrial DNA mutations in human colonic crypt stem cells

J Clin Invest 112(9): 1351-1360 (2003)

<http://www.jci.org/articles/view/19435>

van Dijk, M.C., Rombout, P.D., Mooi, W.J., van de Molengraft, F.J., van Krieken, J.H., Ruiter, D.J., and Ligtenberg, M.J.:

Allelic imbalance in the diagnosis of benign, atypical and malignant Spitz tumours

J Pathol 197(2): 170-178 (2002)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1119/full>

van Schanke, A., van Venrooij, G.M., Jongsma, M.J., Banus, H.A., Mullenders, L.H., van Kranen, H.J., and de Gruijl, F.R.:

Induction of nevi and skin tumors in Ink4a/Arf Xpa knockout mice by neonatal, intermittent, or chronic UVB exposures

Cancer Res 66(5): 2608-2615 (2006)

<http://cancerres.aacrjournals.org/content/66/5/2608.long>

Wang Y, Antonopoulos DA, Zhu X, Harrell L, Hanan I, Alverdy JC, Meyer F, Musch MW, Young VB, Chang EB:
Laser capture microdissection and metagenomic analysis of intact mucosa-associated microbial communities of human colon

Appl Microbiol Biotechnol 88(6):1333-42 (2010)

<http://www.springerlink.com/content/6872721wl5042721/>

Wei, M., Grushko, T.A., Dignam, J., Hagos, F., Nanda, R., Sveen, L., Xu, J., Fackenthal, J., Tretiakova, M., Das, S., and Olopade, O.I.:

BRCA1 promoter methylation in sporadic breast cancer is associated with reduced BRCA1 copy number and chromosome 17 aneusomy

Cancer Res 65(23): 10692-10699 (2005)

<http://cancerres.aacrjournals.org/content/65/23/10692.long>

Wiltling SM, Snijders PJ, Verlaat W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Xiao, W., Zhang, Q., Jiang, F., Pins, M., Kozlowski, J.M., and Wang, Z.:

Suppression of prostate tumor growth by U19, a novel testosterone-regulated apoptosis inducer

Cancer Res 63(15): 4698-4704 (2003)

<http://cancerres.aacrjournals.org/content/63/15/4698.long>

Xu, A.M., Zhang, S.H., Zheng, J.M., Zheng, W.Q., and Wu, M.C.:

Pathological and molecular analysis of sporadic hepatic angiomyolipoma

Hum Pathol 37(6): 735-741 (2006)

<http://www.humanpathol.com/article/S0046-8177%2806%2900076-1/abstract>

Yamamoto S, Tsuda H, Suzuki K, Takano M, Tamai S, Matsubara O:

An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway

Virchows Arch. 2009 Sep;455(3):261-70

<http://www.springerlink.com/content/ph8121053g3w1p13/>

Yang H, Xu C, Tang Y, Wan C, Liu W, Wang L:

The significance of multiplex PCR/heteroduplex analysis-based TCR- γ gene rearrangement combined with laser-capture microdissection in the diagnosis of early mycosis fungoides

J Cutan Pathol. 2012 Mar;39(3):337-46. doi: 10.1111/j.1600-0560.2011.01842.x

<http://dx.doi.org/10.1111/j.1600-0560.2011.01842.x>

Yardy GW, Bicknell DC, Wilding JL, Bartlett S, Liu Y, Winney B, Turner GD, Brewster SF, Bodmer WF:
Mutations in the AXIN1 Gene in Advanced Prostate Cancer

Eur Urol 56(3):486-94 (2009)

<http://www.europeanurology.com/article/S0302-2838%2808%2900638-6>

Yu-Wai-Man P, Lai-Cheong J, Borthwick GM, He L, Taylor GA, Greaves LC, Taylor RW, Griffiths PG, Turnbull DM:

Somatic mitochondrial DNA deletions accumulate to high levels in aging human extraocular muscles

Invest Ophthalmol Vis Sci 51(7):3347-53 (2010)

<http://www.iovs.org/content/51/7/3347.short>

Zammarchi, F., Pistello, M., Piersigilli, A., Murr, R., Di Cristofano, C., Naccarato, A.G., and Bevilacqua, G.:

MMTV-like sequences in human breast cancer: a fluorescent PCR/laser microdissection approach

J Pathol 209(4): 436-444 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1997/full>

Zhang, Q., Rubenstein, J.N., Jang, T.L., Pins, M., Javonovic, B., Yang, X., Kim, S.J., Park, I., and Lee, C.:

Insensitivity to transforming growth factor-beta results from promoter methylation of cognate receptors in human prostate cancer cells (LNCaP)

Mol Endocrinol 19(9): 2390-2399 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2390>

2. RNA-Research

Abe J, Ueha S, Yoneyama H, Shono Y, Kurachi M, Goto A, Fukayama M, Tomura M, Kakimi K, Matsushima K:
B cells regulate antibody responses through the medullary remodeling of inflamed lymph nodes
Int Immunol. 2012 Jan;24(1):17-27.

<http://intimm.oxfordjournals.org/content/24/1/17.short>

Abbott E, Hall D, Hamberger B, Bohlmann J.:

Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Allen, C.D., Ansel, K.M., Low, C., Lesley, R., Tamamura, H., Fujii, N., and Cyster, J.G.:

Germinal center dark and light zone organization is mediated by CXCR4 and CXCR5

Nat Immunol 5(9): 943-952 (2004)

<http://www.nature.com/ni/journal/v5/n9/full/ni1100.html>

Anderle, P., Rumbo, M., Sierro, F., Mansourian, R., Michetti, P., Roberts, M.A., and Kraehenbuhl, J.P.:

Novel markers of the human follicle-associated epithelium identified by genomic profiling and microdissection

Gastroenterology 129(1): 321-327 (2005)

[http://www.gastrojournal.org/article/S0016-5085\(05\)00567-6/fulltext](http://www.gastrojournal.org/article/S0016-5085(05)00567-6/fulltext)

Anderle, P., Sengstag, T., Mutch, D.M., Rumbo, M., Praz, V., Mansourian, R., Delorenzi, M., Williamson, G., and Roberts, M.A.:

Changes in the transcriptional profile of transporters in the intestine along the anterior-posterior and crypt-villus axes

BMC Genomics 6(1): 69 (2005)

<http://www.biomedcentral.com/1471-2164/6/69>

Archer A, Sauvaget D, Chauffeton V, Bouchet PE, Chambaz J, Pinçon-Raymond M, Cardot P, Ribeiro A, Lacasa M:
Intestinal apolipoprotein A-IV gene transcription is controlled by two hormone-responsive elements: a role for hepatic nuclear factor-4 isoforms

Mol Endocrinol. 2005 Sep;19(9):2320-34.

<http://mend.endojournals.org/content/19/9/2320.long>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

Gene expression patterns in the human breast after pregnancy

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Augello C, Vaira V, Caruso L, Destro A, Maggioni M, Park YN, Montorsi M, Santambrogio R, Roncalli M, Bosari S:

MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma

Liver Int. 2012 Mar 19. doi: 10.1111/j.1478-3231.2012.02795.x. [Epub ahead of print]
<http://onlinelibrary.wiley.com/doi/10.1111/j.1478-3231.2012.02795.x/full>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22
<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Bainer RO, Veneris JT, Yamada SD, Montag A, Lingen MW, Gilad Y, Rinker-Schaeffer CW:

Time-dependent transcriptional profiling links gene expression to mitogen-activated protein kinase kinase 4 (MKK4)-mediated suppression of omental metastatic colonization

Clin Exp Metastasis. 2012 Feb 21. [Epub ahead of print]
<http://dx.doi.org/10.1007/s10585-011-9448-y>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases

Int J Cancer 118(1): 74-89 (2006)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtatos, F.:

Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection

Int J Biol Markers 19(2): 100-108 (2004)
<http://cat.inist.fr/?aModele=afficheN&cpsidt=15941984>

Bernard A, Lubbers LS, Tanis KQ, Luo R, Podtelezchnikov AA, Finney EM, McWhorter MM, Serikawa K, Lemon T, Morgan R, Copeland C, Smith K, Cullen V, Davis-Turak J, Lee CK, Sunkin SM, Loboda AP, Levine DM, Stone DJ, Hawrylycz MJ, Roberts CJ, Jones AR, Geschwind DH, Lein ES:

Transcriptional architecture of the primate neocortex

Neuron. 2012 Mar 22;73(6):1083-99.
[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00225-5](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00225-5)

Berquin, I.M., Min, Y., Wu, R., Wu, H., and Chen, Y.Q.:

Expression signature of the mouse prostate

J Biol Chem 280(43): 36442-36451 (2005)
<http://www.jbc.org/content/280/43/36442.long>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Rippo M.R., Procopio A., Grosso F., Libener R.:

miRNAs signature in microdissected tissues and primary cultured cells of malignant mesotelioma

J Clin Oncol 29: 2011 (suppl; abstr e21031)
http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:
Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]
<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Brown, A.L., Smith, D.W.

Improved RNA preservation for immunolabeling and laser microdissection

RNA 2009 15: 2364-2374, Published by Cold Spring Harbor Laboratory Press

<http://rnajournal.cshlp.org/content/15/12/2364.long>

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A

Comparative transcriptome analysis of stylar canal cells identifies novel candidate genes implicated in the self-incompatibility response of *Citrus clementina*

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Chandran D, Inada N, Wildermuth MC:

Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Chen, Z. and Gu, J.:

Immunoglobulin G expression in carcinomas and cancer cell lines

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Chokechanachaisakul U, Kaneko T, Okiji T, Kaneko R, Kaneko M, Kawamura J, Sunakawa M, Suda H:

Increased Gene Expression of Toll-like Receptors and Antigen-Presenting Cell-related Molecules in the Onset of Experimentally Induced Furcation Lesions of Endodontic Origin in Rat Molars

J Endod. 2010 Feb;36(2):251-5

<http://www.jendodon.com/article/S0099-2399%2809%2900879-6/abstract>

Choudhary RK, Daniels KM, Evock-Clover CM, Garrett W, Capuco AV:

Technical note: A rapid method for 5-bromo-2'-deoxyuridine (BrdU) immunostaining in bovine mammary cryosections that retains RNA quality

J Dairy Sci 93(6):2574-9 (2010)

<http://www.journalofdairyscience.org/article/S0022-0302%2810%2900261-4/abstract>

Clayburgh, D.R., Rosen, S., Witkowski, E.D., Wang, F., Blair, S., Dudek, S., Garcia, J.G., Alverdy, J.C., and Turner, J.R.:

A differentiation-dependent splice variant of myosin light chain kinase, MLCK1, regulates epithelial tight junction permeability

J Biol Chem 279(53): 55506-55513 (2004)

<http://www.jbc.org/content/279/53/55506.long>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Czibere L, Baur LA, Wittmann A, Gemmeke K, Steiner A, Weber P, Pütz B, Ahmad N, Bunck M, Graf C, Widner R, Kühne C, Panhuysen M, Hamsch B, Rieder G, Reinheckel T, Peters C, Holsboer F, Landgraf R, Deussing JM:
Profiling Trait Anxiety: Transcriptome Analysis Reveals Cathepsin B (Ctsb) as a Novel Candidate Gene for Emotionality in Mice

PLoS ONE 6(8): e23604. doi:10.1371/journal.pone.0023604 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023604>

Dai, M.S., Chao, T.Y., Kao, W.Y., Shyu, R.Y., and Liu, T.M.:

Delayed hepatitis B virus reactivation after cessation of preemptive lamivudine in lymphoma patients treated with rituximab plus CHOP

Ann Hematol 83(12): 769-774 (2004)

<http://www.springerlink.com/content/x87nue2nfx7pt0ap/>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

de Lagausie, P., de Buys-Roessingh, A., Ferkdadjji, L., Saada, J., Aisenfisz, S., Martinez-Vinson, C., Fund, X., Cayuela, J.M., Peuchmaur, M., Mercier, J.C., and Berrebi, D.:

Endothelin receptor expression in human lungs of newborns with congenital diaphragmatic hernia

J Pathol 205(1): 112-118 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1677/full>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.C., and Fink, L.:

Catabolic properties of microdissected human endosteal bone lining cells

Calcif Tissue Int 84(2): 146-155 (2009)

<http://www.springerlink.com/content/a2h715150m525279/>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:

A gene expression signature that defines breast cancer metastases

Clin Exp Metastasis 26(3):205-13 (2009)

<http://www.springerlink.com/content/102574228038m751/>

Engelse, M.A., Lardenoye, J.H., Neele, J.M., Grimbergen, J.M., De Vries, M.R., Lamfers, M.L., Pannekoek, H., Quax, P.H., and De Vries, C.J.:

Adenoviral activin a expression prevents intimal hyperplasia in human and murine blood vessels by maintaining the contractile smooth muscle cell phenotype

Circ Res 90(10): 1128-1134 (2002)

<http://circres.ahajournals.org/cgi/content/full/90/10/1128>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:

Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma

Am J Pathol 161(4): 1315-1323 (2002)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Fujimoto H, Woo GH, Inoue K, Igarashi K, Kanno J, Hirose M, Nishikawa A, and Shibutani M:

Increased cellular distribution of vimentin and Ret in the cingulum induced by developmental hypothyroidism in rat offspring maternally exposed to anti-thyroid agents

Reproductive Toxicology, Available online 6 April 2012, ISSN 0890-6238, 10.1016/j.reprotox.2012.03.005.

<http://www.sciencedirect.com/science/article/pii/S0890623812000482>

Gąska M, Kuśmider M, Solich J, Faron-Górecka A, Krawczyk MJ, Kułakowski K, Dziedzicka-Wasylewska M:

Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level

Psychopharmacology (Berl). 2012 May 1. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00213-012-2714-0>

Gassler, N., Newrzella, D., Bohm, C., Lyer, S., Li, L., Sorgenfrei, O., van Laer, L., Sido, B., Mollenhauer, J., Poustka, A., Schirmacher, P., and Gretz, N.:

Molecular characterisation of non-absorptive and absorptive enterocytes in human small intestine

Gut 55(8): 1084-1089 (2006)

<http://gut.bmj.com/content/55/8/1084.abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, Funel N, Peters GJ, Del Chiaro M, Erozcenci LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gomez SK, Harrison MJ:

Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

Gómez-Ariza J, Balestrini R, Novero M and Bonfante P

Cell-specific gene expression of phosphate transporters in mycorrhizal tomato roots

Biology and Fertility of Soils 45(8): 845-853 (2009)

<http://www.springerlink.com/content/72503011k6720883/>

Gong L, Yan-Hong Li, Qin Su, Gang Li, Wen-Dong Zhang, and Wei Zhang:

Use of X-chromosome inactivation pattern and laser microdissection to determine the clonal origin of focal nodular hyperplasia of the liver

Pathology 2009, Vol. 41, No. 4, Pages 348-355

<http://journals.lww.com/pathologyvrpa/pages/articleviewer.aspx?year=2009&issue=41040&article=00005&type=abstract>

Gründemann J, Schlaudraff F, Haeckel O, Liss B.

Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease.

Nucleic Acids Res. 2008 Apr;36(7):e38. Epub 2008 Mar 10.

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:

UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Hamatani, K., Eguchi, H., Takahashi, K., Koyama, K., Mukai, M., Ito, R., Taga, M., Yasui, W., and Nakachi, K.: **Improved RT-PCR amplification for molecular analyses with long-term preserved formalin-fixed, paraffin-embedded tissue specimens**

J Histochem Cytochem 54(7): 773-780 (2006)

<http://jhc.sagepub.com/content/54/7/773.long>

Han, Y.M., Romero, R., Kim, J.S., Tarca, A.L., Kim, S.K., Draghici, S., Kusanovic, J.P., Gotsch, F., Mittal, P., Hassan, S.S., and Kim, C.J.:

Region-specific gene expression profiling: novel evidence for biological heterogeneity of the human amnion

Biol Reprod 79(5): 954-961 (2008)

<http://www.biolreprod.org/content/79/5/954.long>

Haishima A, Murakami M, Ikeda T, Inoue K, Kamiie J, Shirota K:

Detection of Bcl-2 mRNA and its product in the glomerular podocytes of the normal rat kidney

Exp Toxicol Pathol. 2011 Jan 7.

<http://dx.doi.org/10.1016/j.etp.2010.12.006>

Hashimoto, A., Matsui, T., Tanaka, S., Ishikawa, A., Endo, H., Hirohata, S., Kondo, H., Neumann, E., Tarner, I.H., and Muller-Ladner, U.:

Laser-mediated microdissection for analysis of gene expression in synovial tissue

Mod Rheumatol 17(3): 185-190 (2007)

<http://www.springerlink.com/content/p7j8347u126p7506/>

Hashimoto, A., Tarner, I.H., Bohle, R.M., Gaumann, A., Manetti, M., Distler, O., Steinmeyer, J., Ulfgren, A.K., Schulz, A., Gay, S., Muller-Ladner, U., and Neumann, E.:

Analysis of vascular gene expression in arthritic synovium by laser-mediated microdissection

Arthritis Rheum 56(4): 1094-1105 (2007)

<http://onlinelibrary.wiley.com/doi/10.1002/art.22450/full>

Heil, S.G., De Vriese, A.S., Kluijtmans, L.A., Dijkman, H., van Strien, D., Akkers, R., and Blom, H.J.:

Cytochrome P450-2C11 mRNA is not expressed in endothelial cells dissected from rat renal arterioles

Nephron Physiol 99(2): p43-49 (2005)

<http://content.karger.com/produktedb/produkte.asp?DOI=83135&typ=pdf>

Hölscher, D., Schneider, B.

Application of Laser-Assisted Microdissection for Tissue and Cell-Specific Analysis of RNA, Proteins, and Metabolites

U. Lüttge et al. (eds.), Progress in Botany 69. 141, © Springer-Verlag Berlin Heidelberg 2008

<http://www.springerlink.com/content/m15305g9262t5776/>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis

Proc Amer Assoc Caner Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFO RMAT=&andorexactitle=and&titleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexactitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Huang P, He Z, Ji S, Sun H, Xiang D, Liu C, Hu Y, Wang X, Hui L:

Induction of functional hepatocyte-like cells from mouse fibroblasts by defined factors.

Nature [Epub ahead of print] (2011)

<http://www.nature.com/nature/journal/vaop/ncurrent/full/nature10116.html>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Ieta K, Tanaka F, Yokobori T, Kita Y, Haraguchi N, Mimori K, Kato H, Asao T, Inoue H, Kuwano H, Mori M:

Clinicopathological significance of stanniocalcin 2 gene expression in colorectal cancer

Int J Cancer 125(4):926-31 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24453/full>

Ito Y, Sonobe H:

The role of ecdysteroid 22-kinase in the accumulation of ecdysteroids in ovary of silkworm *Bombyx mori*

Ann N Y Acad Sci 1163:421-4 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1749-6632.2009.04465.x/full>

Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:

A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer

J Surg Oncol. 2009 Sep 1;100(3):261-6.

<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>

Ka, S.M., Rifai, A., Chen, J.H., Cheng, C.W., Shui, H.A., Lee, H.S., Lin, Y.F., Hsu, L.F., and Chen, A.:

Glomerular crescent-related biomarkers in a murine model of chronic graft versus host disease

Nephrol Dial Transplant 21(2): 288-298 (2006)

<http://ndt.oxfordjournals.org/content/21/2/288.long>

Kaneko T, Cordeiro MMR, Okiji T, Kaneko R, Suda H and Nör JE:

Laser capture microdissection from formaldehyde-fixed and demineralized paraffin embedded tissues

Microscopy: Science, Technology, Applications and Education (2010)

www.formatex.info/microscopy4/2111-2116.pdf

Kaneko T, Okiji T, Kaneko R, Suda H, Nör JE:

Gene expression analysis of immunostained endothelial cells isolated from formaldehyde-fixed paraffin embedded tumors using laser capture microdissection--a technical report

Microsc Res Tech. 2009 Dec;72(12):908-12.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2784235/?tool=pubmed>

Kawasaki, S., Tanioka, H., Yamasaki, K., Yokoi, N., Komuro, A., and Kinoshita, S.:

Clusters of corneal epithelial cells reside ectopically in human conjunctival epithelium

Invest Ophthalmol Vis Sci 47(4): 1359-1367 (2006)

<http://www.iovs.org/content/47/4/1359.long>

Kenngott RA, Vermehren M, Sauer U, Ebach K, Sinowatz F:

Cellular expression and localization of estrogen receptor α and progesterone receptor mRNA in the bovine oviduct combining laser-assisted microdissection, quantitative PCR, and in situ hybridization

J Histochem Cytochem. 2011 Mar;59(3):312-27.

<http://jhc.sagepub.com/content/59/3/312.abstract>

Khodosevich, K., Inta, D., Seeburg, P.H., and Monyer, H.:

Gene expression analysis of in vivo fluorescent cells

PLoS ONE 2(11): e1151 (2007)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001151>

Kinumatsu T, Hashimoto S, Muramatsu T, Sasaki H, Jung HS, Yamada S, Shimono M:

Involvement of laminin and integrins in adhesion and migration of junctional epithelium cells

J Periodontal Res 44(1):13-20 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0765.2007.01036.x/full>

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijco/26/6/1549>

Kim, J.S., Romero, R., Tarca, A.L., LaJeunesse, C., Han, Y.M., Kim, M.J., Suh, Y.L., Draghici, S., Mittal, P., Gotsch, F., Kusanovic, J.P., Hassan, S., and Kim, C.J.:

Gene expression profiling demonstrates a novel role for foetal fibrocytes and the umbilical vessels in human fetoplacental development

J Cell Mol Med 12(4): 1317-1330 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1582-4934.2008.00284.x/full>

Klumpp S, Hwa T.

Growth-rate-dependent partitioning of RNA polymerases in bacteria.

Proc Natl Acad Sci U S A. 2008 Dec 23;105(51):20245-50. Epub 2008 Dec 10.

<http://www.pnas.org/content/105/51/20245.long>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8150452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Kobayashi, K., Utsumi, H., Okada, M., Sakairi, T., Ikeda, I., Kusakabe, M., and Takagi, S.:

One-step RT-PCR without initial RNA isolation sStep for laser-microdissected tissue sample

J Vet Med Sci 65(8): 917-919 (2003)

<http://www.mendeley.com/research/onestep-rtPCR-without-initial-rna-isolation-sstep-for-lasermicrodissected-tissue-sample/>

Kobayashi, T., Uehara, S., Ikeda, T., Itadani, H., and Kotani, H.:

Vitamin D3 up-regulated protein-1 regulates collagen expression in mesangial cells

Kidney Int 64: 1632-1642 (2003)

<http://www.nature.com/ki/journal/v64/n5/full/4494068a.html>

Kudo N, Ogose A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iijournals.org/content/29/6/2219.short>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:

Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences

Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Kurita N, Honda S, Usui K, Shimizu Y, Miyamoto A, Tahara-Hanaoka S, Shibuya K, Shibuya A:

Identification of the Fc α / μ R isoform specifically expressed in the kidney tubules

Mol Immunol. 2009 Feb;46(4):749-53.

<http://dx.doi.org/10.1016/j.molimm.2008.10.002>

Kurz A, Double KL, Lastres-Becker I, Tozzi A, Tantucci M, Bockhart V, Bonin M, García-Arencibia M, Nuber S, Schlaudraff F, Liss B, Fernández-Ruiz J, Gerlach M, Wüllner U, Lüddens H, Calabresi P, Auburger G and Gispert S:
A53T-alpha-Synuclein Overexpression Impairs Dopamine Signaling and Striatal Synaptic Plasticity in Old Mice.

PLoS One 5(7): e11464 (2010)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0011464>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Liddel SA, Temple S, Møllgård K, Gehwolf R, Wagner A, Bauer H, Bauer HC, Phoenix TN, Dziegielewska KM, Saunders NR:

Molecular Characterisation of Transport Mechanisms at the Developing Mouse Blood-CSF Interface: A Transcriptome Approach

PLoS One. 2012;7(3):e33554. Epub 2012 Mar 21.

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033554>

Lin HY, Law PY, Loh HH:

Activation of PKC α or PKC ϵ as an approach to increase morphine tolerance in respiratory depression and lethal overdose

J Pharmacol Exp Ther. 2012 Jan 6. doi: 10.1124/jpet.111.188235

<http://jpet.aspetjournals.org/content/early/2012/01/06/jpet.111.188235.abstract>

Lin, P.C., Hsiao, L.T., Poh, S.B., Wang, W.S., Yen, C.C., Chao, T.C., Liu, J.H., Chiou, T.J., and Chen, P.M.:

Higher fungal infection rate in elderly patients (more than 80 years old) suffering from diffuse large B cell lymphoma and treated with rituximab plus CHOP

Ann Hematol 86(2): 95-100 (2007)

<http://www.springerlink.com/content/y0v22r0507522037/>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

- Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:
MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway
PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>
- Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:
Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma
Blood 110(1): 339-344 (2007)
<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>
- Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G
An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma
BMC Med Genomics. 2012 Jan 19;5(1):3.
<http://www.biomedcentral.com/1755-8794/5/3>
- Macasai CE, Georgiou KR, Foster BK, Zannettino AC, Xian CJ:
Microarray expression analysis of genes and pathways involved in growth plate cartilage injury responses and bony repair
Bone. 2012 Feb 22;50(5):1081-1091.
<http://www.sciencedirect.com/science/article/pii/S8756328212000695>
- Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:
Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord
Brain Res 1249:61-7 (2009)
<http://dx.doi.org/10.1016/j.brainres.2008.10.028>
- Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:
Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1
J Transl Med. 2012 Jan 10;10(1):8.
<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>
- Mihelich BL, Khramtsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:
The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells
J Biol Chem. 2011 Nov 1. [Epub ahead of print]
<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>
- Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:
Identification of molecular markers for metastasis-related genes in primary breast cancer cells
Clin Exp Metastasis 22(1): 59-67 (2005)
<http://www.springerlink.com/content/ju17kr07r6101603/>
- Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:
Advances in isolation and characterization of homogeneous cell populations using laser microdissection
Histol Histopathol 20(1): 139-146 (2005)
http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm

Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:

Analysis of the gene-expression profile regarding the progression of human gastric carcinoma

Surgery 131(1 Suppl): S39-47 (2002)

<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>

Mueller, A., Merrell, D.S., Grimm, J., and Falkow, S.:

Profiling of microdissected gastric epithelial cells reveals a cell type-specific response to Helicobacter pylori infection

Gastroenterology 127(5): 1446-1462 (2004)

[http://www.gastrojournal.org/article/S0016-5085\(04\)01555-0/fulltext](http://www.gastrojournal.org/article/S0016-5085(04)01555-0/fulltext)

Mueller, A., O'Rourke, J., Grimm, J., Guillemin, K., Dixon, M.F., Lee, A., and Falkow, S.:

Distinct gene expression profiles characterize the histopathological stages of disease in Helicobacter-induced mucosa-associated lymphoid tissue lymphoma

Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)

<http://www.pnas.org/content/100/3/1292.long>

Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:

Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma

Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033811001208>

Nagai, Y., Nochi, T., Watanabe, K., Aso, H., Kitazawa, H., Matsuzaki, M., Ohwada, S., and Yamaguchi, T.:

Localization of interleukin-18 and its receptor in somatotrophs of the bovine anterior pituitary gland

Cell Tissue Res 322(3): 455-462 (2005)

<http://www.springerlink.com/content/lw37x0713w628807/>

Naganuma, S., Itoh, H., Uchiyama, S., Nagaike, K., Tanaka, H., Akiyama, Y., Chijiwa, K., and Kataoka, H.:

Nuclear translocation of H2RSP is impaired in regenerating intestinal epithelial cells of murine colitis model

Virchows Arch 448(3): 354-360 (2006)

<http://www.springerlink.com/content/y54w332352216546/>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:

Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nishida N, Nagahara M, Sato T, Mimori K, Sudo T, Tanaka F, Shibata K, Ishii H, Sugihara K, Doki Y, Mori M:

Microarray analysis of colorectal cancer stromal tissue reveals upregulation of two oncogenic microRNA clusters.

Clin Cancer Res. 2012 Mar 27. [Epub ahead of print]

<http://clincancerres.aacrjournals.org/content/early/2012/03/26/1078-0432.CCR-11-1078.abstract>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/pmid/19874819/?tool=pubmed>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Ogawa, K., Asamoto, M., Suzuki, S., Tsujimura, K., and Shirai, T.:

Downregulation of apoptosis revealed by laser microdissection and cDNA microarray analysis of related genes in rat liver preneoplastic lesions

Med Mol Morphol 38(1): 23-29 (2005)

<http://www.springerlink.com/content/x70117321m2u095r/>

Olsen Hult LT, Kleiveland CR, Fosnes K, Jacobsen M, Lea T:

EP Receptor Expression in Human Intestinal Epithelium and Localization Relative to the Stem Cell Zone of the Crypts

PLoS ONE 6(10): e26816. doi:10.1371/journal.pone.0026816 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0026816>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:

FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer

Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.

<http://www.springerlink.com/content/45444108t4327750/>

Park, J.S., Onodera, T., Nishimura, S., Thompson, R.F., and Itohara, S.:

Molecular evidence for two-stage learning and partial laterality in eyeblink conditioning of mice

Proc Natl Acad Sci U S A 103(14): 5549-5554 (2006)

<http://www.pnas.org/content/103/14/5549.long>

Patnaik SK, Kannisto E, Yendamuri S

Factors affecting the yield of microRNAs from laser microdissectates of formalin-fixed tissue sections

BMC Res Notes. 2012 Jan 19;5(1):40

<http://www.biomedcentral.com/1756-0500/5/40>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Perros, F., Dorfmueller, P., Souza, R., Durand-Gasselín, I., Godot, V., Capel, F., Adnot, S., Eddahibi, S., Mazmanian, M., Fadel, E., Herve, P., Simonneau, G., Emilie, D., and Humbert, M.:

Fractalkine-induced smooth muscle cell proliferation in pulmonary hypertension

Eur Respir J 29(5): 937-943 (2007)

<http://erj.ersjournals.com/content/29/5/937.long>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:

Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression

Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631

<http://www.nature.com/ncjournal/vaop/ncurrent/full/nc2011631a.html>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Sakai, T., Larsen, M., and Yamada, K.M.:

Fibronectin requirement in branching morphogenesis

Nature 423(6942): 876-881 (2003)

<http://www.nature.com/nature/journal/v423/n6942/full/nature01712.html>

Sakimoto, T., Sugaya, S., Ishimori, A., and Sawa, M.:

Anti-inflammatory effect of IL-6 receptor blockade in corneal alkali burn

Exp Eye Res, Volume 97, Issue 1, April 2012, Pages 98–104

<http://www.sciencedirect.com/science/article/pii/S001448351200084X>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Sansonno, D., Lauletta, G., Montrone, M., Grandaliano, G., Schena, F.P., and Dammacco, F.:

Hepatitis C virus RNA and core protein in kidney glomerular and tubular structures isolated with laser capture microdissection

Clin Exp Immunol 140(3): 498-506 (2005)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2005.02778.x/full>

Sauvaget, D., Chaffeton, V., Citadelle, D., Chatelet, F.P., Cywiner-Golenzer, C., Chambaz, J., Pincon-Raymond, M., Cardot, P., Le Beyec, J., and Ribeiro, A.:

Restriction of apolipoprotein A-IV gene expression to the intestine villus depends on a hormone-responsive element and parallels differential expression of the hepatic nuclear factor 4alpha and gamma isoforms

J Biol Chem 277(37): 34540-34548 (2002)

<http://www.jbc.org/content/277/37/34540.long>

Schlaudraff F:

Quantitative Genexpressionsanalysen humaner dopaminerges Neurone nach Lasermikrodissektion aus post-mortem Mittelhirngewebe von Morbus Parkinson Patienten und Kontrollen

Dissertation, 2010 (in German)

http://vts.uni-ulm.de/query/longview.meta.asp?document_id=7359

Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:

Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis

Int J Cancer 118(5): 1325-1329 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>

Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:
Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma
Am J Surg Pathol 28(10): 1384-1388 (2004)
<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>

Shao, Y.Y., Wang, L., Hicks, D.G., and Ballock, R.T.:
Analysis of gene expression in mineralized skeletal tissues by laser capture microdissection and RT-PCR
Lab Invest 86(10): 1089-1095 (2006)
<http://www.nature.com/labinvest/journal/v86/n10/full/3700459a.html>

Shin JO, Nakagawa E, Kim EJ, Cho KW, Lee JM, Cho SW, Jung HS
miR-200b regulates cell migration via Zeb family during mouse palate development
Histochem Cell Biol. 2012 Jan 20. [Epub ahead of print]
<http://dx.doi.org/10.1007/s00418-012-0915-6>

Sikkema AH, de Bont ES, Molema G, Dimberg A, Zwiers PJ, Diks SH, Hoving EW, Kamps WA, Peppelenbosch MP, den Dunnen WF:
Vascular endothelial growth factor receptor 2 (VEGFR-2) signalling activity in paediatric pilocytic astrocytoma is restricted to tumour endothelial cells
Neuropathol Appl Neurobiol. 2011 Aug;37(5):538-48. doi: 10.1111/j.1365-2990.2011.01160.x
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2011.01160.x/abstract;jsessionid=F0E15DF99666E53D6065E8469E7BE8C0.d01t01>

Simin, K., Hill, R., Song, Y., Zhang, Q., Bash, R., Cardiff, R.D., Yin, C., Xiao, A., McCarthy, K., and van Dyke, T.:
Deciphering cancer complexities in genetically engineered mice
Cold Spring Harb Symp Quant Biol 70: 283-290 (2005)
<http://symposium.cshlp.org/content/70/283.full.pdf+html>

Souda M, Umekita Y, Abeyama K, Yoshida H:
Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene
Int J Cancer. 2009 Sep 15;125(6):1285-97.
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:
Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis
Journal of Toxicologic Pathology 22(4): pp.281
http://www.jstage.jst.go.jp/article/tox/22/4/22_281/article

Sunde, J.S., Donniger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:
Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- β Signaling in Ovarian Cancer
Cancer Res 66(17): 8404-8412 (2006)
<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:
Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue
Carcinogenesis 25(3): 439-443 (2004)
<http://carcin.oxfordjournals.org/content/25/3/439.long>

Suzuki, Y., Komi, Y., Ashino, H., Yamashita, J., Inoue, J., Yoshiki, A., Eichmann, A., Amanuma, H., and Kojima, S.:

Retinoic acid controls blood vessel formation by modulating endothelial and mural cell interaction via suppression of Tie2 signaling in vascular progenitor cells

Blood 104(1): 166-169 (2004)

<http://bloodjournal.hematologylibrary.org/content/104/1/166.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Takahashi, K., Mizuarai, S., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., Itadani, H., and Kotani, H.:

Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice

J Biol Chem 278(47): 46654-46660 (2003)

<http://www.jbc.org/content/278/47/46654.long>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:

Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model

Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)

<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Tamura, J., Konno, A., Hashimoto, Y., and Kon, Y.:

Upregulation of renal renin-angiotensin system in mouse diabetic nephropathy

Jpn J Vet Res 53(1-2): 13-26 (2005)

<http://sciencelinks.jp/j-east/article/200522/000020052205A0809708.php>

Tretiakova M, Hart J:

Laser microdissection for gene expression study of hepatocellular carcinomas arising in cirrhotic and non-cirrhotic livers

Methods Mol Biol. 2011;755:233-44

<http://www.springerlink.com/content/m86764hj8232665h/#section=924940&page=2&locus=87>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsukamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:

Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer

Clin Cancer Res 17(8):2444-50 (2011)

<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Tuomisto, T.T., Korkeela, A., Rutanen, J., Viita, H., Brasen, J.H., Riekkinen, M.S., Rissanen, T.T., Karkola, K., Kiraly, Z., Kolble, K., and Yla-Herttuala, S.:

Gene expression in macrophage-rich inflammatory cell infiltrates in human atherosclerotic lesions as studied by laser microdissection and DNA array: overexpression of HMG-CoA reductase, colony stimulating factor receptors, CD11A/CD18 integrins, and interleukin receptors

Arterioscler Thromb Vasc Biol 23(12): 2235-2240 (2003)

<http://atvb.ahajournals.org/cgi/content/full/23/12/2235>

Tuomisto, T.T. and Yla-Herttuala, S.:

What have we learnt about microarray analyses of atherogenesis?

Curr Opin Lipidol 16(2): 201-205 (2005)

<http://journals.lww.com/co-lipidology/pages/articleviewer.aspx?year=2005&issue=04000&article=00011&type=abstract>

Uchiyama S, Itoh H, Naganuma S, Nagaike K, Fukushima T, Tanaka H, Hamasuna R, Chijiwa K, Kataoka H:
Enhanced expression of hepatocyte growth factor activator inhibitor type 2-related small peptide at the invasive front of colon cancers

Gut. 2007 Feb;56(2):215-26

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856747/?tool=pubmed>

van den Akker PC, Nijenhuis M, Meijer G, Hofstra RM, Jonkman MF, Pasmooij AM

Natural Gene Therapy in Dystrophic Epidermolysis Bullosa

Arch Dermatol. 2011 Oct 17. [Epub ahead of print]

<http://archderm.ama-assn.org/cgi/content/full/archdermatol.2011.298>

van Royen, N., Voskuil, M., Hoefler, I., Jost, M., de Graaf, S., Hedwig, F., Andert, J.P., Wormhoudt, T.A., Hua, J., Hartmann, S., Bode, C., Buschmann, I., Schaper, W., van der Neut, R., Piek, J.J., and Pals, S.T.:

CD44 regulates arteriogenesis in mice and is differentially expressed in patients with poor and good collateralization

Circulation 109(13): 1647-1652 (2004)

<http://circ.ahajournals.org/cgi/content/full/109/13/1647>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S
miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression

Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.

<http://dx.doi.org/10.1038/onc.2011.209>

Vega, C.J.:

Laser microdissection sample preparation for RNA analyses

Methods Mol Biol 414: 241-252 (2008)

<http://www.springerlink.com/content/t61576w4h02hr518/#section=82444&page=1>

Vicidomini R, Tortoriello G, Furia M, Polese G:

Laser Microdissection Applied to Gene Expression Profiling of Subset of Cells from the Drosophila Wing Disc

J Vis Exp (38) (2010)

Includes video:

<https://www.jove.com/details.stp?id=1895>

Wahlin KJ, Hackler L Jr, Adler R, Zack DJ:

Alternative splicing of neurologin and its protein distribution in the outer plexiform layer of the chicken retina

J Comp Neurol. 2010 Dec 15;518(24):4938-62

<http://dx.doi.org/10.1002/cne.22499>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wang, X., Zhang, G., and Li, Y.:

Establishment of in situ hybridization technique for detection of parvovirus B19 and its clinical application

Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi 14(3): 268-270 (2000)

http://en.cnki.com.cn/Article_en/CJFDTOTAL-ZHSB200003022.htm

Wendl JRWE:

Follikulogenese und Intermediärfilamente - Eine immunhistochemische Studie am Ovar des Rindes mit Verweisen auf Laser-Mikrodissektion und anschließender quantitativer Reverse-Transkriptase PCR

PhD thesis

http://edoc.ub.uni-muenchen.de/14022/1/Wendl_Josef_R.pdf

Wersinger E, Bordais A, Schwab Y, Sene A, Bénard R, Alunni V, Sahel JA, Rendon A, Roux MJ:

Re-Evaluation of Dystrophins Localization in the Mouse Retina

Invest Ophthalmol Vis Sci. 2011 Sep 6. [Epub ahead of print]

<http://www.iovs.org/content/early/2011/09/02/iovs.11-7519.long>

Wiggs JL, Yaspan BL, Hauser MA, Kang JH, Allingham RR, et al.

Common Variants at 9p21 and 8q22 Are Associated with Increased Susceptibility to Optic Nerve Degeneration in Glaucoma

PLoS Genet 8(4): e1002654. doi:10.1371/journal.pgen.1002654

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1002654>

Wilting SM, Snijders PJ, Verlaet W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Withers, D.R., Davison, T.F., and Young, J.R.:

Diversified bursal medullary B cells survive and expand independently after depletion following neonatal infectious bursal disease virus infection

Immunology 117(4): 558-565 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2567.2006.02332.x/full>

Xiang, C.C., Chen, M., Kozhich, O.A., Phan, Q.N., Inman, J.M., Chen, Y., and Brownstein, M.J.:

Probe generation directly from small numbers of cells for DNA microarray studies

Biotechniques 34(2): 386-388, 390, 392-383 (2003)

<http://ukpmc.ac.uk/abstract/MED/12613261/reload=0;jsessionid=37234B6ACAEDB2A4CCB780D6AE5093C5.jvm>
[1](#)

Xiang, C.C., Mezey, E., Chen, M., Key, S., Ma, L., and Brownstein, M.J.:

Using DSP, a reversible cross-linker, to fix tissue sections for immunostaining, microdissection and expression profiling

Nucleic Acids Res 32(22): e185 (2004)

<http://nar.oxfordjournals.org/content/32/22/e185.long>

Yanagihara K, Niki H, Baba T:

Direct PCR amplification of the 16S rRNA gene from single microbial cells isolated from an Antarctic iceberg using laser microdissection microscopy

Polar Science, Volume 5, Issue 3, September 2011, Pages 375–382

<http://www.sciencedirect.com/science/article/pii/S1873965211000375>

Young, C.S., Terada, S., Vacanti, J.P., Honda, M., Bartlett, J.D., and Yelick, P.C.:

Tissue engineering of complex tooth structures on biodegradable polymer scaffolds

J Dent Res 81(10): 695-700 (2002)

<http://jdr.sagepub.com/content/83/7/523.long>

Zhang W, Zeng Z, Fan S, Wang J, Yang J, Zhou Y, Li X, Huang D, Liang F, Wu M, Tang K, Cao L, Li X, Xiong W, Li G:

Evaluation of the prognostic value of TGF- β superfamily type I receptor and TGF- β type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays

J Mol Histol. 2012 Mar 6. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10735-012-9392-4>

Zhu, J.S., Guo, H., Song, M.Q., Chen, G.Q., Sun, Q., and Zhang, Q.:

Gene profiles between non-invasive and invasive colon cancer using laser microdissection and polypeptide analysis

World J Gastroenterol 14(38): 5887-5892 (2008)

<http://www.wjgnet.com/1007-9327/full/v14/i38/5887.htm>

Zhu Q, Sun W, Okano K, Chen Y, Zhang N, Maeda T, Palczewski K:

A sponge transgenic mouse model reveals important roles for the miRNA-183/96/182 cluster in post-mitotic photoreceptors of the retina

J Biol Chem. 2011 Sep 9;286(36):31749-60

<http://www.jbc.org/content/286/36/31749.long>

3. Proteomics

Antoniades CG, Quaglia A, Taams LS, Mitry RR, Hussain M, Abeles R, Possamai LA, Bruce M, McPhail M, Starling C, Wagner B, Barnardo A, Pomplun S, Auzinger G, Bernal W, Heaton N, Vergani D, Thursz MR, Wendon J:

Source and characterisation of hepatic macrophages in acetaminophen-induced acute liver failure in humans
Hepatology. 2012 Feb 15. doi: 10.1002/hep.25657
<http://dx.doi.org/10.1002/hep.25657>

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:
Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis
ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545
<http://www.isrn.com/journals/mb/2012/706545/>

Arentz G, Chataway T, Price TJ, Izwan Z, Hardi G, Cummins AG, Hardingham JE:
Desmin expression in colorectal cancer stroma correlates with advanced stage disease and marks angiogenic microvessels
Clin Proteomics. 2011 Dec 5;8(1):16.
<http://www.clinicalproteomicsjournal.com/content/8/1/16/abstract>

Banypersad, SM; Moon, JC; Whelan, C; Hawkins, PN; Wechalekar, AD:
Updates in Cardiac Amyloidosis: A Review
Journal of the American Heart Association. 2012; 1: e000364 doi: 10.1161/JAHA.111.000364
<http://jaha.ahajournals.org/content/1/2/e000364.full>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:
Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis
Clin Cancer Res 14(2): 435-445 (2008)
<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:
Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis
J Proteome Res 7(6): 2415-2426 (2008)
<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

De Souza, A.I., McGregor, E., Dunn, M.J., and Rose, M.L.:
Preparation of human heart for laser microdissection and proteomics
Proteomics 4(3): 578-586 (2004)
<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300660/abstract>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.-C., Fink, L.
Catabolic Properties of Microdissected Human Endosteal Bone Lining Cells
Calcif Tissue Int 84(2): 146-155 (2008)
<http://www.springerlink.com/content/a2h715150m525279/>

Dogan, A:

Classification of Amyloidosis by Mass Spectrometry-Based Proteomics

Current Clinical Pathology, 2012, Part 3, 261-272, DOI: 10.1007/978-1-60761-389-3_21

<http://www.springerlink.com/content/r61x186030018128/>

Esaka F, Lee CG, Magara M, Kimura T:

Fission track-secondary ion mass spectrometry as a tool for detecting the isotopic signature of individual uranium containing particles

Anal Chim Acta. 2012 Apr 6;721:122-8. Epub 2012 Feb 10.

<http://www.sciencedirect.com/science/article/pii/S0003267012002012>

Fervenza FC, Smith RJ, Sethi S:

Association of a Novel Complement Factor H Mutation With Severe Crescentic and Necrotizing Glomerulonephritis

Am J Kidney Dis. 2012 Apr 25. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0272-6386\(12\)00626-9](http://linkinghub.elsevier.com/retrieve/pii/S0272-6386(12)00626-9)

Fiorilli V, Klink VP and Balestrini R:

Proteomic Analyses of Cells Isolated by Laser Microdissection

Integrative Proteomics, ISBN: 978-953-51-0070-6

<http://www.intechopen.com/books/integrative-proteomics/proteomic-analyses-of-cells-isolated-by-laser-microdissection>

Goodwin RJ, Scullion P, Macintyre L, Watson DG, Pitt AR:

Use of a solvent-free dry matrix coating for quantitative matrix-assisted laser desorption ionization imaging of 4-bromophenyl-1,4-diazabicyclo(3.2.2)nonane-4-carboxylate in rat brain and quantitative analysis of the drug from laser microdissected tissue regions

Anal Chem 82(9): 3868-73 (2010)

<http://pubs.acs.org/doi/abs/10.1021/ac100398y>

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Ait-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Léveillard T:

Nxn12 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)

<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kondo, T., Seike, M., Mori, Y., Fujii, K., Yamada, T., and Hirohashi, S.:

Application of sensitive fluorescent dyes in linkage of laser microdissection and two-dimensional gel electrophoresis as a cancer proteomic study tool

Proteomics 3(9): 1758-1766 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300531/abstract>

- Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:
Protein analysis through Western blot of cells excised individually from human brain and muscle tissue
Anal Biochem. 2012 Mar 5. [Epub ahead of print]
<http://www.sciencedirect.com/science/article/pii/S0003269712001431>
- Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:
Evaluation of laser microdissection as a tool in cancer glycomic studies
Biochem Biophys Res Commun 352(3): 579-586 (2007)
<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>
- Li, C., Hong, Y., Tan, Y.X., Zhou, H., Ai, J.H., Li, S.J., Zhang, L., Xia, Q.C., Wu, J.R., Wang, H.Y., and Zeng, R.:
Accurate qualitative and quantitative proteomic analysis of clinical hepatocellular carcinoma using laser capture microdissection coupled with isotope-coded affinity tag and two-dimensional liquid chromatography mass spectrometry
Mol Cell Proteomics 3(4): 399-409 (2004)
<http://www.mcponline.org/content/3/4/399.long>
- Li MX, Xiao ZQ, Chen YH, Peng F, Li C, Zhang PF, Li MY, Li F, Duan CJ, Li DJ, Yao HX, Chen ZC:
Proteomic analysis of the stroma-related proteins in nasopharyngeal carcinoma and normal nasopharyngeal epithelial tissues
Med Oncol. 2010 Mar;27(1):134-44.
<http://www.springerlink.com/content/m42pkx852hgh06n0/>
- Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:
Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma
Med Oncol. 2010 Dec 4. [Epub ahead of print]
<http://www.springerlink.com/content/1h53134871563152/>
- Miki A, Katagi M, Kamata T, Zaitso K, Tatsuno M, Nakanishi T, Tsuchihashi H, Takubo T, Suzuki K:
MALDI-TOF and MALDI-FTICR imaging mass spectrometry of methamphetamine incorporated into hair
J Mass Spectrom. 2011 Apr;46(4):411-6
<http://onlinelibrary.wiley.com/doi/10.1002/jms.1908/full>
- Miravalle, L., Calero, M., Takao, M., Roher, A.E., Ghetti, B., and Vidal, R.:
Amino-terminally truncated Abeta peptide species are the main component of cotton wool plaques
Biochemistry 44(32): 10810-10821 (2005)
<http://pubs.acs.org/doi/abs/10.1021/bi0508237>
- Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:
Advances in isolation and characterization of homogeneous cell populations using laser microdissection
Histol Histopathol 20(1): 139-146 (2005)
http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm
- Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.
Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma
Cancer Sci 100(9):1605-1611 (2009)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>
- Nishimura T, Nomura M, Tojo H, Hamasaki H, Fukuda T, Fujii K, Mikami S, Bando Y, Kato H:
Proteomic analysis of laser-microdissected paraffin-embedded tissues: (2) MRM assay for stage-related proteins upon non-metastatic lung adenocarcinoma
J Proteomics. 2010 Apr 18;73(6):1100-10
<http://www.sciencedirect.com/science/article/pii/S187439190900342X>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

Sansonno, D., Lauletta, G., and Dammacco, F.:

Detection and quantitation of HCV core protein in single hepatocytes by means of laser capture microdissection and enzyme-linked immunosorbent assay

J Viral Hepat 11(1): 27-32 (2004)

<http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2893.2003.00474.x/full>

Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:

Proteomic signatures for histological types of lung cancer

Proteomics 5(11): 2939-2948 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>

Seldin DC and Sanchorawala V:

Amyloidomics comes of age

Blood February 23, 2012 vol. 119 no. 8 1795-1796; doi: 10.1182/blood-2011-10-381178

<http://bloodjournal.hematologylibrary.org/content/119/8/1795.full.pdf+html>

Sethi S, Theis JD, Leung N, Dispenzieri A, Nasr SH, Fidler ME, Cornell LD, Gamez JD, Vrana JA, Dogan A:

Mass spectrometry-based proteomic diagnosis of renal immunoglobulin heavy chain amyloidosis

Clin J Am Soc Nephrol. 2010 Dec;5(12):2180-7

<http://cjasn.asnjournals.org/content/5/12/2180.full.pdf+html>

Sethi S, Theis JD, Shiller SM, Nast CC, Harrison D, Rennke HG, Vrana JA, Dogan A:

Medullary amyloidosis associated with apolipoprotein A-IV deposition

Kidney Int. 2011 Sep 7. doi: 10.1038/ki.2011.316.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2011316a.html>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:

Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:

Proteomics of breast carcinoma

J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)

<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis
Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)

<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wang Y, Ito S, Chino Y, Goto D, Matsumoto I, Murata H, Tsutsumi A, Hayashi T, Uchida K, Usui J, Yamagata K, Sumida T:

Laser microdissection-based analysis of cytokine balance in the kidneys of patients with lupus nephritis

Clin Exp Immunol 159(1):1-10 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2009.04031.x/full>

Wilson, K.E., Marouga, R., Prime, J.E., Pashby, D.P., Orange, P.R., Crosier, S., Keith, A.B., Lathe, R., Mullins, J., Estibeiro, P., Bergling, H., Hawkins, E., and Morris, C.M.:

Comparative proteomic analysis using samples obtained with laser microdissection and saturation dye labelling

Proteomics 5(15): 3851-3858 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401255/abstract>

4. Fluorescence Applications

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:
Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]
<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:
Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)
<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:
Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)
<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Khodosevich, K., Inta, D., Seeburg, P.H., and Monyer, H.:
Gene expression analysis of in vivo fluorescent cells

PLoS ONE 2(11): e1151 (2007)
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001151>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:
Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)
<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Liddel SA, Temple S, Møllgård K, Gehwolf R, Wagner A, Bauer H, Bauer HC, Phoenix TN, Dziegielewska KM, Saunders NR:

Molecular Characterisation of Transport Mechanisms at the Developing Mouse Blood-CSF Interface: A Transcriptome Approach

PLoS One. 2012;7(3):e33554. Epub 2012 Mar 21.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033554>

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)
<http://brain.oxfordjournals.org/content/134/4/1184.long>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:

Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.
<http://dx.doi.org/10.1038/ki.2012.108>

5. Cancer-Research

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545

<http://www.isrn.com/journals/mb/2012/706545/>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

Gene expression patterns in the human breast after pregnancy

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Augello C, Vaira V, Caruso L, Destro A, Maggioni M, Park YN, Montorsi M, Santambrogio R, Roncalli M, Bosari S:

MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma

Liver Int. 2012 Mar 19. doi: 10.1111/j.1478-3231.2012.02795.x. [Epub ahead of print]

<http://onlinelibrary.wiley.com/doi/10.1111/j.1478-3231.2012.02795.x/full>

Bagan JV, Mata-Roig M, Cortio-Gimeno J, Murillo-Cortes J, Hens-Aumente E, Poveda-Roda R, Bagan L:

Epidermal growth factor receptor copy number in potentially malignant oral disorders and oral squamous cell carcinoma: a short communication and preliminary study

J Oral Pathol Med. 2012 Mar 14. doi: 10.1111/j.1600-0714.2012.01137.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0714.2012.01137.x/abstract>

Bainer RO, Veneris JT, Yamada SD, Montag A, Lingen MW, Gilad Y, Rinker-Schaeffer CW:

Time-dependent transcriptional profiling links gene expression to mitogen-activated protein kinase kinase 4 (MKK4)-mediated suppression of omental metastatic colonization

Clin Exp Metastasis. 2012 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10585-011-9448-y>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases

Int J Cancer 118(1): 74-89 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtatos, F.:

Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection

Int J Biol Markers 19(2): 100-108 (2004)

<http://cat.inist.fr/?aModele=afficheN&cpsid=15941984>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Rippo M.R., Procopio A., Grosso F., Libener R.:

miRNAs signature in microdissected tissues and primary cultured cells of malignant mesotelioma

J Clin Oncol 29: 2011 (suppl; abstr e21031)

http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897

Bourdeaut F, Hérault A, Gentien D, Pierron G, Ballet S, Reynaud S, Paris R, Schleiermacher G, Baumann C, Philippe-Chomette P, Gauthier-Villars M, Peuchmaur M, Radvanyi F, Delattre O:
Mosaicism for oncogenic G12D KRAS mutation associated with epidermal nevus, polycystic kidneys and rhabdomyosarcoma

J Med Genet 47(12):859-62 (2010)

<http://jmg.bmj.com/content/47/12/859.short>

Buob D, Fauvel H, Buisine MP, Truant S, Mariette C, Porchet N, Wacrenier A, Copin MC, Leteurtre E:
The Complex Intratumoral Heterogeneity of Colon Cancer Highlighted by Laser Microdissection

Dig Dis Sci. 2011 Dec 25., DOI 10.1007/s10620-011-2023-1

<http://dx.doi.org/10.1007/s10620-011-2023-1>

Cameselle-Teijeiro J, Ferreira R, Caramés N, Abdulkader I, Máximo V, Soares P, Sobrinho-Simões M:
Absence of the BRAF and the GRIM-19 Mutations in Oncocytic (Hurthle Cell) Solid Cell Nests of the Thyroid

Am J Clin Pathol. 2012 Apr;137(4):612-8

<http://ajcp.ascpjournals.org/content/137/4/612.full>

Cavallari I, Silic-Benussi M, Rende F, Martines A, Fogar P, Basso D, Vella MD, Pedrazzoli S, Herman JG, Chieco-Bianchi L, Esposito G, Ciminale V, D'Agostino DM:

Decreased expression and promoter methylation of the menin tumor suppressor in pancreatic ductal adenocarcinoma

Genes Chromosomes Cancer 48(5):383-96 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.20650/full>

Chan MK, Ocampo-Hafalla MT, Vartanian V, Jaruga P, Kirkali G, Koenig KL, Brown S, Lloyd RS, Dizdaroglu M, Teebor GW:

Targeted deletion of the genes encoding NTH1 and NEIL1 DNA N-glycosylases reveals the existence of novel carcinogenic oxidative damage to DNA

DNA Repair (Amst). 2009 Jul 4;8(7):786-94

<http://dx.doi.org/10.1016/j.dnarep.2009.03.001>

Chen, Z. and Gu, J.:

Immunoglobulin G expression in carcinomas and cancer cell lines

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)

<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

Choong, N.W., Dietrich, S., Seiwert, T.Y., Tretiakova, M.S., Nallasura, V., Davies, G.C., Lipkowitz, S., Husain, A.N., Salgia, R., and Ma, P.C.:

Gefitinib response of erlotinib-refractory lung cancer involving meninges--role of EGFR mutation

Nat Clin Pract Oncol 3(1): 50-57; quiz 51 p following 57 (2006)

<http://www.nature.com/nrclinonc/journal/v3/n1/full/ncponc0400.html>

Chui, D.T., Hammond, D., Baird, M., Shield, L., Jackson, R., and Jarrett, R.F.:

Classical Hodgkin lymphoma is associated with frequent gains of 17q

Genes Chromosomes Cancer 38(2): 126-136 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/gcc.10266/full>

Cook CC, Kim A, Terao S, Gotoh A, Higuchi M

Consumption of oxygen: a mitochondrial-generated progression signal of advanced cancer

Cell Death Dis. 2012 Jan 19;3:e258. doi: 10.1038/cddis.2011.141

<http://dx.doi.org/10.1038/cddis.2011.141>

Crescenzi M, Persano L, Esposito G, Zulato E, Borsi L, Balza E, Ruol A, Ancona E, Indraccolo S, Amadori A:

Vandetanib improves anti-tumor effects of L19mTNFalpha in xenograft models of esophageal cancer

Clin Cancer Res. 2011 Feb 1;17(3):447-58

<http://clincancerres.aacrjournals.org/content/17/3/447.short>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

de Chaisemartin L, Goc J, Damotte D, Validire P, Magdeleinat P, Alifano M, Cremer I, Fridman WH, Sautes-Fridman C, Dieu-Nosjean MC:

Characterization of chemokines and adhesion molecules associated with T cell presence in tertiary lymphoid structures in human lung cancer

Cancer Res. 2011 Sep 7. [Epub ahead of print]

<http://cancerres.aacrjournals.org/content/early/2011/09/06/0008-5472.CAN-11-0952.long>

Dellmann A, Schroeder HG, Donhuijsen K:

Destructive tumours of the larynx mimicking osteosarcoma: two cases of osteblastoma with organ-saving resection and follow-up

Eur Arch Otorhinolaryngol. 2010 Jan;267(1):151-4

<http://www.springerlink.com/content/151254313937q5j3/>

Domazet B, MacLennan GT, Lopez-Beltran A, Montironi R, Cheng L:

Laser capture microdissection in the genomic and proteomic era: targeting the genetic basis of cancer

Int J Clin Exp Pathol. 2008 Mar 15;1(6):475-88

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2480591/?tool=pubmed>

Dong, B., Sato, M., Sakurada, A., Sagawa, M., Endo, C., Wu, S., Yamanaka, S., Horii, A., and Kondo, T.:

Computed tomographic images reflect the biologic behavior of small lung adenocarcinoma: they correlate with cell proliferation, microvascularization, cell adhesion, degradation of extracellular matrix, and K-ras mutation

J Thorac Cardiovasc Surg 130(3): 733-739 (2005)

<http://www.jtcvsonline.org/article/S0022-5223%2805%2900791-9/abstract>

Du L, Peng R, Björkman A, Filipe de Miranda N, Rosner C, Kotnis A, Berglund M, Liu C, Rosenquist R, Enblad G, Sundström C, Hojjat-Farsangi M, Rabbani H, Teixeira MR, Revy P, Durandy A, Zeng Y, Gennery AR, de Villartay JP, Pan-Hammarström Q:

Cernunnos influences human immunoglobulin class switch recombination and may be associated with B cell lymphomagenesis

J Exp Med. 2012 Feb 6. [Epub ahead of print]

<http://www.jem.org/cgi/pmidlookup?view=long&pmid=22312109>

Ellsworth, D.L., Ellsworth, R.E., Love, B., Deyarmin, B., Lubert, S.M., Mittal, V., and Shriver, C.D.:
Genomic patterns of allelic imbalance in disease free tissue adjacent to primary breast carcinomas
Breast Cancer Res Treat 88(2): 131-139 (2004)
<http://www.springerlink.com/content/p08585p766261t33/>

Ellsworth, R.E., Ellsworth, D.L., Lubert, S.M., Hooke, J., Somiari, R.I., and Shriver, C.D.:
High-throughput loss of heterozygosity mapping in 26 commonly deleted regions in breast cancer
Cancer Epidemiol Biomarkers Prev 12(9): 915-919 (2003)
<http://cebp.aacrjournals.org/content/12/9/915.long>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:
Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis
Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages
<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:
A gene expression signature that defines breast cancer metastases
Clin Exp Metastasis 26(3):205-13 (2009)
<http://www.springerlink.com/content/102574228038m751/>

Ellsworth RE, Ellsworth DL, Weyandt JD, Fantacone-Campbell JL, Deyarmin B, Hooke JA, Shriver CD:
Chromosomal Alterations in Pure Nonneoplastic Breast Lesions: Implications for Breast Cancer Progression
Ann Surg Oncol. 2010 Jun;17(6):1688-94
<http://www.springerlink.com/content/b611350886456851/>

Esposito, G.:
Complementary techniques: laser capture microdissection--increasing specificity of gene expression profiling of cancer specimens
Adv Exp Med Biol 593: 54-65 (2007)
<http://www.springerlink.com/content/g448m0n0710r420n/>

Feltmate, C.M., Lee, K.R., Johnson, M., Schorge, J.O., Wong, K.K., Hao, K., Welch, W.R., Bell, D.A., Berkowitz, R.S., and Mok, S.C.:
Whole-genome allelotyping identified distinct loss-of-heterozygosity patterns in mucinous ovarian and appendiceal carcinomas
Clin Cancer Res 11(21): 7651-7657 (2005)
<http://clincancerres.aacrjournals.org/content/11/21/7651.long>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:
Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma
Am J Pathol 161(4): 1315-1323 (2002)
<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Frietsch JJ, Grunewald TG, Jasper S, Kammerer U, Herterich S, Kapp M, Honig A, Butt E:
Nuclear localisation of LASP-1 correlates with poor long-term survival in female breast cancer
Br J Cancer. 2010 May 25;102(11):1645-53
<http://www.nature.com/bjc/journal/v102/n11/full/6605685a.html>

Fujita K, Yamamoto H, Matsumoto T, Hirahashi M, Gushima M, Kishimoto J, Nishiyama K, Taguchi T, Yao T, Oda Y:
Sessile Serrated Adenoma With Early Neoplastic Progression: A Clinicopathologic and Molecular Study
Am J Surg Pathol. 2011 Feb;35(2):295-304
http://journals.lww.com/ajsp/Abstract/2011/02000/Sessile_Serrated_Adenoma_With_Early_Neoplastic.15.aspx

Funel N, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Campani D:
Critical Role of Laser Microdissection for Genetic and Epigenetic Analyses in Pancreatic Cancer: Ten Years of Monocentric Experience

JOP. J Pancreas (Online) 2011 Oct 11; 12(5 Suppl):535

<http://www.joplink.net/prev/201109/162.html>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rft_id=ori:rid:crossref.org&rft_dat=cr_pub%3dpubmed

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Funel N, Morelli M, Giovannetti E, Del Chiaro M, Pollina LE, Mosca F, Boggi U, Cavazzana A, Campani D:

Loss of Heterozygosity Status of D9S105 Marker Is Associated with Downregulation of Krüppel-Like Factor 4 Expression in Pancreatic Ductal Adenocarcinoma and Pancreatic Intraepithelial Lesions

Pancreatology. 2011 Mar 16;11(1):30-42.

<http://content.karger.com/produktedb/produkte.asp?doi=322990>

Gilling CE, Mittal AK, Chaturvedi NK, Iqbal J, Aoun P, Bierman PJ, Bociek RG, Weisenburger DD, Joshi SS:

Lymph node-induced immune tolerance in chronic lymphocytic leukaemia: a role for caveolin-1

Br J Haematol. 2012 May 10. doi: 10.1111/j.1365-2141.2012.09148.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2141.2012.09148.x/abstract>

Giovannetti E, Del Tacca M, Mey V, Funel N, Nannizzi S, Ricci S, Boggi U, Orlandini C, Campani D, Del Chiaro M, Iannopollo M, Codacci-Pisanelli G, Bevilacqua G, Mosca F and Danesi R:

Expression of genes involved in the gemcitabine pathway and clinical outcome in pancreatic cancer patients

Proc Amer Assoc Cancer Res, Volume 47 (2006)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2006/1/734-a>

Giuffrè, G., Müller, A., Brodegger, T., Bocker-Edmonston, T., Gebert, J., Kloor, M., Dietmaier, W., Kullmann, F., Buttner, R., Tuccari, G., and Ruschoff, J.:

Microsatellite analysis of hereditary nonpolyposis colorectal cancer-associated colorectal adenomas by laser-assisted microdissection: correlation with mismatch repair protein expression provides new insights in early steps of tumorigenesis

J Mol Diagn 7(2): 160-170 (2005)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960542-9/abstract>

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovannetti E, Funel N, Peters GJ, Del Chiaro M, Erozcenci LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gong L, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Clonal status and clinicopathological observation of cervical minimal deviation adenocarcinoma

Diagn Pathol 5:25 (2010)

<http://diagnosticpathology.org/content/5/1/25/abstract>

Guerra A, Sapio MR, Marotta V, Campanile E, Rossi S, Forno I, Fugazzola L, Budillon A, Moccia T, Fenzi G, Vitale M

The Primary Occurrence of BRAFV600E Is a Rare Clonal Event in Papillary Thyroid Carcinoma

J Clin Endocrinol Metab. 2011 Dec 14. [Epub ahead of print]

<http://jcem.endojournals.org/cgi/pmidlookup?view=long&pmid=22170714>

Guidoboni, M., Ponzoni, M., Caggiari, L., Lettini, A.A., Vago, L., De Re, V., Gloghini, A., Zancai, P., Carbone, A., Boiocchi, M., and Dolcetti, R.:

Latent membrane protein 1 deletion mutants accumulate in reed-sternberg cells of human immunodeficiency virus-related Hodgkin's lymphoma

J Virol 79(4): 2643-2649 (2005)

<http://jvi.asm.org/cgi/content/full/79/4/2643?view=long&pmid=15681466>

Hosono Y, Yamaguchi T, Mizutani E, Yanagisawa K, Arima C, Tomida S, Shimada Y, Hiraoka M, Kato S, Yokoi K, Suzuki M, Takahashi T:

MYBPH, a transcriptional target of TTF-1, inhibits ROCK1, and reduces cell motility and metastasis

EMBO J. 2011 Nov 15. doi: 10.1038/emboj.2011.416.

<http://www.nature.com/emboj/journal/vaop/ncurrent/full/emboj2011416a.html>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis

Proc Amer Assoc Cancer Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&andorexacttitle=and&titleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexacttitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Huang YS, Bu DF, Li XY, Ma ZH, Yang Y, Lin ZM, Lu FM, Tu P, Li H:

Unique features of PTCH1 mutation spectrum in Chinese sporadic basal cell carcinoma

J Eur Acad Dermatol Venereol. 2012 Feb 7. doi: 10.1111/j.1468-3083.2012.04453.x.

<http://dx.doi.org/10.1111/j.1468-3083.2012.04453.x>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Ikeda, J., Morii, E., Tomita, Y., Xu, J.X., Kimura, H., Kohara, M., Hoshida, Y., and Aozasa, K.:

Methotrexate-associated lymphoproliferative disorder mimicking composite lymphoma

Int J Hematol 83(4): 363-365 (2006)

<http://www.springerlink.com/content/2700876436721844/>

- Imaoka, T., Okamoto, M., Nishimura, M., Nishimura, Y., Ootawara, M., Kakinuma, S., Tokairin, Y., and Shimada, Y.:
Mammary tumorigenesis in ApcMin/+ mice is enhanced by X irradiation with a characteristic age dependence
Radiat Res 165(2): 165-173 (2006)
<http://www.rjournal.org/doi/full/10.1667/RR3502.1>
- Ito S, Fujii H, Matsumoto T, Abe M, Ikeda K, Hino O:
Frequent expression of Niban in head and neck squamous cell carcinoma and squamous dysplasia
Head Neck 32(1):96-103 (2010)
<http://onlinelibrary.wiley.com/doi/10.1002/hed.21153/full>
- Ito, S., Ohga, T., Saeki, H., Nakamura, T., Watanabe, M., Tanaka, S., Kakeji, Y., and Maehara, Y.:
p53 mutation profiling of multiple esophageal carcinoma using laser capture microdissection to demonstrate field carcinogenesis
Int J Cancer 113(1): 22-28 (2005)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20500/full>
- Iwatsuki M, Mimori K, Ishii H, Yokobori T, Takatsuno Y, Sato T, Toh H, Onoyama I, Nakayama KI, Baba H, Mori M:
Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: clinical significance
Int J Cancer 126(8):1828-37 (2010)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24879/full>
- Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:
A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer
J Surg Oncol. 2009 Sep 1;100(3):261-6.
<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>
- Joseph A, Gnanapragasam VJ:
Laser-Capture Microdissection and Transcriptional Profiling in Archival FFPE Tissue in Prostate Cancer
Methods Mol Biol. 2011;755:291-300.
<http://www.springerlink.com/content/x5g8x31w083p3239/#section=924966&page=1&locus=5>
- Kato K, Kuhara A, Yoneda T, Inoue T, Takao T, Ohgami T, Dan L, Kuboyama A, Kusunoki S, Takeda S, Wake N:
Sodium butyrate inhibits the self-renewal capacity of endometrial tumor side-population cells by inducing a DNA damage response.
Mol Cancer Ther. 2011 Jun 1; doi: 10.1158/1535-7163.MCT-10-1062
<http://mct.aacrjournals.org/content/early/2011/06/01/1535-7163.MCT-10-1062.abstract>
- Katz SF, Lechel A, Obenauf AC, Begus-Nahrman Y, Kraus J, Hoffmann EM, Duda J, Eshraghi P, Hartmann D, Liss B, Schirmacher P, Kestler HA, Speicher MR, Rudolph KL
Disruption of Trp53 in Livers of Mice Induces Formation of Carcinomas with Bilineal Differentiation
Gastroenterology. 2012 Feb 15. [Epub ahead of print]
[http://linkinghub.elsevier.com/retrieve/pii/S0016-5085\(12\)00204-1](http://linkinghub.elsevier.com/retrieve/pii/S0016-5085(12)00204-1)
- Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:
Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma
J Proteomics 73(6): 1089-99 (2010)
<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijco/26/6/1549>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8150452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Komuta M, Govaere O, Vandecaveye V, Akiba J, Van Steenberg W, Verslype C, Pirenne J, Aerts R, Yano H, Nevens F, Topal B, Roskams T

Histological diversity in cholangiocellular carcinoma reflects the different cholangiocyte phenotypes

Hepatology. 2012 Jan 23. doi: 10.1002/hep.25595.

<http://dx.doi.org/10.1002/hep.25595>

Kudo N, Ogose A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iiarjournals.org/content/29/6/2219.short>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:

Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences

Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Langenkamp E, vom Hagen FM, Zwiers PJ, Moorlag HE, Schouten JP, Hammes HP, Gouw ASH, and Molema G:
Tumor Vascular Morphology Undergoes Dramatic Changes during Outgrowth of B16Melanoma While Proangiogenic Gene Expression Remains Unchanged

ISRN Oncology, Vol 2011, Article ID 409308, 14 pages, doi:10.5402/2011/409308

<http://www.isrn.com/journals/oncology/2011/409308/>

LeGrand J, Park ES, Wang H, Gupta S, Owens JD Jr, Nelson PJ, Dubois W, Bair T, Janz S, Mushinski JF:

Global gene expression profiling in mouse plasma cell tumor precursor and bystander cells reveals potential intervention targets for plasma-cell neoplasia

Blood. 2011 Dec 6.

<http://bloodjournal.hematologylibrary.org/cgi/pmidlookup?view=long&pmid=22147894>

Leone, F., Cavalloni, G., Pignochino, Y., Sarotto, I., Ferraris, R., Piacibello, W., Venesio, T., Capussotti, L., Risio, M., and Aglietta, M.:

Somatic mutations of epidermal growth factor receptor in bile duct and gallbladder carcinoma

Clin Cancer Res 12(6): 1680-1685 (2006)

<http://clincancerres.aacrjournals.org/content/12/6/1680.long>

Li JN, Zhang WY, Tang Y, Li GD, Dong DD:

In situ follicular lymphoma with progressive transformation of the germinal centers confirmed by laser capture microdissection, IGH gene rearrangement analysis, and fluorescence in situ hybridization for t(14;18)

Hum Pathol. 2011 Jul 4. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0046817711001547>

Li S, Park H, Trempus CS, Gordon D, Liu Y, Cotsarelis G, Morris RJ:

A keratin 15 containing stem cell population from the hair follicle contributes to squamous papilloma development in the mouse

Mol Carcinogenesis, 2012, DOI: 10.1002/mc.21896

<http://onlinelibrary.wiley.com/doi/10.1002/mc.21896/abstract>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Liu WB, Ao L, Cui ZH, Zhou ZY, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

Molecular analysis of DNA repair gene methylation and protein expression during chemical-induced rat lung carcinogenesis

Biochem Biophys Res Commun. 2011 Apr 21.

<http://dx.doi.org/10.1016/j.bbrc.2011.04.067>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:

Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma

Med Oncol. 2010 Dec 4. [Epub ahead of print]

<http://www.springerlink.com/content/1h53134871563152/>

Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:

Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma

Blood 110(1): 339-344 (2007)

<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>

Lin Y, Jiang X, Shen Y, Li M, Ma H, Xing M, Lu Y:

Frequent mutations and amplifications of the PIK3CA gene in pituitary tumors

Endocr Relat Cancer 16(1):301-10 (2009)

<http://erc.endocrinology-journals.org/cgi/content/abstract/16/1/301>

Liu WB, Ao L, Zhou ZY, Cui ZH, Zhou YH, Yuan XY, Xiang YL, Cao J, Liu JY:

CpG island hypermethylation of multiple tumor suppressor genes associated with loss of their protein expression during rat lung carcinogenesis induced by 3-methylcholanthrene and diethylnitrosamine

Biochem Biophys Res Commun. 2010 Nov 19;402(3):507-14

<http://dx.doi.org/10.1016/j.bbrc.2010.10.061>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Mazzanti CM, Hamad MA, Fanelli G, Scatena C, Zammarchi F, Zavaglia K, Lessi F, Pistello M, Naccarato AG, Bevilacqua G:

A Murine Mammary Tumor Virus env-Like Exogenous Sequence Is Strictly Related to Progression of Human Sporadic Breast Carcinoma

Am J Pathol. 2011 Aug 17, doi:10.1016/j.ajpath.2011.06.046

<http://www.sciencedirect.com/science/article/pii/S0002944011006961>

Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:
Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1

J Transl Med. 2012 Jan 10;10(1):8.

<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>

Mihelich BL, Khrantsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:

The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells

J Biol Chem. 2011 Nov 1. [Epub ahead of print]

<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>

Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:

Identification of molecular markers for metastasis-related genes in primary breast cancer cells

Clin Exp Metastasis 22(1): 59-67 (2005)

<http://www.springerlink.com/content/ju17kr07r6101603/>

Miyagaki H, Yamasaki M, Miyata H, Takahashi T, Kurokawa Y, Nakajima K, Takiguchi S, Fujiwara Y, Ishii H, Tanaka F, Mori M, Doki Y:

Overexpression of PFTK1 predicts resistance to chemotherapy in patients with oesophageal squamous cell carcinoma

Br J Cancer. 2012 Feb 14. doi: 10.1038/bjc.2012.35

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc201235a.html>

Miyagaki H, Yamasaki M, Takahashi T, Kurokawa Y, Miyata H, Nakajima K, Takiguchi S, Fujiwara Y, Mori M, Doki Y:

DOK2 as a Marker of Poor Prognosis of Patients with Gastric Adenocarcinoma After Curative Resection

Ann Surg Oncol. 2011 Dec 1. [Epub ahead of print]

<http://www.springerlink.com/content/d337x47663351170/>

Miyai K, Yamamoto S, Aida S, Shimazaki H, Takano M, Kudoh K, Furuya K, Tamai S, Matsubara O:

Massive intra-abdominal undifferentiated carcinoma derived from an endometrioid adenocarcinoma in a "normal-sized" ovary

Int J Gynecol Pathol. 2010 Jul;29(4):321-7.

http://journals.lww.com/intjgynpathology/Abstract/2010/07000/Massive_Intra_abdominal_Undifferentiated_Carcinoma.4.aspx

Mohri D, Asaoka Y, Ijichi H, Miyabayashi K, Kudo Y, Seto M, Ohta M, Tada M, Tanaka Y, Ikenoue T, Tateishi K, Isayama H, Kanai F, Fukushima N, Tada M, Kawabe T, Omata M, Koike K:

Different subtypes of intraductal papillary mucinous neoplasm in the pancreas have distinct pathways to pancreatic cancer progression

J Gastroenterol. 2011 Nov 1. [Epub ahead of print]

<http://www.springerlink.com/content/w85p1173382j550h/>

Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:

Analysis of the gene-expression profile regarding the progression of human gastric carcinoma

Surgery 131(1 Suppl): S39-47 (2002)

<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>

Mueller, A., O'Rourke, J., Grimm, J., Guillemain, K., Dixon, M.F., Lee, A., and Falkow, S.:

Distinct gene expression profiles characterize the histopathological stages of disease in Helicobacter-induced mucosa-associated lymphoid tissue lymphoma

Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)

<http://www.pnas.org/content/100/3/1292.long>

Muller, A., Giuffre, G., Edmonston, T.B., Mathiak, M., Roggendorf, B., Heinmoller, E., Brodegger, T., Tuccari, G., Mangold, E., Buettner, R., and Ruschoff, J.:

Challenges and pitfalls in HNPCC screening by microsatellite analysis and immunohistochemistry

J Mol Diagn 6(4): 308-315 (2004)

<http://www.journals.elsevierhealth.com/periodicals/jmdi/article/S1525-1578%2810%2960526-0/abstract>

Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:

Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma

Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033811001208>

Nagahara, H., Mimori, K., Ohta, M., Utsunomiya, T., Inoue, H., Barnard, G.F., Ohira, M., Hirakawa, K., and Mori, M.:

Somatic mutations of epidermal growth factor receptor in colorectal carcinoma

Clin Cancer Res 11(4): 1368-1371 (2005)

<http://clincancerres.aacrjournals.org/content/11/4/1368.long>

Nakayama T, Ling ZQ, Mukaisho K, Hattori T, Sugihara H:

Lineage analysis of early and advanced tubular adenocarcinomas of the stomach: continuous or discontinuous?

BMC Cancer. 2010 Jun 21;10:311

<http://www.biomedcentral.com/1471-2407/10/311/>

Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.

Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma

Cancer Sci 100(9):1605-1611 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:

Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nishida N, Nagahara M, Sato T, Mimori K, Sudo T, Tanaka F, Shibata K, Ishii H, Sugihara K, Doki Y, Mori M:
Microarray analysis of colorectal cancer stromal tissue reveals upregulation of two oncogenic microRNA clusters.

Clin Cancer Res. 2012 Mar 27. [Epub ahead of print]

<http://clincancerres.aacrjournals.org/content/early/2012/03/26/1078-0432.CCR-11-1078.abstract>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19874819/?tool=pubmed>

Obrador E, Benlloch M, Pellicer JA, Asensi M, Estrela JM:

Intertissue Flow of Glutathione (GSH) as a Tumor Growth-promoting Mechanism: INTERLEUKIN 6 INDUCES GSH RELEASE FROM HEPATOCYTES IN METASTATIC B16 MELANOMA-BEARING MICE

J Biol Chem. 2011 May 6;286(18):15716-27

<http://www.jbc.org/content/286/18/15716.short>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

Ooki A, Yamashita K, Kikuchi S, Sakuramoto S, Katada N, Watanabe M:

Phosphatase of regenerating liver-3 as a convergent therapeutic target for lymph node metastasis in esophageal squamous cell carcinoma

Int J Cancer. 2010 Aug 1;127(3):543-54.

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25082/full>

Oparka R, Cassidy A, Reilly S, Stenhouse A, McCluggage WG, Herrington CS:

The C134W (402 C>G) FOXL2 mutation is absent in ovarian gynandroblastoma: insights into the genesis of an unusual tumour

Histopathology. 2012 Feb 1. doi: 10.1111/j.1365-2559.2011.04148.x.

<http://dx.doi.org/10.1111/j.1365-2559.2011.04148.x>

Oshima H, Hioki K, Popivanova BK, Oguma K, Van Rooijen N, Ishikawa TO, Oshima M:

Prostaglandin E₂ signaling and bacterial infection recruit tumor-promoting macrophages to mouse gastric tumors

Gastroenterology. 2011 Feb;140(2):596-607.e7

<http://dSPACE.lib.kanazawa-u.ac.jp/dSPACE/handle/2297/26532>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:

FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer

Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.

<http://www.springerlink.com/content/45444108t4327750/>

Pace E, Ferraro M, Minervini MI, Vitulo P, Pipitone L, Chiappara G, Siena L, Montalbano AM, Johnson M, Gjomarkaj M:

Beta Defensin-2 Is Reduced in Central but Not in Distal Airways of Smoker COPD Patients

PLoS ONE 7(3): e33601. doi:10.1371/journal.pone.0033601

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0033601>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:

Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression

Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631

<http://www.nature.com/onc/journal/vaop/ncurrent/full/onc2011631a.html>

Prowse, A.H., Fakis, G., Manek, S., Churchman, M., Edwards, S., Rowan, A., Koninckx, P., Kennedy, S., and Tomlinson, I.P.:

Allelic loss studies do not provide evidence for the "endometriosis-as-tumor" theory

Fertil Steril 83 Suppl 1: 1134-1143 (2005)

<http://www.fertstert.org/article/S0015-0282%2804%2903224-8/abstract>

Prowse, A.H., Manek, S., Varma, R., Liu, J., Godwin, A.K., Maher, E.R., Tomlinson, I.P., and Kennedy, S.H.:

Molecular genetic evidence that endometriosis is a precursor of ovarian cancer

Int J Cancer 119(3): 556-562 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21845/full>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Rabien A, Fritzsche FR, Jung M, Tölle A, Diamandis EP, Miller K, Jung K, Kristiansen G, Stephan C:

KLK15 is a prognostic marker for progression-free survival in patients with radical prostatectomy

Int J Cancer 127(10):2386-94 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25435/full>

Ren X, Daa T, Yada N, Kashima K, Fujitomi Y, Yokoyama S:

Expression and mutational status of RON in neoplastic lesions of the breast: analysis of MSP/RON signaling in ductal carcinoma in situ and invasive ductal carcinoma

APMIS, 2011, DOI: 10.1111/j.1600-0463.2011.02841.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0463.2011.02841.x/full>

- Saito T, Mitomi H, Suehara Y, Okubo T, Torigoe T, Takagi T, Kaneko K, Yao T:
A case of de novo secondary malignant giant-cell tumor of bone with loss of heterozygosity of *p53* gene that transformed within a short-term follow-up
Pathology - Research and Practice (2011), ISSN 0344-0338, doi:10.1016/j.prp.2011.07.009
<http://www.sciencedirect.com/science/article/pii/S0344033811001701>
- Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:
Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis
Int J Cancer 118(5): 1325-1329 (2006)
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>
- Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:
Proteomic signatures for histological types of lung cancer
Proteomics 5(11): 2939-2948 (2005)
<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>
- Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:
Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma
Am J Surg Pathol 28(10): 1384-1388 (2004)
<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>
- Seto M, Ohta M, Asaoka Y, Ikenoue T, Tada M, Miyabayashi K, Mohri D, Tanaka Y, Ijichi H, Tateishi K, Kanai F, Kawabe T, Omata M:
Regulation of the hedgehog signaling by the mitogen-activated protein kinase cascade in gastric cancer
Mol Carcinog. 2009 Aug;48(8):703-12
<http://onlinelibrary.wiley.com/doi/10.1002/mc.20516/full>
- Shieh, D.B., Chou, W.P., Wei, Y.H., Wong, T.Y., and Jin, Y.T.:
Mitochondrial DNA 4,977-bp deletion in paired oral cancer and precancerous lesions revealed by laser microdissection and real-time quantitative PCR
Ann N Y Acad Sci 1011: 154-167 (2004)
<http://onlinelibrary.wiley.com/doi/10.1196/annals.1293.016/full>
- Shieh, Y.S., Shiah, S.G., Jeng, H.H., Lee, H.S., Wu, C.W., and Chang, L.C.:
DNA methyltransferase 1 expression and promoter methylation of E-cadherin in mucoepidermoid carcinoma
Cancer 104(5): 1013-1021 (2005)
<http://onlinelibrary.wiley.com/doi/10.1002/cncr.21278/full>
- Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:
Proteomics of breast carcinoma
J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)
<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>
- Song JY, Eberle FC, Xi L, Raffeld M, Rahma O, Wilson WH, Dunleavy K, Pittaluga S, Jaffe ES:
Coexisting and Clonally Identical Classic Hodgkin Lymphoma and Nodular Lymphocyte Predominant Hodgkin Lymphoma
Am J Surg Pathol. 2011 May;35(5):767-72.
http://journals.lww.com/ajsp/Abstract/2011/05000/Coexisting_and_Clonally_Identical_Classic_Hodgkin.18.aspx
- Souda M, Umekita Y, Abeyama K, Yoshida H:
Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene
Int J Cancer. 2009 Sep 15;125(6):1285-97.
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>

Sugimoto T, Ohta M, Ikenoue T, Yamada A, Tada M, Fujishiro M, Ogura K, Yamaji Y, Okamoto M, Kanai F, Kawabe T, Omata M:

Macroscopic morphologic subtypes of laterally spreading colorectal tumors showing distinct molecular alterations

Int J Cancer. 2010 Oct 1;127(7):1562-9

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25180/full>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:

Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis

Journal of Toxicologic Pathology 22(4): pp.281

http://www.jstage.jst.go.jp/article/tox/22/4/22_281/_article

Sunde, J.S., Donninger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:

Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- β Signaling in Ovarian Cancer

Cancer Res 66(17): 8404-8412 (2006)

<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:

Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue

Carcinogenesis 25(3): 439-443 (2004)

<http://carcin.oxfordjournals.org/content/25/3/439.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Tada M, Kanai F, Tanaka Y, Sanada M, Nannya Y, Tateishi K, Ohta M, Asaoka Y, Seto M, Imazeki F, Yoshida H, Ogawa S, Yokosuka O, Omata M:

Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism array in gastric cancer

Cancer Sci. 2010 May;101(5):1261-9

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2010.01500.x/full>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:

Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model

Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)

<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Tancredi M, Sensi E, Cipollini G, Aretini P, Lombardi G, Di Cristofano C, Presciuttini S, Bevilacqua G, Caligo MA:
Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion

Eur J Hum Genet 12(9): 775-777 (2004)

<http://www.nature.com/ejhg/journal/v12/n9/full/5201223a.html>

Tao Y, Hart J, Lichtenstein L, Joseph LJ, Ciancio MJ, Hu S, Chang EB, Bissonnette M:

Inducible heat shock protein 70 prevents multifocal flat dysplastic lesions and invasive tumors in an inflammatory model of colon cancer

Carcinogenesis 30(1):175-82 (2009)

<http://carcin.oxfordjournals.org/content/30/1/175.short>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsukamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:

Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer

Clin Cancer Res 17(8):2444-50 (2011)

<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Valencia T, Joseph A, Kachroo N, Darby S, Meakin S, Gnanapragasam VJ:

Role and expression of FRS2 and FRS3 in prostate cancer

BMC Cancer. 2011 Nov 11;11(1):484.

<http://www.biomedcentral.com/1471-2407/11/484>

van Dijk, M.C., Rombout, P.D., Mooi, W.J., van de Molengraft, F.J., van Krieken, J.H., Ruiter, D.J., and Ligtenberg, M.J.:

Allelic imbalance in the diagnosis of benign, atypical and malignant Spitz tumours

J Pathol 197(2): 170-178 (2002)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1119/full>

van Schanke, A., van Venrooij, G.M., Jongsma, M.J., Banus, H.A., Mullenders, L.H., van Kranen, H.J., and de Gruijl, F.R.:

Induction of nevi and skin tumors in Ink4a/Arf Xpa knockout mice by neonatal, intermittent, or chronic UVB exposures

Cancer Res 66(5): 2608-2615 (2006)

<http://cancerres.aacrjournals.org/content/66/5/2608.long>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S

miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression

Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.

<http://dx.doi.org/10.1038/onc.2011.209>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wei, M., Grushko, T.A., Dignam, J., Hagos, F., Nanda, R., Sveen, L., Xu, J., Fackenthal, J., Tretiakova, M., Das, S., and Olopade, O.I.:

BRCA1 promoter methylation in sporadic breast cancer is associated with reduced BRCA1 copy number and chromosome 17 aneusomy

Cancer Res 65(23): 10692-10699 (2005)

<http://cancerres.aacrjournals.org/content/65/23/10692.long>

Wiltling SM, Snijders PJ, Verlaat W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Xiao, W., Zhang, Q., Jiang, F., Pins, M., Kozlowski, J.M., and Wang, Z.:

Suppression of prostate tumor growth by U19, a novel testosterone-regulated apoptosis inducer

Cancer Res 63(15): 4698-4704 (2003)

<http://cancerres.aacrjournals.org/content/63/15/4698.long>

Xu, A.M., Zhang, S.H., Zheng, J.M., Zheng, W.Q., and Wu, M.C.:

Pathological and molecular analysis of sporadic hepatic angiomyolipoma

Hum Pathol 37(6): 735-741 (2006)

<http://www.humanpathol.com/article/S0046-8177%2806%2900076-1/abstract>

Yamamoto S, Tsuda H, Suzuki K, Takano M, Tamai S, Matsubara O:

An allelotype analysis indicating the presence of two distinct ovarian clear-cell carcinogenic pathways: endometriosis-associated pathway vs. clear-cell adenofibroma-associated pathway

Virchows Arch. 2009 Sep;455(3):261-70

<http://www.springerlink.com/content/ph8121053g3w1p13/>

Yancovitz M, Litterman A, Yoon J, Ng E, Shapiro RL, Berman RS, Pavlick AC, Darvishian F, Christos P, Mazumdar M, Osman I, Polsky D:

Intra- and Inter-Tumor Heterogeneity of BRAF^{V600E} Mutations in Primary and Metastatic Melanoma

PLoS ONE 7(1): e29336. doi:10.1371/journal.pone.0029336 (2012)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0029336>

Yardy GW, Bicknell DC, Wilding JL, Bartlett S, Liu Y, Winney B, Turner GD, Brewster SF, Bodmer WF:

Mutations in the AXIN1 Gene in Advanced Prostate Cancer

Eur Urol 56(3):486-94 (2009)

<http://www.europeanurology.com/article/S0302-2838%2808%2900638-6>

Zammarchi, F., Pistello, M., Piersigilli, A., Murr, R., Di Cristofano, C., Naccarato, A.G., and Bevilacqua, G.:

MMTV-like sequences in human breast cancer: a fluorescent PCR/laser microdissection approach

J Pathol 209(4): 436-444 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1997/full>

Zen C, Zen Y, Mitry RR, Corbeil D, Karbanová J, O'Grady J, Karani J, Kane P, Heaton N, Portmann BC, Quaglia A:

Mixed phenotype hepatocellular carcinoma after transarterial chemoembolization and liver transplantation

Liver Transpl. 2011 Aug;17(8):943-54

<http://onlinelibrary.wiley.com/doi/10.1002/lt.22314/abstract>

Zhang L, Hu S, Korteweg C, Chen Z, Qiu Y, Su M, Gu J:

Expression of immunoglobulin G in esophageal squamous cell carcinomas and its association with tumor grade and Ki67

Hum Pathol. 2011 Aug 18; PMID: 21855109

<http://www.sciencedirect.com/science/article/pii/S0046817711002462>

Zhang, Q., Rubenstein, J.N., Jang, T.L., Pins, M., Javonovic, B., Yang, X., Kim, S.J., Park, I., and Lee, C.:

Insensitivity to transforming growth factor-beta results from promoter methylation of cognate receptors in human prostate cancer cells (LNCaP)

Mol Endocrinol 19(9): 2390-2399 (2005)

<http://mend.endojournals.org/cgi/content/full/19/9/2390>

Zhang W, Zeng Z, Fan S, Wang J, Yang J, Zhou Y, Li X, Huang D, Liang F, Wu M, Tang K, Cao L, Li X, Xiong W, Li G:

Evaluation of the prognostic value of TGF- β superfamily type I receptor and TGF- β type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays

J Mol Histol. 2012 Mar 6. [Epub ahead of print]

<http://dx.doi.org/10.1007/s10735-012-9392-4>

Zhou J, Zheng W, Cao L, Liu M, Han F, Li A:

Antiangiogenic tumor treatment: noninvasive monitoring with contrast pulse sequence imaging for contrast-enhanced grayscale ultrasound

Acad Radiol. 2010 May;17(5):646-51

<http://www.academicradiology.org/article/S1076-6332%2810%2900058-9/abstract>

6. Neurosciences

Aguado, C., Colon, J., Ciruela, F., Schaudraff, F., Cabanero, M.J., Perry, C., Watanabe, M., Liss, B., Wickman, K., and Lujan, R.:

Cell type-specific subunit composition of G protein-gated potassium channels in the cerebellum

J Neurochem 105(2): 497-511 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2007.05153.x/full>

Anderson KD, Pan L, Yang XM, Hughes VC, Walls JR, Dominguez MG, Simmons MV, Burfeind P, Xue Y, Wei Y, Macdonald LE, Thurston G, Daly C, Lin HC, Economides AN, Valenzuela DM, Murphy AJ, Yancopoulos GD, Gale NW:

Angiogenic sprouting into neural tissue requires Gpr124, an orphan G protein-coupled receptor

Proc Natl Acad Sci U S A. 2011 Feb 15;108(7):2807-12

<http://www.pnas.org/content/108/7/2807.short>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Bas Orth C., Vlachos A., Del Turco D., Burbach G.J., Haas C.A., Mundel P., Feng G., Frotscher M., and Deller T.:
Lamina-specific distribution of Synaptopodin, an actin-associated molecule essential for the spine apparatus, in identified principal cell dendrites of the mouse hippocampus

J Comp Neurol 487(3): 227-239 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cne.20539/full>

Bender, A., Krishnan, K.J., Morris, C.M., Taylor, G.A., Reeve, A.K., Perry, R.H., Jaros, E., Hersheson, J.S., Betts, J., Klopstock, T., Taylor, R.W., and Turnbull, D.M.:

High levels of mitochondrial DNA deletions in substantia nigra neurons in aging and Parkinson disease

Nat Genet 38(5): 515-517 (2006)

<http://www.nature.com/ng/journal/v38/n5/full/ng1769.html>

Bernard A, Lubbers LS, Tanis KQ, Luo R, Podtelezchnikov AA, Finney EM, McWhorter MM, Serikawa K, Lemon T, Morgan R, Copeland C, Smith K, Cullen V, Davis-Turak J, Lee CK, Sunkin SM, Loboda AP, Levine DM, Stone DJ, Hawrylycz MJ, Roberts CJ, Jones AR, Geschwind DH, Lein ES:

Transcriptional architecture of the primate neocortex

Neuron. 2012 Mar 22;73(6):1083-99.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00225-5](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00225-5)

Betts, J., Jaros, E., Perry, R.H., Schaefer, A.M., Taylor, R.W., Abdel-All, Z., Lightowlers, R.N., and Turnbull, D.M.:
Molecular neuropathology of MELAS: level of heteroplasmy in individual neurones and evidence of extensive vascular involvement

Neuropathol Appl Neurobiol 32(4): 359-373 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2006.00731.x/full>

Boehm, C., Newrzella, D., Herberger, S., Schramm, N., Eisenhardt, G., Schenk, V., Sonntag-Buck, V., and Sorgenfrei, O.:

Effects of antidepressant treatment on gene expression profile in mouse brain: cell type-specific transcription profiling using laser microdissection and microarray analysis

J Neurochem (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.03750.x/full>

Bohm, C., Newrzella, D., and Sorgenfrei, O.:

Laser microdissection in CNS research

Drug Discov Today 10(17): 1167-1174 (2005)

[http://dx.doi.org/10.1016/S1359-6446\(05\)03555-5](http://dx.doi.org/10.1016/S1359-6446(05)03555-5)

Bolis, A., Coviello, S., Bussini, S., Dina, G., Pardini, C., Previtali, S.C., Malaguti, M., Morana, P., Del Carro, U., Feltri, M.L., Quattrini, A., Wrabetz, L., and Bolino, A.:

Loss of Mtmr2 phosphatase in Schwann cells but not in motor neurons causes Charcot-Marie-Tooth type 4B1 neuropathy with myelin outfoldings

J Neurosci 25(37): 8567-8577 (2005)

<http://www.jneurosci.org/content/25/37/8567.long>

Boonstra, R., Koning, A., Mastik, M., van den Berg, A., and Poppema, S.:

Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q

Virchows Arch 443(2): 164-169 (2003)

<http://www.springerlink.com/content/b1am9dkhxtu33uch/>

Burbach, G.J., Dehn, D., Del Turco, D., and Deller, T.:

Quantification of layer-specific gene expression in the hippocampus: effective use of laser microdissection in combination with quantitative RT-PCR

J Neurosci Methods 131(1-2): 83-91 (2003)

[http://dx.doi.org/10.1016/S0165-0270\(03\)00232-2](http://dx.doi.org/10.1016/S0165-0270(03)00232-2)

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:

Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:

Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)

<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Burbach, G.J., Hellweg, R., Haas, C.A., Del Turco, D., Deicke, U., Abramowski, D., Jucker, M., Staufenbiel, M., and Deller, T.:

Induction of brain-derived neurotrophic factor in plaque-associated glial cells of aged APP23 transgenic mice

J Neurosci 24(10): 2421-2430 (2004)

<http://www.jneurosci.org/content/24/10/2421.long>

Campbell GR, Ziabreva I, Reeve AK, Krishnan KJ, Reynolds R, Howell O, Lassmann H, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and neurodegeneration in multiple sclerosis

Ann Neurol 69(3):481-92 (2011)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22109/full>

Chen H, Dzitoyeva S, Manev H:

5-Lipoxygenase in mouse cerebellar Purkinje cells

Neuroscience. 2010 Dec 1;171(2):383-9

<http://dx.doi.org/10.1016/j.neuroscience.2010.09.019>

Choi, J.Y., Beaman-Hall, C.M., and Vallano, M.L.:

Granule neurons in cerebellum express distinct splice variants of the inositol trisphosphate receptor that are modulated by calcium

Am J Physiol Cell Physiol 287(4): C971-980 (2004)

<http://ajpcell.physiology.org/content/287/4/C971.long>

Coco, S., Defferrari, R., Scaruffi, P., Cavazzana, A., Di Cristofano, C., Longo, L., Mazzocco, K., Perri, P., Gambini, C., Moretti, S., Bonassi, S., and Tonini, G.P.:

Genome analysis and gene expression profiling of neuroblastoma and ganglioneuroblastoma reveal differences between neuroblastic and Schwannian stromal cells

J Pathol 207(3): 346-357 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1843/full>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Datson, N.A., Meijer, L., Steenbergen, P.J., Morsink, M.C., van der Laan, S., Meijer, O.C., and de Kloet, E.R.:

Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression

Eur J Neurosci 20(10): 2541-2554 (2004)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1460-9568.2004.03738.x/full>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Dzitoyeva S, Chen H, Manev H:

Effect of aging on 5-hydroxymethylcytosine in brain mitochondria

Neurobiol Aging. 2012 Mar 22. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0197-4580\(12\)00151-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-4580(12)00151-0)

Elstner M, Morris CM, Heim K, Bender A, Mehta D, Jaros E, Klopstock T, Meitinger T, Turnbull DM, Prokisch H:

Expression analysis of dopaminergic neurons in Parkinson's disease and aging links transcriptional dysregulation of energy metabolism to cell death

Acta Neuropathol. 2011 Jul;122(1):75-86

<http://www.springerlink.com/content/e2w286484498651g/>

Elstner M, Morris CM, Heim K, Lichtner P, Bender A, Mehta D, Schulte C, Sharma M, Hudson G, Goldwurm S, Giovanetti A, Zeviani M, Burn DJ, McKeith IG, Perry RH, Jaros E, Krüger R, Wichmann HE, Schreiber S, Campbell H, Wilson JF, Wright AF, Dunlop M, Pistis G, Toniolo D, Chinnery PF, Gasser T, Klopstock T, Meitinger T, Prokisch H, Turnbull DM:

Single-cell expression profiling of dopaminergic neurons combined with association analysis identifies pyridoxal kinase as Parkinson's disease gene

Ann Neurol 66(6):792-8 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.21780/full>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Ford, C.P. and Williams, J.T.:

Mesoprefrontal dopamine neurons distinguish themselves

Neuron 57(5): 631-632 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001815>

Frank, S., Burbach, G.J., Bonin, M., Walter, M., Streit, W., Bechmann, I., and Deller, T.:

TREM2 is upregulated in amyloid plaque-associated microglia in aged APP23 transgenic mice

Glia (2008)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20710/full>

Frank S, Copanaki E, Burbach GJ, Müller UC, Deller T:

Differential regulation of toll-like receptor mRNAs in amyloid plaque-associated brain tissue of aged APP23 transgenic mice

Neurosci Lett. 453(1):41-4 (2009)

<http://dx.doi.org/10.1016/j.neulet.2009.01.075>

Fujimura RK, Reiner T, Ma F, Phillips V, de las Pozas A, Dickson DW, Roos BA, Howard GA, Perez-Stable C:

Changes in the Expression of Genes Associated with Intraneuronal Amyloid- β and Tau in Alzheimer's Disease

J Alzheimers Dis. 2010;19(1):97-109

<http://iospress.metapress.com/content/851u86918j027n36/>

Fukazawa, Y., Saitoh, Y., Ozawa, F., Ohta, Y., Mizuno, K., and Inokuchi, K.:

Hippocampal LTP is accompanied by enhanced F-actin content within the dendritic spine that is essential for late LTP maintenance in vivo

Neuron 38(3): 447-460 (2003)

<http://www.cell.com/neuron/retrieve/pii/S089662730300206X>

Gąska M, Kuśmider M, Solich J, Faron-Górecka A, Krawczyk MJ, Kułakowski K, Dziedzicka-Wasylewska M:

Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level

Psychopharmacology (Berl). 2012 May 1. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00213-012-2714-0>

Glaschke A, Weiland J, Del Turco D, Steiner M, Peichl L, Glösmann M:

Thyroid Hormone Controls Cone Opsin Expression in the Retina of Adult Rodents

J Neurosci. 31(13):4844-51. (2011)

<http://www.jneurosci.org/content/31/13/4844.long>

Grundemann, J., Schlaudraff, F., Haeckel, O., and Liss, B.:

Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease

Nucleic Acids Res 36(7): e38 (2008)

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Grundemann J, Schlaudraff F, Liss B:

UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Hasselblatt, M., Bohm, C., Tatenhorst, L., Dinh, V., Newrzella, D., Keyvani, K., Jeibmann, A., Buerger, H., Rickert, C.H., and Paulus, W.:

Identification of novel diagnostic markers for choroid plexus tumors: a microarray-based approach

Am J Surg Pathol 30(1): 66-74 (2006)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2006&issue=01000&article=00010&type=abstract>

Heine S, Michalakis S, Kallenborn-Gerhardt W, Lu R, Lim HY, Weiland J, Del Turco D, Deller T, Tegeder I, Biel M, Geisslinger G, Schmidtko A:

CNGA3: A Target of Spinal Nitric Oxide/cGMP Signaling and Modulator of Inflammatory Pain Hypersensitivity

J Neurosci. 2011 Aug 3;31(31):11184-92

<http://www.jneurosci.org/content/31/31/11184.long>

Hommel, J.D., Sears, R.M., Georgescu, D., Simmons, D.L., and DiLeone, R.J.:

Local gene knockdown in the brain using viral-mediated RNA interference

Nat Med 9(12): 1539-1544 (2003)

<http://www.nature.com/nm/journal/v9/n12/full/nm964.html>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192,

10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Jaillard C, Mouret A, Niepon ML, Clérin E, Yang Y, Lee-Rivera I, Aït-Ali N, Millet-Puel G, Cronin T, Sedmak T, Raffelsberger W, Kinzel B, Trembleau A, Poch O, Bennett J, Wolfrum U, Lledo PM, Sahel JA, Léveillard T:

Nxn2 splicing results in dual functions in neuronal cell survival and maintenance of cell integrity

Hum Mol Genet. 2012 Feb 15. [Epub ahead of print]

<http://hmg.oxfordjournals.org/content/early/2012/02/15/hmg.dds050.abstract>

Kanaan, A., Farahani, R., Douglas, R.M., Lamanna, J.C., and Haddad, G.G.:

Effect of chronic continuous or intermittent hypoxia and reoxygenation on cerebral capillary density and myelination

Am J Physiol Regul Integr Comp Physiol 290(4): R1105-1114 (2006)

<http://ajpregu.physiology.org/content/290/4/R1105.long>

Katsel P, Byne W, Roussos P, Tan W, Siever L, Haroutunian V:

Astrocyte and Glutamate Markers in the Superficial, Deep, and White Matter Layers of the Anterior Cingulate Gyrus in Schizophrenia

Neuropsychopharmacology. 2011 May;36(6):1171-7

<http://www.nature.com/npp/journal/v36/n6/full/npp2010252a.html>

Kelai, S., Maussion, G., Noble, F., Boni, C., Ramoz, N., Moalic, J.M., Peuchmaur, M., Gorwood, P., and Simonneau, M.:

Nrxn3 upregulation in the globus pallidus of mice developing cocaine addiction

Neuroreport 19(7): 751-755 (2008)

<http://journals.lww.com/neuroreport/pages/articleviewer.aspx?year=2008&issue=05070&article=00009&type=abstract>

Koob AO, Bruns L, Prassler C, Masliah E, Klopstock T, Bender A:

Protein analysis through Western blot of cells excised individually from human brain and muscle tissue

Anal Biochem. 2012 Mar 5. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0003269712001431>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:

Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Landmann EM, Schellong K, Melchior K, Rodekamp E, Ziska T, Harder T, Plagemann A:
Short-term regulation of the hypothalamic melanocortineric system under fasting and defined glucose-refeeding conditions in rats: A laser capture microdissection (LMD)-based study
Neurosci Lett. 2012 Apr 25;515(1):87-91.
[http://linkinghub.elsevier.com/retrieve/pii/S0304-3940\(12\)00374-6](http://linkinghub.elsevier.com/retrieve/pii/S0304-3940(12)00374-6)

Lax NZ, Whittaker RG, Hepplewhite PD, Reeve AK, Blakely EL, Jaros E, Ince PG, Taylor RW, Fawcett PR, Turnbull DM:
Sensory neuropathy in patients harbouring recessive polymerase γ mutations
Brain. 2011 Dec 20., doi:10.1093/brain/awr326
<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=22189570>

Lepagnol-Bestel AM, Maussion G, Boda B, Cardona A, Iwayama Y, Delezoide AL, Moalic JM, Muller D, Dean B, Yoshikawa T, Gorwood P, Buxbaum JD, Ramoz N, Simonneau M:
SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects
Mol Psychiatry. 2008 Apr;13(4):385-97
<http://www.nature.com/mp/journal/v13/n4/full/4002120a.html>

Lin LC, Lewis DA, Sibille E:
A human-mouse conserved sex bias in amygdala gene expression related to circadian clock and energy metabolism
Mol Brain. 2011 May 4;4(1):18
<http://www.molecularbrain.com/content/4/1/18/abstract>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:
K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons
Nat Neurosci 8(12): 1742-1751 (2005)
<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:
MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway
PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Lofqvist C, Willett KL, Aspegren O, Smith AC, Aderman CM, Connor KM, Chen J, Hellstrom A, Smith LE:
Quantification and localization of the IGF/insulin system expression in retinal blood vessels and neurons during oxygen-induced retinopathy in mice
Invest Ophthalmol Vis Sci 50(4):1831-7 (2009)
<http://www.iovs.org/content/50/4/1831.short>

Lotz, M., Gutle, D., Walther, S., Menard, S., Bogdan, C., and Hornef, M.W.:
Postnatal acquisition of endotoxin tolerance in intestinal epithelial cells
J Exp Med 203(4): 973-984 (2006)
<http://jem.rupress.org/content/203/4/973.long>

Lucchini V:
Il difetto ossidativo mitocondriale e le alterazioni del DNA mitocondriale in topi transgenici modello animale della Atassia Spinocerebellare di tipo 1
Tesi di Dottorato, PhD thesis
http://air.unimi.it/bitstream/2434/169922/4/phd_unimi_R08149.pdf

Matsunaga E, Nambu S, Iriki A, Okanoya K:

Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum

J Comp Neurol. 2011 Jun 15;519(9):1736-47

<http://onlinelibrary.wiley.com/doi/10.1002/cne.22598/full>

Majak K, Dabrowski M, Pitkänen A:

Epileptogenesis alters gene expression pattern in rats subjected to amygdala-dependent emotional learning

Neuroscience. 2009 Mar 17;159(2):468-82

<http://dx.doi.org/10.1016/j.neuroscience.2008.12.060>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:

Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord

Brain Res 1249:61-7 (2009)

<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Meltendorf C, Burbach GJ, Ohrloff C, Ghebremedhin E, Deller T:

Intrastromal Keratotomy with Femtosecond Laser Avoids Profibrotic TGF-beta 1 Induction

Invest Ophthalmol Vis Sci. 50(8): 3688-95 (2009)

<http://www.iovs.org/content/50/8/3688.long>

Mitrasinovic, O.M., Grattan, A., Robinson, C.C., Lapustea, N.B., Poon, C., Ryan, H., Phong, C., and Murphy, G.M., Jr.:

Microglia overexpressing the macrophage colony-stimulating factor receptor are neuroprotective in a microglial-hippocampal organotypic coculture system

J Neurosci 25(17): 4442-4451 (2005)

<http://www.jneurosci.org/content/25/17/4442.long>

Miyashita T, Wintzer M, Kurotani T, Konishi T, Ichinohe N, Rockland KS:

Neurotrophin-3 Is Involved in the Formation of Apical Dendritic Bundles in Cortical Layer 2 of the Rat

Cereb Cortex 20(1):229-40 (2010)

<http://cercor.oxfordjournals.org/content/20/1/229.short>

Molnár Z, Belgard TG:

Transcriptional profiling of layers of the primate cerebral cortex

Neuron. 2012 Mar 22;73(6):1053-5.

[http://linkinghub.elsevier.com/retrieve/pii/S0896-6273\(12\)00230-9](http://linkinghub.elsevier.com/retrieve/pii/S0896-6273(12)00230-9)

Moreno B, Jukes JP, Vergara-Irigaray N, Errea O, Villoslada P, Perry VH, Newman TA:

Systemic inflammation induces axon injury during brain inflammation

Ann Neurol., DOI: 10.1002/ana.22550

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22550/abstract>

Mutsuga, N. and Gainer, H.:

Molecular analysis of the magnocellular neuroendocrine phenotype: from the micropunch to laser microdissection

Neurochem Res 31(2): 189-199 (2006)

<http://www.springerlink.com/content/h585v38344277w47/>

Mutsuga, N., Shahar, T., Verbalis, J.G., Brownstein, M.J., Xiang, C.C., Bonner, R.F., and Gainer, H.:

Selective gene expression in magnocellular neurons in rat supraoptic nucleus

J Neurosci 24(32): 7174-7185 (2004)

<http://www.jneurosci.org/content/24/32/7174.long>

Mutsuga, N., Shahar, T., Verbalis, J.G., Xiang, C.C., Brownstein, M.J., and Gainer, H.:

Regulation of gene expression in magnocellular neurons in rat supraoptic nucleus during sustained hyposmolality

Endocrinology 146(3): 1254-1267 (2005)

<http://endo.endojournals.org/cgi/content/full/146/3/1254>

Okaty BW, Sugino K, Nelson SB:

Cell Type-Specific Transcriptomics in the Brain

J Neurosci. 2011 May 11;31(19):6939-43

<http://www.jneurosci.org/content/31/19/6939.citation>

Oshima, H., Oshima, M., Inaba, K., and Taketo, M.M.:

Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice

Embo J 23(7): 1669-1678 (2004)

<http://www.nature.com/emboj/journal/v23/n7/full/7600170a.html>

Paciello O, Oliva G, Gradoni L, Manna L, Manzillo VF, Wojcik S, Trapani F, Papparella S:

Canine inflammatory myopathy associated with Leishmania Infantum infection

Neuromuscul Disord. 2009 Feb;19(2):124-30

<http://www.nmd-journal.com/article/S0960-8966%2808%2900677-9/abstract>

Pagenstecher A, Stahl S, Sure U, Felbor U:

A two-hit mechanism causes cerebral cavernous malformations: complete inactivation of CCM1, CCM2 or CCM3 in affected endothelial cells

Hum Mol Genet 18(5):911-8 (2009)

<http://hmg.oxfordjournals.org/content/18/5/911.short>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Ploski, J.E., Newton, S.S., and Duman, R.S.:

Electroconvulsive seizure-induced gene expression profile of the hippocampus dentate gyrus granule cell layer

J Neurochem 99(4): 1122-1132 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.04156.x/full>

Pluchino S, Muzio L, Imitola J, Deleidi M, Alfaro-Cervello C, Salani G, Porcheri C, Brambilla E, Cavasinni F, Bergamaschi A, Garcia-Verdugo JM, Comi G, Khoury SJ, Martino G

Persistent inflammation alters the function of the endogenous brain stem cell compartment

Brain. 2008 Oct;131(Pt 10):2564-78

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=18757884>

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)

<http://brain.oxfordjournals.org/content/134/4/1184.long>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Reeve AK, Krishnan KJ, Elson JL, Morris CM, Bender A, Lightowlers RN, Turnbull DM:

Nature of mitochondrial DNA deletions in substantia nigra neurons

Am J Hum Genet. 2008 Jan;82(1):228-35.

<http://www.cell.com/AJHG/retrieve/pii/S0002929707000249>

Sanna, P.P., King, A.R., van der Stap, L.D., and Repunte-Canonigo, V.:

Gene profiling of laser-microdissected brain regions and sub-regions

Brain Res Brain Res Protoc 15(2): 66-74 (2005)

<http://dx.doi.org/10.1016/j.brainresprot.2005.04.002>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Satoh A, Brace CS, Ben-Josef G, West T, Wozniak DF, Holtzman DM, Herzog ED, Imai S:

SIRT1 promotes the central adaptive response to diet restriction through activation of the dorsomedial and lateral nuclei of the hypothalamus

J Neurosci. 2010 Jul 28;30(30):10220-32.

<http://www.jneurosci.org/content/30/30/10220.short>

Schafer, R., Dehn, D., Burbach, G.J., and Deller, T.:

Differential regulation of chondroitin sulfate proteoglycan mRNAs in the denervated rat fascia dentata after unilateral entorhinal cortex lesion

Neurosci Lett 439(1): 61-65 (2008)

<http://dx.doi.org/10.1016/j.neulet.2008.04.098>

Schlaudraff F:

Quantitative Genexpressionsanalysen humaner dopaminerger Neurone nach Lasermikrodissektion aus post-mortem Mittelhirngewebe von Morbus Parkinson Patienten und Kontrollen

Dissertation, 2010 (German language)

http://vts.uni-ulm.de/query/longview.meta.asp?document_id=7359

Schneider, A., Kruger, C., Steigleder, T., Weber, D., Pitzer, C., Laage, R., Aronowski, J., Maurer, M.H., Gassler, N., Mier, W., Hasselblatt, M., Kollmar, R., Schwab, S., Sommer, C., Bach, A., Kuhn, H.G., and Schabitz, W.R.:

The hematopoietic factor G-CSF is a neuronal ligand that counteracts programmed cell death and drives neurogenesis

J Clin Invest 115(8): 2083-2098 (2005)

<http://www.jci.org/articles/view/23559>

Schwarzacher, S.W., Vuksic, M., Haas, C.A., Burbach, G.J., Sloviter, R.S., and Deller, T.:

Neuronal hyperactivity induces astrocytic expression of neurocan in the adult rat hippocampus

Glia 53(7): 704-714 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20329/full>

Simunovic, F., Yi, M., Wang, Y., Macey, L., Brown, L.T., Krichevsky, A.M., Andersen, S.L., Stephens, R.M., Benes, F.M., Sonntag, K.C.

Gene expression profiling of substantia nigra dopamine neurons: further insights into Parkinson's disease pathology

Brain 132 (7): 1795-1809 (2008)

<http://brain.oxfordjournals.org/content/132/7/1795.long>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Tateno, M., Sadakata, H., Tanaka, M., Itoharu, S., Shin, R.M., Miura, M., Masuda, M., Aasaki, T., Urushitani, M., Misawa, H., and Takahashi, R.:

Calcium-permeable AMPA receptors promote misfolding of mutant SOD1 protein and development of amyotrophic lateral sclerosis in a transgenic mouse model

Hum Mol Genet 13(19): 2183-2196 (2004)

<http://hmg.oxfordjournals.org/content/13/19/2183.long>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wainwright DA, Xin J, Mesnard NA, Beahrs TR, Politis CM, Sanders VM, Jones KJ:

Exacerbation of facial motoneuron loss after facial nerve axotomy in CCR3-deficient mice

ASN Neuro 1(5):e00024 (2009)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2826103/>

Wainwright DA, Xin J, Mesnard NA, Sanders VM, Jones KJ:

Toll-like receptor 2 and facial motoneuron survival after facial nerve axotomy

Neurosci Lett. 2010 Feb 26;471(1):10-4

<http://dx.doi.org/10.1016/j.neulet.2009.12.076>

Wang L, Sharma K, Grisotti G, Roos RP:

The effect of mutant SOD1 dismutase activity on non-cell autonomous degeneration in familial amyotrophic lateral sclerosis

Neurobiol Dis 35(2):234-40 (2009)

<http://dx.doi.org/10.1016/j.nbd.2009.05.002>

Wienecke J, Westerdahl AC, Hultborn H, Kiehn O, Ryge J:

Global gene expression analysis of rodent motor neurons following spinal cord injury associates molecular mechanisms with development of postinjury spasticity

J Neurophysiol 103(2): 761-78 (2009)

<http://jn.physiology.org/content/103/2/761.short>

Xin J, Wainwright DA, Mesnard NA, Serpe CJ, Sanders VM, Jones KJ:

IL-10 within the CNS is necessary for CD4+ T cells to mediate neuroprotection

Brain Behav Immun. 2010 Aug 17. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.bbi.2010.08.004>

7. Clinical Applications

Ahmed FE:

Laser Microdissection: Application to Carcinogenesis

Cancer Genomics and Proteomics May-August 2006 vol. 3 no. 3-4 217-225

<http://cgp.iiarjournals.org/content/3/3-4/217.short>

Bagan JV, Mata-Roig M, Cortio-Gimeno J, Murillo-Cortes J, Hens-Aumente E, Poveda-Roda R, Bagan L:

Epidermal growth factor receptor copy number in potentially malignant oral disorders and oral squamous cell carcinoma: a short communication and preliminary study

J Oral Pathol Med. 2012 Mar 14. doi: 10.1111/j.1600-0714.2012.01137.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0714.2012.01137.x/abstract>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

Dogan, A:

Classification of Amyloidosis by Mass Spectrometry-Based Proteomics

Current Clinical Pathology, 2012, Part 3, 261-272, DOI: 10.1007/978-1-60761-389-3_21

<http://www.springerlink.com/content/r61x186030018128/>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rft_id=ori:rid:crossref.org&rft_dat=cr_pub%3dpubmed

Giovannetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopolo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Hunt JL, Finkelstein SD:

Microdissection techniques for molecular testing in surgical pathology

Arch Pathol Lab Med. 2004 Dec;128(12):1372-8

[http://www.archivesofpathology.org/doi/full/10.1043/1543-2165\(2004\)128%3C1372:MTFMTI%3E2.0.CO;2](http://www.archivesofpathology.org/doi/full/10.1043/1543-2165(2004)128%3C1372:MTFMTI%3E2.0.CO;2)

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Ladanyi, A., Sipos, F., Szoke, D., Galamb, O., Molnar, B., and Tulassay, Z.:

Laser microdissection in translational and clinical research

Cytometry A 69(9): 947-960 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/cyto.a.20322/full>

Longley MJ, Clark S, Yu Wai Man C, Hudson G, Durham SE, Taylor RW, Nightingale S, Turnbull DM, Copeland WC, Chinnery PF:

Mutant POLG2 disrupts DNA polymerase gamma subunits and causes progressive external ophthalmoplegia

Am J Hum Genet. 2006 Jun;78(6):1026-34.

[http://linkinghub.elsevier.com/retrieve/pii/S0002-9297\(07\)63923-8](http://linkinghub.elsevier.com/retrieve/pii/S0002-9297(07)63923-8)

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Perros F, Montani D, Dorfmüller P, Durand-Gasselin I, Tcherakian C, Le Pavec J, Mazmanian M, Fadel E, Mussot S, Mercier O, Hervé P, Emilie D, Eddahibi S, Simonneau G, Souza R, Humbert M:

Platelet-derived growth factor expression and function in idiopathic pulmonary arterial hypertension

Am J Respir Crit Care Med. 2008 Jul 1;178(1):81-8.

<http://ajrccm.atsjournals.org/cgi/pmidlookup?view=long&pmid=18420966>

Pruneri, G., Mazzarol, G., Manzotti, M., and Viale, G.:

Monoclonal proliferation of germinal center cells (incipient follicular lymphoma) in an axillary lymph node of a melanoma patient

Hum Pathol 32(12): 1410-1413 (2001)

<http://www.humanpathol.com/article/S0046-8177%2801%2950948-X/abstract>

Rosatelli MC and Saba L:

Prenatal Diagnosis of β -Thalassemias and Hemoglobinopathies

MJHID 1(1): Mediterr J Hematol Infect Dis ISSN 2035-3006 (2009)

<http://www.mjhid.org/article/view/5079/html>

Sethi S, Fervenza FC:

Membranoproliferative glomerulonephritis--a new look at an old entity

N Engl J Med. 2012 Mar 22;366(12):1119-31

<http://www.nejm.org/doi/full/10.1056/NEJMra1108178>

Sethi S, Vrana JA, Theis JD, Leung N, Sethi A, Nasr SH, Fervenza FC, Cornell LD, Fidler ME, Dogan A:

Laser microdissection and mass spectrometry-based proteomics aids the diagnosis and typing of renal amyloidosis

Kidney Int. 2012 Apr 11. doi: 10.1038/ki.2012.108.

<http://dx.doi.org/10.1038/ki.2012.108>

Tuomisto, T.T., Korkeela, A., Rutanen, J., Viita, H., Brasen, J.H., Riekkinen, M.S., Rissanen, T.T., Karkola, K., Kiraly, Z., Kolble, K., and Yla-Herttuala, S.:

Gene expression in macrophage-rich inflammatory cell infiltrates in human atherosclerotic lesions as studied by laser microdissection and DNA array: overexpression of HMG-CoA reductase, colony stimulating factor receptors, CD11A/CD18 integrins, and interleukin receptors

Arterioscler Thromb Vasc Biol 23(12): 2235-2240 (2003)

<http://atvb.ahajournals.org/cgi/content/full/23/12/2235>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)

<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Yang H, Xu C, Tang Y, Wan C, Liu W, Wang L:

The significance of multiplex PCR/heteroduplex analysis-based TCR- γ gene rearrangement combined with laser-capture microdissection in the diagnosis of early mycosis fungoides

J Cutan Pathol. 2012 Mar;39(3):337-46. doi: 10.1111/j.1600-0560.2011.01842.x

<http://dx.doi.org/10.1111/j.1600-0560.2011.01842.x>

8. Developmental Research

Afshar, K., Willard, F.S., Colombo, K., Johnston, C.A., McCudden, C.R., Siderovski, D.P., and Gonczy, P.:
RIC-8 is required for GPR-1/2-dependent Galpha function during asymmetric division of *C. elegans* embryos
Cell 119(2): 219-230 (2004)

<http://www.cell.com/retrieve/pii/S0092867404008992>

Afshar, K., Willard, F.S., Colombo, K., Siderovski, D.P., and Gonczy, P.:
Cortical localization of the Galpha protein GPA-16 requires RIC-8 function during *C. elegans* asymmetric cell division

Development 132(20): 4449-4459 (2005)

<http://dev.biologists.org/content/132/20/4449.long>

Aguilar-Mahecha, A., Hales, B.F., and Robaire, B.:

Effects of acute and chronic cyclophosphamide treatment on meiotic progression and the induction of DNA double-strand breaks in rat spermatocytes

Biol Reprod 72(6): 1297-1304 (2005)

<http://www.biolreprod.org/content/72/6/1297.long>

Ame, J.C., Spenlehauer, C., and de Murcia, G.:

The PARP superfamily

Bioessays 26(8): 882-893 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/bies.20085/abstract>

Bieber, A.M., Marcon, L., Hales, B.F., and Robaire, B.:

Effects of chemotherapeutic agents for testicular cancer on the male rat reproductive system, spermatozoa, and fertility

J Androl 27(2): 189-200 (2006)

<http://www.andrologyjournal.org/cgi/content/full/27/2/189>

Capuco AV, Choudhary RK, Daniels KM, Li RW and Evock-Clover CM:

Bovine mammary stem cells: cell biology meets production agriculture

Animal 2011, page 1 of 12, doi:10.1017/S1751731111002369

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8467697>

Demonbreun AR, Lapidos KA, Heretis K, Levin S, Dale R, Pytel P, Svensson EC, McNally EM:

Myoferlin regulation by NFAT in muscle injury, regeneration and repair

J Cell Sci. 2010 Jul 15;123(Pt 14):2413-22

<http://jcs.biologists.org/content/123/14/2413.short>

Dzitoyeva S, Chen H, Manev H:

Effect of aging on 5-hydroxymethylcytosine in brain mitochondria

Neurobiol Aging. 2012 Mar 22. [Epub ahead of print]

[http://linkinghub.elsevier.com/retrieve/pii/S0197-4580\(12\)00151-0](http://linkinghub.elsevier.com/retrieve/pii/S0197-4580(12)00151-0)

Engeham S, Mdaki K, Jewell K, Austin R, Lehner AN, and Langley-Evans SC:

Mitochondrial Respiration Is Decreased in Rat Kidney Following Fetal Exposure to a Maternal Low-Protein Diet

Journal of Nutrition and Metabolism Volume 2012 (2012), Article ID 989037, 10 pages, doi:10.1155/2012/989037

<http://www.hindawi.com/journals/jnume/2012/989037/>

Franco A, Jouaux A, Mathieu M, Sourdain P, Lelong C, Kellner K, Heude Berthelin C:
Proliferating cell nuclear antigen in gonad and associated storage tissue of the Pacific oyster *Crassostrea gigas*: seasonal immunodetection and expression in laser microdissected tissues
Cell Tissue Res 340(1):201-10 (2010)

<http://www.springerlink.com/content/f623163643701145/>

Fujimoto H, Woo GH, Inoue K, Igarashi K, Kanno J, Hirose M, Nishikawa A, and Shibutani M:
Increased cellular distribution of vimentin and Ret in the cingulum induced by developmental hypothyroidism in rat offspring maternally exposed to anti-thyroid agents
Reproductive Toxicology, Available online 6 April 2012, ISSN 0890-6238, 10.1016/j.reprotox.2012.03.005.

<http://www.sciencedirect.com/science/article/pii/S0890623812000482>

Garcia CM, Huang J, Madakashira BP, Liu Y, Rajagopal R, Dattilo L, Robinson ML, Beebe DC:
The function of FGF signaling in the lens placode

Dev Biol 351(1):176-85 (2011)

<http://dx.doi.org/10.1016/j.ydbio.2011.01.001>

Gupta D, Harvey SA, Kaminski N, Swamynathan S:
Mouse conjunctival forniceal gene expression during postnatal development and its regulation by Kruppel-like factor 4

Invest Ophthalmol Vis Sci. 2011 Mar 11. [Epub ahead of print]

<http://www.iovs.org/content/early/2011/03/11/iovs.10-7068.abstract>

Huang SH, Gong TW, Gong SG:
Isolation of epithelial cells in the developing primary lip and palate

J Craniofac Surg. 2011 Sep;22(5):1847-51

http://journals.lww.com/jcraniofacialsurgery/Abstract/2011/09000/Isolation_of_Epithelial_Cells_in_the_Developing_67.aspx

Huang J, Rajagopal R, Liu Y, Dattilo LK, Shaham O, Ashery-Padan R, Beebe DC:
The mechanism of lens placode formation: A case of matrix-mediated morphogenesis

Dev Biol. 2011 Apr 21. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.ydbio.2011.04.008>

Inoue, K., Sakurada, Y., Murakami, M., Shiota, M., and Shiota, K.:
Detection of gene expression of vascular endothelial growth factor and flk-1 in the renal glomeruli of the normal rat kidney using the laser microdissection system

Virchows Arch 442(2): 159-162 (2003)

<http://www.springerlink.com/content/dck2mpaq6a7a8qeu/>

Ko JA, Mizuno Y, Yanai R, Chikama T, Sonoda KH:
Expression of semaphorin 3A and its receptors during mouse corneal development

Biochem Biophys Res Commun 403(3-4):305-9 (2010)

<http://dx.doi.org/10.1016/j.bbrc.2010.11.022>

Lash GE, Innes BA, Drury JA, Robson SC, Quenby S, Bulmer JN:
Localization of angiogenic growth factors and their receptors in the human endometrium throughout the menstrual cycle and in recurrent miscarriage

Hum Reprod. 2011 Nov 10. [Epub ahead of print]

<http://humrep.oxfordjournals.org/content/early/2011/11/09/humrep.der376.long>

Li S, Park H, Trempus CS, Gordon D, Liu Y, Cotsarelis G, Morris RJ:

A keratin 15 containing stem cell population from the hair follicle contributes to squamous papilloma development in the mouse

Mol Carcinogenesis, 2012, DOI: 10.1002/mc.21896

<http://onlinelibrary.wiley.com/doi/10.1002/mc.21896/abstract>

Li YF, Xu XB, Chen XH, Wei G, He B, Wang JD:

The nuclear factor- κ B pathway is involved in matrix metalloproteinase-9 expression in RU486-induced endometrium breakdown in mice

Hum Reprod. 2012 May 15.

<http://humrep.oxfordjournals.org/content/early/2012/05/14/humrep.des110.abstract>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Nawshad, A. and Hay, E.D.:

TGFbeta3 signaling activates transcription of the LEF1 gene to induce epithelial mesenchymal transformation during mouse palate development

J Cell Biol 163(6): 1291-1301 (2003)

<http://jcb.rupress.org/content/163/6/1291.long>

Nawshad, A., LaGamba, D., Olsen, B.R., and Hay, E.D.:

Laser capture microdissection (LCM) for analysis of gene expression in specific tissues during embryonic epithelial-mesenchymal transformation

Dev Dyn 230(3): 529-534 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/dvdy.20064/full>

Noatynska A, Panbianco C, Gotta M.:

SPAT-1/Bora acts with Polo-like kinase 1 to regulate PAR polarity and cell cycle progression

Development. 2010 Oct;137(19):3315-25.

<http://dev.biologists.org/content/137/19/3315.long>

Olsen Hult LT, Kleiveland CR, Fosnes K, Jacobsen M, Lea T:

EP Receptor Expression in Human Intestinal Epithelium and Localization Relative to the Stem Cell Zone of the Crypts

PLoS ONE 6(10): e26816. doi:10.1371/journal.pone.0026816 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0026816>

Rosenwald, A., Wright, G., Leroy, K., Yu, X., Gaulard, P., Gascoyne, R.D., Chan, W.C., Zhao, T., Haioun, C., Greiner, T.C., Weisenburger, D.D., Lynch, J.C., Vose, J., Armitage, J.O., Smeland, E.B., Kvaloy, S., Holte, H., Delabie, J., Campo, E., Montserrat, E., Lopez-Guillermo, A., Ott, G., Muller-Hermelink, H.K., Connors, J.M., Braziel, R., Grogan, T.M., Fisher, R.I., Miller, T.P., LeBlanc, M., Chiorazzi, M., Zhao, H., Yang, L., Powell, J., Wilson, W.H., Jaffe, E.S., Simon, R., Klausner, R.D., and Staudt, L.M.:

Molecular diagnosis of primary mediastinal B cell lymphoma identifies a clinically favorable subgroup of diffuse large B cell lymphoma related to Hodgkin lymphoma

J Exp Med 198(6): 851-862 (2003)

<http://jem.rupress.org/content/198/6/851.long>

Sato, Y., Higuchi, T., Yoshioka, S., Tatsumi, K., Fujiwara, H., and Fujii, S.:

Trophoblasts acquire a chemokine receptor, CCR1, as they differentiate towards invasive phenotype

Development 130(22): 5519-5532 (2003)

<http://dev.biologists.org/content/130/22/5519.long>

Shin JO, Nakagawa E, Kim EJ, Cho KW, Lee JM, Cho SW, Jung HS

miR-200b regulates cell migration via Zeb family during mouse palate development

Histochem Cell Biol. 2012 Jan 20. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00418-012-0915-6>

Spilker AC, Rabilotta A, Zbinden C, Labbé JC, Gotta M:

MAP kinase signaling antagonizes PAR-1 function during polarization of the early *Caenorhabditis elegans* embryo

Genetics. 2009 Nov;183(3):965-77

<http://www.genetics.org/content/183/3/965.long>

Stanke, M., Duong, C.V., Pape, M., Geissen, M., Burbach, G., Deller, T., Gascan, H., Otto, C., Parlato, R., Schutz, G., and Rohrer, H.:

Target-dependent specification of the neurotransmitter phenotype: cholinergic differentiation of sympathetic neurons is mediated in vivo by gp 130 signaling

Development 133(1): 141-150 (2006)

<http://dev.biologists.org/content/133/1/141.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:

Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models

Int J Exp Pathol 91(1):44-53 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Thyagarajan K, Afshar K, Gönczy P:

Polarity mediates asymmetric trafficking of the G β heterotrimeric G-protein subunit GPB-1 in *C. elegans* embryos

Development. 2011 Jul;138(13):2773-82

<http://dev.biologists.org/content/138/13/2773.abstract>

Volle, D.H., Duggavathi, R., Magnier, B.C., Houten, S.M., Cummins, C.L., Lobaccaro, J.M., Verhoeven, G., Schoonjans, K., and Auwerx, J.:

The small heterodimer partner is a gonadal gatekeeper of sexual maturation in male mice

Genes Dev 21(3): 303-315 (2007)

<http://genesdev.cshlp.org/content/21/3/303.long>

Williams, E.O., Xiao, Y., Sickles, H.M., Shafer, P., Yona, G., Yang, J.Y., and Lin, D.M.:

Novel subdomains of the mouse olfactory bulb defined by molecular heterogeneity in the nascent external plexiform and glomerular layers

BMC Dev Biol 7: 48 (2007)

<http://www.biomedcentral.com/1471-213X/7/48>

9. Plant Research

Abbott E, Hall D, Hamberger B, Bohlmann J.:

Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Agustí J, Merelo P, Cercós M, Tadeo FR, Talón M:

Comparative transcriptional survey between laser-microdissected cells from laminar abscission zone and petiolar cortical tissue during ethylene-promoted abscission in citrus leaves

BMC Plant Biol. 2009 Oct 23;9:127

<http://www.biomedcentral.com/1471-2229/9/127>

Balestrini, R., Gomez-Ariza, J., Lanfranco, L., and Bonfante, P.:

Laser microdissection reveals that transcripts for five plant and one fungal phosphate transporter genes are contemporaneously present in arbusculated cells

Mol Plant Microbe Interact 20(9): 1055-1062 (2007)

<http://apsjournals.apsnet.org/doi/abs/10.1094/MPMI-20-9-1055>

Campos-Soriano L, Gomez-Ariza J, Bonfante P, San Segundo B:

A rice calcium-dependent protein kinase is expressed in cortical root cells during the presymbiotic phase of the arbuscular mycorrhizal symbiosis

BMC Plant Biol. 2011 May 19;11(1):90.

<http://www.biomedcentral.com/1471-2229/11/90/abstract>

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A

Comparative transcriptome analysis of styelar canal cells identifies novel candidate genes implicated in the self-incompatibility response of *Citrus clementina*

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Chandran D, Inada N, Hather G, Kleindt CK, Wildermuth MC:

Laser microdissection of *Arabidopsis* cells at the powdery mildew infection site reveals site-specific processes and regulators

Proc Natl Acad Sci U S A. 2010 Jan 5;107(1):460-5.

<http://www.pnas.org/content/107/1/460.abstract>

Chandran D, Inada N, Wildermuth MC:

Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Day, R.C., Grossniklaus, U., and Macknight, R.C.:

Be more specific! Laser-assisted microdissection of plant cells

Trends Plant Sci 10(8): 397-406 (2005)

<http://dx.doi.org/10.1016/j.tplants.2005.06.006>

Doidy J, Grace E, Kühn C, Simon-Plas F, Casieri L, Wipf D:

Sugar transporters in plants and in their interactions with fungi

Trends Plant Sci. 2012 Apr 16.

<http://www.sciencedirect.com/science/article/pii/S1360138512000611>

Fiorilli V, Catoni M, Miozzi L, Novero M, Accotto GP, Lanfranco L:

Global and cell-type gene expression profiles in tomato plants colonized by an arbuscular mycorrhizal fungus

New Phytol. 2009 Dec;184(4):975-87. Epub 2009 Sep 17.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2009.03031.x/full>

Gomez SK, Harrison MJ:

Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

González-Chávez Ma. del Carmen A, Ortega-Larrocea M, Carrillo-González R, López-Meyer M, Xoconostle-Cázares B, Gomez SK, Harrison MJ, López AMF, Maldonado-Mendoza IE

Arsenate induces the expression of fungal genes involved in As transport in arbuscular mycorrhiza

Fungal Biology (2011), ISSN 1878-6146, 10.1016/j.funbio.2011.08.005.

<http://www.sciencedirect.com/science/article/pii/S1878614611001577>

Guether M, Balestrini R, Hannah M, He J, Udvardi MK, Bonfante P:

Genome-wide reprogramming of regulatory networks, transport, cell wall and membrane biogenesis during arbuscular mycorrhizal symbiosis in *Lotus japonicus*

New Phytol 182(1):200-12 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2008.02725.x/full>

Guether, M., Neuhäuser, B., Balestrino, R., Dynowski, M., Ludewig, U., Bonfante, P:

A Mycorrhizal-Specific Ammonium Transporter from *Lotus japonicus* Acquires Nitrogen Released by Arbuscular Mycorrhizal Fungi1

Plant Physiology 150: 73-83 (2009)

<http://www.plantphysiol.org/content/150/1/73.long>

Guether M, Volpe V, Balestrini R, Requena N, Wipf D and Bonfante P:

LjLHT1.2—a mycorrhiza-inducible plant amino acid transporter from *Lotus japonicus*

Biol Fertil Soils, DOI 10.1007/s00374-011-0596-7 (2011)

<http://www.springerlink.com/content/j30236128156x734/>

Hamberger B, Ohnishi T, Hamberger B, Seguin A, Bohlmann J:

Evolution of diterpene metabolism: Sitka spruce CYP720B4 catalyses multiple oxidations in resin acid biosynthesis of conifer defense against insects

Plant Physiol. 2011 Oct 13. [Epub ahead of print]

<http://www.plantphysiol.org/content/early/2011/10/12/pp.111.185843.abstract>

Hölscher, D. and Schneider, B.:

Application of laser-assisted microdissection for tissue and cell-specific analysis of RNA, proteins, and metabolites

Progress in Botany 69: 141-167 (2007)

<http://www.springerlink.com/content/m15305g9262t5776/>

Hölscher, D. and Schneider, B.:

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2007)

<http://www.springerlink.com/content/m5787044k63758q0/>

Hölscher, D., Shroff, R., Knop, K., Gottschaldt, M., Crecelius, A., Schneider, B., Heckel, D.G., Schubert, U.S., Svatos, A.

Matrix-free UV-laser desorption/ionization (LDI) mass spectrometric imaging at the single-cell level: distribution of secondary metabolites of *Arabidopsis thaliana* and *Hypericum species*

The Plant Journal 60 (5): 907-918 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.04012.x/full>

Inada, N. and Wildermuth, M.C.:

Novel tissue preparation method and cell-specific marker for laser microdissection of *Arabidopsis* mature leaf

Planta 221(1): 9-16 (2005)

<http://www.springerlink.com/content/5n2fvbd0g0ue888w/>

Ishimaru, Y., Suzuki, M., Tsukamoto, R., Suzuki, K., Nakazono, M., Kobayashi, T., Wada, Y., Watanabe, S., Matsuhashi, S., Takahashi, M., Nakanishi, H., Mori, S., and Nishizawa, N.K.:

Rice plants take up iron as an Fe³⁺-phytosiderophore and as Fe²⁺

Plant Journal 45(3): 335-346 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2005.02624.x/full>

Jiang, K., Zhang, S., Lee, S., Tsai, G., Kim, K., Huang, H., Chilcott, C., Zhu, T., and Feldman, L.J.:

Transcription profile analyses identify genes and pathways central to root cap functions in maize

Plant Mol Biol 60(3): 343-363 (2006)

<http://www.springerlink.com/content/t863g13256081071/>

Klink, V.P., Overall, C.C., Alkharouf, N.W., MacDonald, M.H., and Matthews, B.F.:

Laser capture microdissection (LCM) and comparative microarray expression analysis of syncytial cells isolated from incompatible and compatible soybean (*Glycine max*) roots infected by the soybean cyst nematode (*Heterodera glycines*)

Planta 226(6): 1389-1409 (2007)

<http://www.springerlink.com/content/427n6258j4858561/>

Li, S-H., Schneider, B., Gershenzon, J.

Microchemical analysis of laser-microdissected stone cells of Norway spruce by cryogenic nuclear magnetic resonance spectroscopy

Planta 225(3): 771-9 (2007)

<http://www.springerlink.com/content/j81p14274x734t73/>

Losa A., Gilardetti R., Pasquini M., Sari Gorla M., Gianfranceschi L.

Morphological and molecular analysis of the interaction between Durum Wheat and Puccinia Triticina

Poster Abstract – 2.20, Proceedings of the 53rd Italian Society of Agricultural Genetics Annual Congress

Torino, Italy – 16/19 September, 2009, ISBN 978-88-900622-9-2

http://www.siga.unina.it/SIGA2009/SIGA_2009/2_20.pdf

Ma L, Xin H, Qu L, Zhao J, Yang L, Zhao P, Sun M:

Transcription Profile Analysis Reveals That Zygotic Division Results in Uneven Distribution of Specific Transcripts in Apical/Basal Cells of Tobacco

PLoS One. 2011 Jan 7;6(1):e15971

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0015971>

Masiero S, Colombo L, Grini PE, Schnittger A, Kater MM:

The Emerging Importance of Type I MADS Box Transcription Factors for Plant Reproduction

Plant Cell. 2011 Mar;23(3):865-72. Epub 2011 Mar 4.

<http://www.plantcell.org/content/23/3/865.citation>

Matas AJ, Agustí J, Tadeo FR, Talón M, Rose JK:

Tissue-specific transcriptome profiling of the citrus fruit epidermis and subepidermis using laser capture microdissection

J Exp Bot 61(12):3321-30 (2010)

<http://jxb.oxfordjournals.org/content/61/12/3321.short>

Matias-Hernandez L, Battaglia R, Galbiati F, Rubes M, Eichenberger C, Grossniklaus U, Kater MM, Colombo L:

VERDANDI is a direct target of the MADS domain ovule identity complex and affects embryo sac differentiation in Arabidopsis

Plant Cell. 2010 Jun;22(6):1702-15

<http://www.plantcell.org/content/22/6/1702.short>

Matsye PD, Kumar R, Hosseini P, Jones CM, Tremblay A, Alkharouf NW, Matthews BF, Klink VP:

Mapping cell fate decisions that occur during soybean defense responses

Plant Mol Biol. 2011 Nov;77(4-5):513-28. Epub 2011 Oct 11.

<http://www.springerlink.com/content/107x4477w8173720/>

Murata, N., Masuda, K., Nishiyama, R., and Nomura, K.:

Construction of a micro-library enriched with genomic replication origins of carrot somatic embryos by laser microdissection

Plant Physiol Biochem 43(6): 513-519 (2005)

<http://dx.doi.org/10.1016/j.plaphy.2005.04.004>

Nakada, M., Komatsu, M., Ochiai, T., Ohtsu, K., Nakazono, M., Nishizawa, N.K., Nitta, K., Nishiyama, R., Kamey, T., and A., K.:

Isolation of MaDEF from *Muscari armeniacum* and analysis of its expression using laser microdissection

Plant Sci. 170: 143-150 (2006)

<http://dx.doi.org/10.1016/j.plantsci.2005.08.021>

Nelson, T., Tausta, S.L., Gandotra, N., and Liu, T.:

Laser microdissection of plant tissue: what you see is what you get

Annu Rev Plant Biol 57: 181-201 (2006)

<http://www.annualreviews.org/doi/full/10.1146/annurev.arplant.56.032604.144138>

Ohtsu, K., Takahashi, H., Schnable, P.S., and Nakazono, M.:

Cell type-specific gene Expression profiling in plants by using a combination of laser microdissection and high-throughput technologies

Plant Cell Physiol. 48(1): 3-7 (2007)

<http://pcp.oxfordjournals.org/content/48/1/3.long>

Oikawa A, Saito K:

Metabolite analyses of single cells

Plant J. 2012 Apr;70(1):30-8. doi: 10.1111/j.1365-313X.2012.04967.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04967.x/full>

Pérez-Tienda J, Testillano PS, Balestrini R, Fiorilli V, Azcón-Aguilar C, Ferrol N

GintAMT2, a new member of the ammonium transporter family in the arbuscular mycorrhizal fungus *Glomus intraradices*

Fungal Genet Biol. 2011 Aug 31. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S1087184511001575>

Ramsay, K., Jones, M.G.K., and Wang, Z.:

Laser capture microdissection: a novel approach to microanalysis of plant-microbe interactions

Mol Plant Pathology 7(5): 429 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1364-3703.2006.00348.x/full>

Sanders, P.M., Bui, A.Q., Le, B.H., and Goldberg, R.B.:

Differentiation and degeneration of cells that play a major role in tobacco anther dehiscence

Sexual Plant Reproduction 17: 219-241 (2005)

<http://www.springerlink.com/content/51p4bwj9c1p058pn/>

Schmidt A, Schmid MW, Grossniklaus U:

Analysis of plant germline development by high-throughput RNA profiling: technical advances and new insights

Plant J. 2012 Apr;70(1):18-29. doi: 10.1111/j.1365-313X.2012.04897.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04897.x/full>

Schneider, B., Hölscher, D.

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225(3): 763-770 (2006)

<http://www.springerlink.com/content/m5787044k63758q0/>

Svistonoff, S., Creff, A., Reymond, M., Sigoillot-Claude, C., Ricaud, L., Blanchet, A., Nussaume, L., and Desnos, T.:

Root tip contact with low-phosphate media reprograms plant root architecture

Nat Genet 39(6): 792-796 (2007)

<http://www.nature.com/ng/journal/v39/n6/full/ng2041.html>

Takahashi H, Saika H, Matsumura H, Nagamura Y, Tsutsumi N, Nishizawa NK, Nakazono M:

Cell division and cell elongation in the coleoptile of rice alcohol dehydrogenase 1-deficient mutant are reduced under complete submergence

Ann Bot. 2011 Aug;108(2):253-61

<http://aob.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=21788375>

Tsuji, H., Aya, K., Ueguchi-Tanaka, M., Shimada, Y., Nakazono, M., Watanabe, R., N.K., N., Gomi, K., Shimada, A., Kitano, H., Ashikari, M., and Matsuoka, M.:

GAMYB controls different sets of genes and is differentially regulated by microRNA in aleurone cells and anthers

Plant Journal 47: 427 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2006.02795.x/full>

10. Forensics

Ballantyne J, Hanson EK, Perlin MW:

DNA mixture genotyping by probabilistic computer interpretation of binomially-sampled laser captured cell populations: Combining quantitative data for greater identification information

Science & Justice, ISSN 1355-0306, 10.1016/j.scijus.2012.04.004

<http://www.sciencedirect.com/science/article/pii/S1355030612000603>

Bright JA, Vetha JS, Vintinera SK, Cockerton SL, Curnowa N, Dalzella JA, Meredith ML

Laser microdissection methodology in forensic casework

Australian Journal of Forensic Sciences, Nov 2011, DOI: 10.1080/00450618.2011.622295

<http://www.tandfonline.com/doi/abs/10.1080/00450618.2011.622295>

Di Martino, D., Giuffre, G., Staiti, N., Simone, A., Le Donne, M., and Saravo, L.:

Single sperm cell isolation by laser microdissection

Forensic Sci Int 146 Suppl: S151-153 (2004)

<http://www.fsijournal.org/article/S0379-0738%2804%2900528-6/abstract>

Di Martino, D., Giuffre, G., Staiti, N., Simone, A., Todaro, P., and Saravo, L.:

Laser microdissection and DNA typing of cells from single hair follicles

Forensic Sci Int 146 Suppl: S155-157 (2004)

<http://www.fsijournal.org/article/S0379-0738%2804%2900529-8/abstract>

Langle, K.B., Valentine, J.A., and Wojkiewicz, P.W.:

Application of Leica AS Laser Microdissection microsystem to expedite forensic sexual assault casework

16th International Symposium on Human Identification Grapevine (Texas) (2005)

<http://www.promega.com/%7E/media/files/resources/conference%20proceedings/ishi%2016/oral%20presentations/langle.ashx?la=en>

Lee, A.K.:

Laser Microdissection for rapid separation of spermatozoa or male epithelial cells from cell mixtures from sexual assault evidence, and other applications for forensic analysis

International Association of Forensic Sciences (IAFS), Hong Kong, China: Supp 2 (2005)

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=456530>

Lee, A.K.:

Laser Microdissection for Rapid Separation of Spermatozoa or Male Epithelial Cells from Cell Mixtures from Sexual Assault Evidence, and Other Applications for Forensic Analysis

Microsc Microanal 12: Supp 2 (2006)

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=456530>

Leonov S, Zemska E, Ivanov P:

LMD-assisted single cell DNA typing of forensic biological evidence: Issues of the cell type and sample condition

Forensic Science International: Genetics Supplement Series, doi:10.1016/j.fsigs.2011.08.023

<http://www.sciencedirect.com/science/article/pii/S1875176811000242>

Meredith M, Bright JA, Cockerton S, Vintiner S:

Development of a one-tube extraction and amplification method for DNA analysis of sperm and epithelial cells recovered from forensic samples by laser microdissection

Forensic Sci Int Genet. 2012 Jan;6(1):91-6. Epub 2011 Mar 15

<http://dx.doi.org/10.1016/j.fsigen.2011.02.007>

Miki A, Katagi M, Kamata T, Zaito K, Tatsuno M, Nakanishi T, Tsuchihashi H, Takubo T, Suzuki K:
MALDI-TOF and MALDI-FTICR imaging mass spectrometry of methamphetamine incorporated into hair
J Mass Spectrom. 2011 Apr;46(4):411-6
<http://onlinelibrary.wiley.com/doi/10.1002/jms.1908/full>

Robino, C., Barilaro, M.R., Gino, S., Chiarle, R., Palestro, G., and Torre, C.:
Incestuous paternity detected by STR-typing of chorionic villi isolated from archival formalin-fixed paraffin-embedded abortion material using laser microdissection
J Forensic Sci 51(1): 90-92 (2006)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1556-4029.2005.00013.x/full>

Sanders, C.T., Reisenbigler, E., and Person, D.A.:
Laser Microdissection for low copy number analysis of sperm from mixtures
American Academy of Forensic Sciences, Proceedings 12: 95 (2006)
http://www.nij.gov/topics/forensics/events/dnagrantees/2006/2006_dna_abstracts.pdf

Sanders, C.T., Sanchez, N., Ballantyne, J., and Person, D.A.:
Laser Microdissection for separation of cell mixtures for STR analysis
International Association of Forensic Sciences (IAFS), Hong Kong, China (2005)
http://www.nij.gov/topics/forensics/events/dnagrantees/2005/Final_Abstracts.pdf

Sanders, C.T., Sanchez, N., Ballantyne, J., and Peterson, D.A.:
Laser microdissection separation of pure spermatozoa from epithelial cells for short tandem repeat analysis
J Forensic Sci 51(4): 748-757 (2006)
<http://onlinelibrary.wiley.com/doi/10.1111/j.1556-4029.2006.00180.x/full>

Subramanyam Reddy, Lakshmi:
Validation of Leica LMD 6000 Microscope for the Separation of Sperm and Epithelial Cells
Theses and Dissertations. Paper 39 (Master Thesis, 2009)
<http://digitalcommons.hsc.unt.edu/theses/39>

Thorpe S.M., Pedersen N.A., Seddon T.J., Prince D.V., Goucher M.J., van Oorschot R.A.H.:
Laser microdissection: Checking that the dissected cells are recovered for DNA extraction
Forensic Science International: Genetics Supplement Series (2011), doi:10.1016/j.fsigss.2011.08.073
<http://www.sciencedirect.com/science/article/pii/S1875176811000746>

Thorpe S.M., Prince D.V., van Oorschot R.A.H.:
Comparison of extraction methods for spermatozoa recovered using laser microdissection
Forensic Science International: Genetics Supplement Series (2011), doi:10.1016/j.fsigss.2011.08.074
<http://www.sciencedirect.com/science/article/pii/S1875176811000758>

General Information:
http://projects.nfstc.org/tech_transition/lmd/examiners/

11. Miscellaneous

Abe J, Ueha S, Yoneyama H, Shono Y, Kurachi M, Goto A, Fukayama M, Tomura M, Kakimi K, Matsushima K:
B cells regulate antibody responses through the medullary remodeling of inflamed lymph nodes

Int Immunol. 2012 Jan;24(1):17-27.

<http://intimm.oxfordjournals.org/content/24/1/17.short>

Antoniades CG, Quaglia A, Taams LS, Mitry RR, Hussain M, Abeles R, Possamai LA, Bruce M, McPhail M, Starling C, Wagner B, Barnardo A, Pomplun S, Auzinger G, Bernal W, Heaton N, Vergani D, Thursz MR, Wendon J:

Source and characterisation of hepatic macrophages in acetaminophen-induced acute liver failure in humans

Hepatology. 2012 Feb 15. doi: 10.1002/hep.25657

<http://dx.doi.org/10.1002/hep.25657>

Audard V, Zhang SY, Copie-Bergman C, Rucker-Martin C, Ory V, Candelier M, Baia M, Lang P, Pawlak A, Sahali D:

Occurrence of minimal change nephrotic syndrome in classical Hodgkin lymphoma is closely related to the induction of c-mip in Hodgkin-Reed Sternberg cells and podocytes

Blood 115(18):3756-62 (2010)

<http://bloodjournal.hematologylibrary.org/content/115/18/3756.short>

Barker, C.R., McNamara, A.V., Rackstraw, S.A., Nelson, D.E., White, M.R., Watson, A.J., and Jenkins, J.R.:

Inhibition of Hsp90 acts synergistically with topoisomerase II poisons to increase the apoptotic killing of cells due to an increase in topoisomerase II mediated DNA damage

Nucleic Acids Res 34(4): 1148-1157 (2006)

<http://nar.oxfordjournals.org/content/34/4/1148.long>

Blackmore MG, Wang Z, Lerch JK, Motti D, Zhang YP, Shields CB, Lee JK, Goldberg JL, Lemmon VP, Bixby JL:
Kruppel-like Factor 7 engineered for transcriptional activation promotes axon regeneration in the adult corticospinal tract

Proc Natl Acad Sci U S A. 2012 Apr 23. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=22529377>

Blow, N.:

Tissue preparation: Tissue issues

Nature 448(7156): 959-963 (2007)

<http://www.nature.com/nature/journal/v448/n7156/full/448959a.html>

Bova, G.S., Eltoum, I.A., Kiernan, J.A., Siegal, G.P., Frost, A.R., Best, C.J., Gillespie, J.W., Su, G.H., and Emmert-Buck, M.R.:

Optimal molecular profiling of tissue and tissue components: defining the best processing and microdissection methods for biomedical applications

Mol Biotechnol 29(2): 119-152 (2005)

<http://www.springerlink.com/content/qr41323032743311/>

Buss SN, Hamano S, Vidrich A, Evans C, Zhang Y, Crasta OR, Sobral BW, Gilchrist CA, Petri WA Jr:

Members of the Entamoeba histolytica transmembrane kinase family play non-redundant roles in growth and phagocytosis

Int J Parasitol 40(7):833-43 (2010)

<http://dx.doi.org/10.1016/j.ijpara.2009.12.007>

Dellmann A, Schroeder HG, Donhuijsen K:

Destructive tumours of the larynx mimicking osteosarcoma: two cases of osteoblastoma with organ-saving resection and follow-up

Eur Arch Otorhinolaryngol. 2010 Jan;267(1):151-4

<http://www.springerlink.com/content/151254313937q5j3/>

Edwards, R.A.:

Laser capture microdissection of mammalian tissue

J Vis Exp (8): 309 (2007)

Includes video:

<http://www.jove.com/Details.stp?ID=309>

Elvers, D., Remer, L., Arnold, N., and Bäuerle, D.:

Laser microdissection of biological tissues: process optimization

Appl. Phys. A 80: 55-59 (2005)

<http://www.springerlink.com/content/86hbdjb441qh0cwl/>

Esaka F, Lee CG, Magara M, Kimura T:

Fission track-secondary ion mass spectrometry as a tool for detecting the isotopic signature of individual uranium containing particles

Anal Chim Acta. 2012 Apr 6;721:122-8. Epub 2012 Feb 10.

<http://www.sciencedirect.com/science/article/pii/S0003267012002012>

Espina V, Wulfkühle JD, Calvert VS, VanMeter A, Zhou W, Coukos G, Geho DH, Petricoin EF 3rd, Liotta LA

Laser-capture microdissection

Nat Protoc. 2006;1(2):586-603

<http://dx.doi.org/10.1038/nprot.2006.85>

Esposito, G.:

Complementary techniques: laser capture microdissection--increasing specificity of gene expression profiling of cancer specimens

Adv Exp Med Biol 593: 54-65 (2007)

<http://www.springerlink.com/content/g448m0n0710r420n/>

Ferrari BC and Gillings M:

Cultivating fastidious bacteria: Viability staining and micromanipulation from a soil substrate membrane system

Appl. Envir. Microbiol. 75(10): 3352-3354 (2009)

<http://aem.asm.org/cgi/content/abstract/AEM.02407-08v1>

Funel, N., Giovannetti, E., Del Chiaro, M., Mey, V., Pollina, L.E., Nannizzi, S., Boggi, U., Ricciardi, S., Del Tacca, M., Bevilacqua, G., Mosca, F., Danesi, R., and Campani, D.:

Laser microdissection and primary cell cultures improve pharmacogenetic analysis in pancreatic adenocarcinoma

Lab Invest 88(7): 773-784 (2008)

<http://www.nature.com/labinvest/journal/v88/n7/full/labinvest200840a.html>

Funel N, Giovannetti E, Pollina LE, Del Chiaro M, Mosca F, Boggi U, Campani D:

Critical role of laser microdissection for genetic, epigenetic and proteomic analyses in pancreatic cancer

Expert Rev Mol Diagn. 2011 Sep;11(7):695-701

http://www.expert-reviews.com/doi/abs/10.1586/erm.11.62?url_ver=Z39.88-2003&rft_id=ori:rid:crossref.org&rft_dat=cr_pub%3dpubmed

Funel, N., Menicagli, M., Campani, D., Esposito, I., Pollina, L.E., Recarli, N., Di Cristofano, C., Cavazzana, A.O., Chifenti, B., Del Chiaro, M., Boggi, U., Mosca, T., and Bevilacqua, G.:

Laser Microdissection on Primary Cell Cultures of Pancreatic Adenocarcinoma

J Pancreas 5: 438-439 (2004)

<http://www.joplink.net/prev/200409/68.html>

Gong L, Li YH, Su Q, Chu X, Zhang W:

Clonality of nodular lesions in liver cirrhosis and chromosomal abnormalities in monoclonal nodules of altered hepatocytes

Histopathology 56(5):589-99 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03523.x/full>

Gong L, Li YH, Su Q, Li G, Zhang WD, Zhang W:

Use of X-chromosome inactivation pattern and laser microdissection to determine the clonal origin of focal nodular hyperplasia of the liver

Pathology 41(4): 348-55 (2009)

<http://informahealthcare.com/doi/abs/10.1080/00313020902885029>

Gong L, Zhang WD, Liu XY, Han XJ, Yao L, Zhu SJ, Lan M, Li YH, Zhang W:

Clonal status and clinicopathological observation of cervical minimal deviation adenocarcinoma

Diagn Pathol 5:25 (2010)

<http://diagnosticpathology.org/content/5/1/25/abstract>

Greaves LC, Yu-Wai-Man P, Blakely EL, Krishnan KJ, Beadle NE, Kerin J, Barron MJ, Griffiths PG, Dickinson AJ, Turnbull DM, Taylor RW:

Mitochondrial DNA Defects and Selective Extraocular Muscle Involvement in CPEO

Invest Ophthalmol Vis Sci 51(7): 3340-6 (2010)

<http://www.iovs.org/content/51/7/3340.short>

Guether, M., Balestrino, R., Hannah, M., He, J., Udvardi, M.K., Bonfante, P.

Genome-wide reprogramming of regulatory networks, transport, cell wall and membrane biogenesis during arbuscular mycorrhizal symbiosis *Lotus japonicus*

New Phytologist 182(1):200-12 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2008.02725.x/full>

Harada C, Kawaguchi T, Ogata-Suetsugu S, Yamada M, Hamada N, Maeyama T, Souzaki R, Tajiri T, Taguchi T, Kuwano K, Nakanishi Y :

EGFR Tyrosine Kinase Inhibition Worsens Acute Lung Injury in Mice with Repairing Airway Epithelium

Am J Respir Crit Care Med. 2011 Mar 15;183(6):743-51

<http://171.66.122.149/cgi/content/abstract/183/6/743>

Hua J, Guerin KI, Chen J, Michán S, Stahl A, Krah NM, Seaward MR, Dennison RJ, Juan AM, Hatton CJ, Sapieha P, Sinclair DA, Smith LE:

Resveratrol inhibits pathologic retinal neovascularization in vldlr^{-/-} mice

Invest Ophthalmol Vis Sci 52(5):2809-16 (2011)

<http://www.iovs.org/content/52/5/2809.short>

Hayashi T, Kumasaka T, Mitani K, Yao T, Suda K, Seyama K:

Loss of heterozygosity on tuberous sclerosis complex genes in multifocal micronodular pneumocyte hyperplasia

Mod Pathol 23(9):1251-60 (2010)

<http://www.nature.com/modpathol/journal/v23/n9/abs/modpathol2010114a.html>

Ida-Yonemochi H, Nakajima M, Saku T:

Heparanase, heparan sulfate and perlecan distribution along with the vascular penetration during stellate reticulum retraction in the mouse enamel organ

Arch Oral Biol. 2010 Oct;55(10):778-87

<http://www.aobjournal.com/article/S0003-9969%2810%2900190-1/abstract>

Ito S, Fujii H, Matsumoto T, Abe M, Ikeda K, Hino O:

Frequent expression of Niban in head and neck squamous cell carcinoma and squamous dysplasia

Head Neck 32(1):96-103 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/hed.21153/full>

Jiménez LM, Binelli M, Bertolin K, Pelletier RM, Murphy BD :

Scavenger receptor-B1 and luteal function in mice

J Lipid Res 51(8):2362-71 (2010)

<http://www.jlr.org/content/51/8/2362.short>

Joshi D:

LASER MICRODISSECTION (LMD) TECHNIQUES

MGIMS journals, Volume 14, Number (ii) September 2009 11056262580

http://www.mgims.ac.in/mgimsjournal/LASER_MICRODISSECTION_LMD_TECHNIQUES.pdf

Kantlehner M, Kirchner R, Hartmann P, Ellwart JW, Alunni-Fabbroni M, Schumacher A.:

A high-throughput DNA methylation analysis of a single cell.

Nucleic Acids Res. 2011 Apr;39(7):e44.

<http://nar.oxfordjournals.org/content/39/7/e44.long>

Kawakita T, Shimmura S, Higa K, Espana EM, He H, Shimazaki J, Tsubota K, Tseng SC:

Greater growth potential of p63-positive epithelial cell clusters maintained in human limbal epithelial sheets

Invest Ophthalmol Vis Sci 50(10):4611-7 (2009)

<http://www.iovs.org/content/50/10/4611.short>

Kolble, K.:

The LEICA microdissection system: design and applications

J Mol Med 78(7): B24-25 (2000)

<http://www.ncbi.nlm.nih.gov/pubmed/11043387>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Ladanyi, A., Sipos, F., Szoke, D., Galamb, O., Molnar, B., and Tulassay, Z.:

Laser microdissection in translational and clinical research

Cytometry A 69(9): 947-960 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/cyto.a.20322/full>

Lash GE, Innes BA, Drury JA, Robson SC, Quenby S, Bulmer JN:

Localization of angiogenic growth factors and their receptors in the human endometrium throughout the menstrual cycle and in recurrent miscarriage

Hum Reprod. 2011 Nov 10. [Epub ahead of print]

<http://humrep.oxfordjournals.org/content/early/2011/11/09/humrep.der376.long>

Lin HY, Law PY, Loh HH:

Activation of PKC α or PKC ϵ as an approach to increase morphine tolerance in respiratory depression and lethal overdose

J Pharmacol Exp Ther. 2012 Jan 6. doi: 10.1124/jpet.111.188235

<http://jpet.aspetjournals.org/content/early/2012/01/06/jpet.111.188235.abstract>

Mande PV, Parikh FR, Hinduja I, Zaveri K, Vaidya R, Gajbhiye R and Khole VV:

Identification and validation of candidate biomarkers involved in human ovarian autoimmunity

Reproductive BioMedicine Online (2011)

<http://dx.doi.org/10.1016/j.rbmo.2011.06.013>

Miyai K, Yamamoto S, Aida S, Shimazaki H, Takano M, Kudoh K, Furuya K, Tamai S, Matsubara O:

Massive intra-abdominal undifferentiated carcinoma derived from an endometrioid adenocarcinoma in a "normal-sized" ovary

Int J Gynecol Pathol. 2010 Jul;29(4):321-7.

http://journals.lww.com/intjgynpathology/Abstract/2010/07000/Massive_Intra_abdominal_Undifferentiated_Carcinoma.4.aspx

Mizuno S, Bogaard HJ, Kraskauskas D, Alhussaini A, Gomez-Arroyo J, Voelkel NF, Ishizaki T:

p53 Gene deficiency promotes hypoxia-induced pulmonary hypertension and vascular remodeling in mice

Am J Physiol Lung Cell Mol Physiol. 2011 May;300(5):L753-61

<http://ajplung.physiology.org/content/300/5/L753.short>

Mohtashami M, Shah DK, Nakase H, Kianizad K, Petrie HT, Zúñiga-Pflücker JC:

Direct comparison of Dll1- and Dll4-mediated Notch activation levels shows differential lymphomyeloid lineage commitment outcomes

J Immunol. 2010 Jul 15;185(2):867-76

<http://www.jimmunol.org/content/185/2/867.short>

Montani D, Perros F, Gambaryan N, Girerd B, Dorfmueller P, Price LC, Huertas A, Hammad H, Lambrecht B, Simonneau G, Launay JM, Cohen-Kaminsky S, Humbert M:

C-Kit Positive Cells Accumulate in Remodeled Vessels of Idiopathic Pulmonary Arterial Hypertension

Am J Respir Crit Care Med. 2011 Feb 4. [Epub ahead of print]

<http://171.66.122.149/cgi/content/abstract/201006-0905OCv1>

Morono Y, Terada T, Nishizawa M, Ito M, Hillion F, Takahata N, Sano Y, Inagaki F:

Carbon and nitrogen assimilation in deep seafloor microbial cells

Proc Natl Acad Sci U S A. 2011 Oct 10. [Epub ahead of print]

<http://www.pnas.org/cgi/pmidlookup?view=long&pmid=21987801>

Musat N, Foster R, Vagner T, Adam B, Kuypers MM:

Detecting metabolic activities in single cells, with emphasis on nanoSIMS

FEMS Microbiol Rev. 2012 Mar;36(2):486-511. doi: 10.1111/j.1574-6976.2011.00303.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1574-6976.2011.00303.x/abstract>

Mustafa A, Cenayko C, Mitry RR, Quaglia A:

Laser microdissection microscopy: application to cell culture

Methods Mol Biol. 2012;806:385-92.

<http://www.springerlink.com/content/k3136j3p20g11184/#section=982768&page=1&locus=0>

Oikawa A, Saito K:

Metabolite analyses of single cells

Plant J. 2012 Apr;70(1):30-8. doi: 10.1111/j.1365-313X.2012.04967.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2012.04967.x/full>

Omri S, Omri B, Savoldelli M, Jonet L, Thillaye-Goldenberg B, Thuret G, Gain P, Jeanny JC, Crisanti P, Behar-Cohen F:

The outer limiting membrane (OLM) revisited: clinical implications

Clin Ophthalmol. 2010 Apr 26;4:183-95

http://www.dovepress.com/articles.php?article_id=4164

Ossi, J., Lee, A., and Zhou, J.:

Leica AS LMD - The Latest Advance in Laser Microdissection

Scientific and Technical Information 8: 114-122 (2005)

[http://www.leica-](http://www.leica-microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf)

[microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf](http://www.leica-microsystems.com/fileadmin/downloads/Leica%20AS%20LMD/Publications/Leica_STI_CDR8_ossi_et_al_en.pdf)

Polerecky L, Adam B, Milucka J, Musat N, Vagner T, Kuypers MM:

Look@NanoSIMS - a tool for the analysis of nanoSIMS data in environmental microbiology

Environ Microbiol. 2012 Apr;14(4):1009-23. doi: 10.1111/j.1462-2920.2011.02681.x.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1462-2920.2011.02681.x/abstract>

Qu F, Wang FF, Yin R, Ding GL, El-Prince M, Gao Q, Shi BW, Pan HH, Huang YT, Jin M, Leung PC, Sheng JZ, Huang HF:

A molecular mechanism underlying ovarian dysfunction of polycystic ovary syndrome: hyperandrogenism induces epigenetic alterations in the granulosa cells

J Mol Med (Berl). 2012 Feb 21. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00109-012-0881-4>

Rabien A, Fritzsche FR, Jung M, Tölle A, Diamandis EP, Miller K, Jung K, Kristiansen G, Stephan C:

KLK15 is a prognostic marker for progression-free survival in patients with radical prostatectomy

Int J Cancer 127(10):2386-94 (2010)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.25435/full>

Rowley AH, Baker SC, Shulman ST, Rand KH, Tretiakova MS, Perlman EJ, Garcia FL, Tajuddin NF, Fox LM, Huang JH, Ralphe JC, Takahashi K, Flatow J, Lin S, Kalelkar MB, Soriano B, Orenstein JM:

Ultrastructural, immunofluorescence, and RNA evidence support the hypothesis of a "new" virus associated with Kawasaki disease

J Infect Dis. 2011 Apr 1;203(7):1021-30

<http://jid.oxfordjournals.org/content/203/7/1021.short>

Schneider, B. and Hölscher, D.:

Laser microdissection and cryogenic nuclear magnetic resonance spectroscopy: an alliance for cell type-specific metabolite profiling

Planta 225: 763-770 (2007)

<http://www.springerlink.com/content/m5787044k63758q0/>

Schreiber, V., Ricoul, M., Ame, J.C., Dantzer, F., Meder, V., Spenlehauer, C., Stiegler, P., Niedergang, C., Sabitier, L., Favouдон, V., Ménessier-de Murcia, J., and de Murcia, G.:

PARP-2: Structure-Function Relationship

Poly (ADP-Ribosylation) Chapter 2: Ed. A Bürkle, Eurekah (2004)

<http://www.landesbioscience.com/curie/chapter/1842/>

Seldin DC and Sanchorawala V:

Amyloidomics comes of age

Blood February 23, 2012 vol. 119 no. 8 1795-1796; doi: 10.1182/blood-2011-10-381178

<http://bloodjournal.hematologylibrary.org/content/119/8/1795.full.pdf+html>

Sethi S, Gamez JD, Vrana JA, Theis JD, Bergen HR 3rd, Zipfel PF, Dogan A, Smith RJ:
Glomeruli of Dense Deposit Disease contain components of the alternative and terminal complement pathway
Kidney Int 75(9): 952-60 (2009)
<http://www.nature.com/ki/journal/v75/n9/abs/ki2008657a.html>

Spiegelhalter C, Tosch V, Hentsch D, Koch M, Kessler P, Schwab Y, Laporte J:
From dynamic live cell imaging to 3D ultrastructure: novel integrated methods for high pressure freezing and correlative light-electron microscopy
PLoS One. 2010 Feb 3;5(2):e9014
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0009014>

Taketa Y, Yoshida M, Inoue K, Takahashi M, Sakamoto Y, Watanabe G, Taya K, Yamate J, Nishikawa A:
Differential Stimulation Pathways of Progesterone Secretion from Newly Formed Corpora Lutea in Rats Treated with Ethylene Glycol Monomethyl Ether, Sulpiride, or Atrazine
Toxicol Sci. 2011 Apr 6. [Epub ahead of print]
<http://toxsci.oxfordjournals.org/content/early/2011/03/21/toxsci.kfr062.short>

Taketa Y, Yoshida M, Inoue K, Takahashi M, Sakamoto Y, Watanabe G, Taya K, Yamate J, Nishikawa A:
The newly formed corpora lutea of normal cycling rats exhibit drastic changes in steroidogenic and luteolytic gene expressions
Exp Toxicol Pathol. 2011 Feb 21. [Epub ahead of print]
<http://dx.doi.org/10.1016/j.etp.2011.01.015>

van Dijk, M.C., Rombout, P.D., Dijkman, H.B., Ruiter, D.J., and Bernsen, M.R.:
Improved resolution by mounting of tissue sections for laser microdissection
Mol Pathol 56(4): 240-243 (2003)
<http://mp.bmj.com/content/56/4/240.long>

Vergani A, Clissi B, Sanvito F, Doglioni C, Fiorina P, Pardi R:
Laser capture microdissection as a new tool to assess graft-infiltrating lymphocytes gene profile in islet transplantation
Cell Transplant 18(8):827-32 (2009)
<http://www.ingentaconnect.com/content/cog/ct/2009/00000018/00000008/art00001>

Veron D, Bertuccio CA, Marlier A, Reidy K, Garcia AM, Jimenez J, Velazquez H, Kashgarian M, Moeckel GW, Tufro A:
Podocyte vascular endothelial growth factor (Vegf (164)) overexpression causes severe nodular glomerulosclerosis in a mouse model of type 1 diabetes
Diabetologia 54(5):1227-41 (2011)
<http://www.springerlink.com/content/e68403uw45767488/>

Vukelic S, Stojadinovic O, Pastar I, Rabach M, Krzyzanowska A, Lebrun E, Davis SC, Resnik S, Brem H, Tomic-Canic M:
Cortisol synthesis in epidermis is induced by IL-1 and tissue injury
J Biol Chem. 2011 Mar 25;286(12):10265-75
<http://www.jbc.org/content/286/12/10265.short>

Wahlgren CM, Zheng W, Shaalan W, Tang J, Bassiouny HS:
Human carotid plaque calcification and vulnerability. Relationship between degree of plaque calcification, fibrous cap inflammatory gene expression and symptomatology
Cerebrovasc Dis 27(2):193-200 (2009)
<http://content.karger.com/produktedb/produkte.asp?doi=000189204&typ=pdf>

Wahlin KJ, Hackler L Jr, Adler R, Zack DJ:

Alternative splicing of neuroligin and its protein distribution in the outer plexiform layer of the chicken retina
J Comp Neurol. 2010 Dec 15;518(24):4938-62
<http://dx.doi.org/10.1002/cne.22499>

Wakim LM, Woodward-Davis A, Bevan MJ:

Memory T cells persisting within the brain after local infection show functional adaptations to their tissue of residence
Proc Natl Acad Sci U S A. 2010 Oct 19;107(42):17872-9
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2964240/>

Wang L, Shao YY, Ballock RT:

Carboxypeptidase Z (CPZ) links thyroid hormone and Wnt signaling pathways in growth plate chondrocytes
J Bone Miner Res. 2009 Feb;24(2):265-73
<http://onlinelibrary.wiley.com/doi/10.1359/jbmr.081014/full>

Wang X, Zhang Q, Ren J, Jiang Z, Wang C, Zhuang W and Zhai T:

The preparation of sex-chromosome-specific painting probes and construction of sex chromosome DNA library in half-smooth tongue sole (*Cynoglossus semilaevis*)
Aquaculture 297(1-4): 78-84 (2009)
<http://dx.doi.org/10.1016/j.aquaculture.2009.09.020>

Wiggs JL, Yaspan BL, Hauser MA, Kang JH, Allingham RR, et al.

Common Variants at 9p21 and 8q22 Are Associated with Increased Susceptibility to Optic Nerve Degeneration in Glaucoma
PLoS Genet 8(4): e1002654. doi:10.1371/journal.pgen.1002654
<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1002654>

Yamamoto K, Taketomi Y, Isogai Y, Miki Y, Sato H, Masuda S, Nishito Y, Morioka K, Ishimoto Y, Suzuki N, Yokota Y, Hanasaki K, Ishikawa Y, Ishii T, Kobayashi T, Fukami K, Ikeda K, Nakanishi H, Taguchi R, Murakami M:

Hair Follicular Expression and Function of Group X Secreted Phospholipase A2 in Mouse Skin
J Biol Chem. 2011 Apr 1;286(13):11616-31
<http://www.jbc.org/content/286/13/11616.short>

Yanagihara K, Niki H, Baba T:

Direct PCR amplification of the 16S rRNA gene from single microbial cells isolated from an Antarctic iceberg using laser microdissection microscopy
Polar Science, Volume 5, Issue 3, September 2011, Pages 375–382
<http://www.sciencedirect.com/science/article/pii/S1873965211000375>

12. Living Cell Culture

Amé JC, Fouquierel E, Gauthier LR, Biard D, Boussin FD, Dantzer F, de Murcia G, Schreiber V:

Radiation-induced mitotic catastrophe in PARG-deficient cells

J Cell Sci. 2009 Jun 15;122(Pt 12):1990-2002.

<http://jcs.biologists.org/cgi/pmidlookup?view=long&pmid=19454480>

Lammers G, Roth G, Heck M, Zengerle R, Tjabringa GS, Versteeg EM, Hafmans T, Wisman R, Reinhardt DP, Verwiel ET, Zeeuwen PL, Schalkwijk J, Brock R, Daamen WF, van Kuppevelt TH:

Construction of a Microstructured Collagen Membrane Mimicking the Papillary Dermis Architecture and Guiding Keratinocyte Morphology and Gene Expression

Macromol Biosci. 2012 Mar 13. doi: 10.1002/mabi.201100443. [Epub ahead of print]

<http://dx.doi.org/10.1002/mabi.201100443>

Mustafa A, Cenayko C, Mitry RR, Quaglia A:

Laser microdissection microscopy: application to cell culture

Methods Mol Biol. 2012;806:385-92.

<http://www.springerlink.com/content/k3136j3p20g11184/#section=982768&page=1&locus=0>

Find more information about LMD & LCC (live cell culture):

General information:

<http://www.leica-microsystems.com/science-lab/laser-microdissection/cell-cultures-and-laser-microdissection/>

Consumables:

<http://www.leica-microsystems.com/science-lab/laser-microdissection/application-specific-consumables-for-laser-microdissection/>

Climate chamber:

http://www.pecon.biz/?page_id=917

For cloning (save 2 months of work):

http://www.leica-microsystems.com/fileadmin/downloads/Leica%20LMD7000/Application%20Notes/Application_note_Live_Cell_Cutting.pdf

For DNA damage analysis:

http://www.leica-microsystems.com/fileadmin/downloads/Leica%20LMD7000/Application%20Notes/Application_note_DNA_Damage_and_Repair.pdf