

5. Neurosciences

Aguado, C., Colon, J., Ciruela, F., Schlaudraff, F., Cabanero, M.J., Perry, C., Watanabe, M., Liss, B., Wickman, K., and Lujan, R.:

Cell type-specific subunit composition of G protein-gated potassium channels in the cerebellum

J Neurochem 105(2): 497-511 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2007.05153.x/full>

Anderson KD, Pan L, Yang XM, Hughes VC, Walls JR, Dominguez MG, Simmons MV, Burfeind P, Xue Y, Wei Y, Macdonald LE, Thurston G, Daly C, Lin HC, Economides AN, Valenzuela DM, Murphy AJ, Yancopoulos GD, Gale NW:

Angiogenic sprouting into neural tissue requires Gpr124, an orphan G protein-coupled receptor

Proc Natl Acad Sci U S A. 2011 Feb 15;108(7):2807-12

<http://www.pnas.org/content/108/7/2807.short>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Bas Orth C., Vlachos A., Del Turco D., Burbach G.J., Haas C.A., Mundel P., Feng G., Frotscher M., and Deller T.:
Lamina-specific distribution of Synaptopodin, an actin-associated molecule essential for the spine apparatus, in identified principal cell dendrites of the mouse hippocampus

J Comp Neurol 487(3): 227-239 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/cne.20539/full>

Bender, A., Krishnan, K.J., Morris, C.M., Taylor, G.A., Reeve, A.K., Perry, R.H., Jaros, E., Hersheson, J.S., Betts, J., Klopstock, T., Taylor, R.W., and Turnbull, D.M.:

High levels of mitochondrial DNA deletions in substantia nigra neurons in aging and Parkinson disease

Nat Genet 38(5): 515-517 (2006)

<http://www.nature.com/ng/journal/v38/n5/full/ng1769.html>

Betts, J., Jaros, E., Perry, R.H., Schaefer, A.M., Taylor, R.W., Abdel-All, Z., Lightowers, R.N., and Turnbull, D.M.:
Molecular neuropathology of MELAS: level of heteroplasmy in individual neurones and evidence of extensive vascular involvement

Neuropathol Appl Neurobiol 32(4): 359-373 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2006.00731.x/full>

Boehm, C., Newrzella, D., Herberger, S., Schramm, N., Eisenhardt, G., Schenk, V., Sonntag-Buck, V., and Sorgenfrei, O.:

Effects of antidepressant treatment on gene expression profile in mouse brain: cell type-specific transcription profiling using laser microdissection and microarray analysis

J Neurochem (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.03750.x/full>

Bohm, C., Newrzella, D., and Sorgenfrei, O.:

Laser microdissection in CNS research

Drug Discov Today 10(17): 1167-1174 (2005)

[http://dx.doi.org/10.1016/S1359-6446\(05\)03555-5](http://dx.doi.org/10.1016/S1359-6446(05)03555-5)

Bolis, A., Coviello, S., Bussini, S., Dina, G., Pardini, C., Previtali, S.C., Malaguti, M., Morana, P., Del Carro, U., Feltri, M.L., Quattrini, A., Wrabetz, L., and Bolino, A.:

Loss of Mtmr2 phosphatase in Schwann cells but not in motor neurons causes Charcot-Marie-Tooth type 4B1 neuropathy with myelin outfoldings

J Neurosci 25(37): 8567-8577 (2005)

<http://www.jneurosci.org/content/25/37/8567.long>

Boonstra, R., Koning, A., Mastik, M., van den Berg, A., and Poppema, S.:

Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q

Virchows Arch 443(2): 164-169 (2003)

<http://www.springerlink.com/content/b1am9dkhxtu33uch/>

Burbach, G.J., Dehn, D., Del Turco, D., and Deller, T.:

Quantification of layer-specific gene expression in the hippocampus: effective use of laser microdissection in combination with quantitative RT-PCR

J Neurosci Methods 131(1-2): 83-91 (2003)

[http://dx.doi.org/10.1016/S0165-0270\(03\)00232-2](http://dx.doi.org/10.1016/S0165-0270(03)00232-2)

Burbach, G.J., Dehn, D., Del Turco, D., Staufenbiel, M., and Deller, T.:

Laser microdissection reveals regional and cellular differences in GFAP mRNA upregulation following brain injury, axonal denervation, and amyloid plaque deposition

Glia 48(1): 76-84 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20057/full>

Burbach, G.J., Dehn, D., Nagel, B., Del Turco, D., and Deller, T.:

Laser microdissection of immunolabeled astrocytes allows quantification of astrocytic gene expression

J Neurosci Methods 138(1-2): 141-148 (2004)

<http://dx.doi.org/10.1016/j.jneumeth.2004.03.022>

Burbach, G.J., Hellweg, R., Haas, C.A., Del Turco, D., Deicke, U., Abramowski, D., Jucker, M., Staufenbiel, M., and Deller, T.:

Induction of brain-derived neurotrophic factor in plaque-associated glial cells of aged APP23 transgenic mice

J Neurosci 24(10): 2421-2430 (2004)

<http://www.jneurosci.org/content/24/10/2421.long>

Campbell GR, Ziabreva I, Reeve AK, Krishnan KJ, Reynolds R, Howell O, Lassmann H, Turnbull DM, Mahad DJ:

Mitochondrial DNA deletions and neurodegeneration in multiple sclerosis

Ann Neurol 69(3):481-92 (2011)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22109/full>

Chen H, Dzitoyeva S, Manev H:

5-Lipoxygenase in mouse cerebellar Purkinje cells

Neuroscience. 2010 Dec 1;171(2):383-9

<http://dx.doi.org/10.1016/j.neuroscience.2010.09.019>

Choi, J.Y., Beaman-Hall, C.M., and Vallano, M.L.:

Granule neurons in cerebellum express distinct splice variants of the inositol trisphosphate receptor that are modulated by calcium

Am J Physiol Cell Physiol 287(4): C971-980 (2004)

<http://ajpcell.physiology.org/content/287/4/C971.long>

Coco, S., Defferrari, R., Scaruffi, P., Cavazzana, A., Di Cristofano, C., Longo, L., Mazzocco, K., Perri, P., Gambini, C., Moretti, S., Bonassi, S., and Tonini, G.P.:

Genome analysis and gene expression profiling of neuroblastoma and ganglioneuroblastoma reveal differences between neuroblastic and Schwannian stromal cells

J Pathol 207(3): 346-357 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1843/full>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Datson, N.A., Meijer, L., Steenbergen, P.J., Morsink, M.C., van der Laan, S., Meijer, O.C., and de Kloet, E.R.:

Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression

Eur J Neurosci 20(10): 2541-2554 (2004)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1460-9568.2004.03738.x/full>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Elstner M, Morris CM, Heim K, Bender A, Mehta D, Jaros E, Klopstock T, Meitinger T, Turnbull DM, Prokisch H:

Expression analysis of dopaminergic neurons in Parkinson's disease and aging links transcriptional dysregulation of energy metabolism to cell death

Acta Neuropathol. 2011 Jul;122(1):75-86

<http://www.springerlink.com/content/e2w286484498651g/>

Elstner M, Morris CM, Heim K, Lichtner P, Bender A, Mehta D, Schulte C, Sharma M, Hudson G, Goldwurm S, Giovanetti A, Zeviani M, Burn DJ, McKeith IG, Perry RH, Jaros E, Krüger R, Wichmann HE, Schreiber S, Campbell H, Wilson JF, Wright AF, Dunlop M, Pistis G, Toniolo D, Chinnery PF, Gasser T, Klopstock T, Meitinger T, Prokisch H, Turnbull DM:

Single-cell expression profiling of dopaminergic neurons combined with association analysis identifies pyridoxal kinase as Parkinson's disease gene

Ann Neurol 66(6):792-8 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ana.21780/full>

Elstner M, Muller SK, Leidolt L, Laub C, Krieg L, Schlaudraff F, Liss B, Morris C, Turnbull DM, Masliah E, Prokisch H, Klopstock T, Bender A:

Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions

Mol Brain. 2011 Dec 21;4(1):43.

<http://www.molecularbrain.com/content/4/1/43/abstract>

Ford, C.P. and Williams, J.T.:

Mesoprefrontal dopamine neurons distinguish themselves

Neuron 57(5): 631-632 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001815>

Frank, S., Burbach, G.J., Bonin, M., Walter, M., Streit, W., Bechmann, I., and Deller, T.:

TREM2 is upregulated in amyloid plaque-associated microglia in aged APP23 transgenic mice

Glia (2008)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20710/full>

Frank S, Copanaki E, Burbach GJ, Müller UC, Deller T:

Differential regulation of toll-like receptor mRNAs in amyloid plaque-associated brain tissue of aged APP23 transgenic mice

Neurosci Lett. 453(1):41-4 (2009)

<http://dx.doi.org/10.1016/j.neulet.2009.01.075>

Fujimura RK, Reiner T, Ma F, Phillips V, de las Pozas A, Dickson DW, Roos BA, Howard GA, Perez-Stable C:

Changes in the Expression of Genes Associated with Intraneuronal Amyloid- β and Tau in Alzheimer's Disease

J Alzheimers Dis. 2010;19(1):97-109

<http://iospress.metapress.com/content/851u86918j027n36/>

Fukazawa, Y., Saitoh, Y., Ozawa, F., Ohta, Y., Mizuno, K., and Inokuchi, K.:

Hippocampal LTP is accompanied by enhanced F-actin content within the dendritic spine that is essential for late LTP maintenance in vivo

Neuron 38(3): 447-460 (2003)

<http://www.cell.com/neuron/retrieve/pii/S089662730300206X>

Glaschke A, Weiland J, Del Turco D, Steiner M, Peichl L, Glösmann M:

Thyroid Hormone Controls Cone Opsin Expression in the Retina of Adult Rodents

J Neurosci. 31(13):4844-51. (2011)

<http://www.jneurosci.org/content/31/13/4844.long>

Grundemann, J., Schlaudraff, F., Haeckel, O., and Liss, B.:

Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease

Nucleic Acids Res 36(7): e38 (2008)

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:

UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Hasselblatt, M., Bohm, C., Tatenhorst, L., Dinh, V., Newrzella, D., Keyvani, K., Jeibmann, A., Buerger, H., Rickert, C.H., and Paulus, W.:

Identification of novel diagnostic markers for choroid plexus tumors: a microarray-based approach

Am J Surg Pathol 30(1): 66-74 (2006)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2006&issue=01000&article=00010&type=abstract>

Heine S, Michalakis S, Kallenborn-Gerhardt W, Lu R, Lim HY, Weiland J, Del Turco D, Deller T, Tegeder I, Biel M, Geisslinger G, Schmidtko A:

CNGA3: A Target of Spinal Nitric Oxide/cGMP Signaling and Modulator of Inflammatory Pain Hypersensitivity

J Neurosci. 2011 Aug 3;31(31):11184-92

<http://www.jneurosci.org/content/31/31/11184.long>

Hommel, J.D., Sears, R.M., Georgescu, D., Simmons, D.L., and DiLeone, R.J.:

Local gene knockdown in the brain using viral-mediated RNA interference

Nat Med 9(12): 1539-1544 (2003)

<http://www.nature.com/nm/journal/v9/n12/full/nm964.html>

Ichikawa T, Arai M, Miyashita M, Arai M, Obata N, Nohara I, Ohshima K, Niizato K, Okazaki Y, Doi N, Itokawa M:

Maternal inheritance and heteroplasmy of mtDNA mutations

Molecular Genetics and Metabolism, Available online 8 October 2011, ISSN 1096-7192, 10.1016/j.ymgme.2011.09.034.

<http://www.sciencedirect.com/science/article/pii/S1096719211003453>

Kanaan, A., Farahani, R., Douglas, R.M., Lamanna, J.C., and Haddad, G.G.:

Effect of chronic continuous or intermittent hypoxia and reoxygenation on cerebral capillary density and myelination

Am J Physiol Regul Integr Comp Physiol 290(4): R1105-1114 (2006)

<http://ajpregu.physiology.org/content/290/4/R1105.long>

Katsel P, Byne W, Roussos P, Tan W, Siever L, Haroutunian V:

Astrocyte and Glutamate Markers in the Superficial, Deep, and White Matter Layers of the Anterior Cingulate Gyrus in Schizophrenia

Neuropsychopharmacology. 2011 May;36(6):1171-7

<http://www.nature.com/npp/journal/v36/n6/full/npp2010252a.html>

Kelai, S., Maussion, G., Noble, F., Boni, C., Ramoz, N., Moalic, J.M., Peuchmaur, M., Gorwood, P., and Simonneau, M.:

Nrxn3 upregulation in the globus pallidus of mice developing cocaine addiction

Neuroreport 19(7): 751-755 (2008)

<http://journals.lww.com/neuroreport/pages/articleviewer.aspx?year=2008&issue=05070&article=00009&type=abstract>

Lammel, S., Hetzel, A., Hackel, O., Jones, I., Liss, B., and Roeper, J.:

Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system

Neuron 57(5): 760-773 (2008)

<http://www.cell.com/neuron/retrieve/pii/S0896627308001074>

Lax NZ, Whittaker RG, Hepplewhite PD, Reeve AK, Blakely EL, Jaros E, Ince PG, Taylor RW, Fawcett PR, Turnbull DM:

Sensory neuronopathy in patients harbouring recessive polymerase γ mutations

Brain. 2011 Dec 20., doi:10.1093/brain/awr326

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=22189570>

Lepagnol-Bestel AM, Maussion G, Boda B, Cardona A, Iwayama Y, Delezoide AL, Moalic JM, Muller D, Dean B, Yoshikawa T, Gorwood P, Buxbaum JD, Ramoz N, Simonneau M:

SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects

Mol Psychiatry. 2008 Apr;13(4):385-97

<http://www.nature.com/mp/journal/v13/n4/full/4002120a.html>

Lin LC, Lewis DA, Sibille E:

A human-mouse conserved sex bias in amygdala gene expression related to circadian clock and energy metabolism

Mol Brain. 2011 May 4;4(1):18

<http://www.molecularbrain.com/content/4/1/18/abstract>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:
MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway

PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Lofqvist C, Willett KL, Aspegren O, Smith AC, Aderman CM, Connor KM, Chen J, Hellstrom A, Smith LE:
Quantification and localization of the IGF/insulin system expression in retinal blood vessels and neurons during oxygen-induced retinopathy in mice

Invest Ophthalmol Vis Sci 50(4):1831-7 (2009)

<http://www.iovs.org/content/50/4/1831.short>

Lotz, M., Gutle, D., Walther, S., Menard, S., Bogdan, C., and Hornef, M.W.:

Postnatal acquisition of endotoxin tolerance in intestinal epithelial cells

J Exp Med 203(4): 973-984 (2006)

<http://jem.rupress.org/content/203/4/973.long>

Matsunaga E, Nambu S, Iriki A, Okanoya K:

Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum

J Comp Neurol. 2011 Jun 15;519(9):1736-47

<http://onlinelibrary.wiley.com/doi/10.1002/cne.22598/full>

Majak K, Dabrowski M, Pitkänen A:

Epileptogenesis alters gene expression pattern in rats subjected to amygdala-dependent emotional learning

Neuroscience. 2009 Mar 17;159(2):468-82

<http://dx.doi.org/10.1016/j.neuroscience.2008.12.060>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:

Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord

Brain Res 1249:61-7 (2009)

<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Meltendorf C, Burbach GJ, Ohrloff C, Ghebremedhin E, Deller T:

Intrastromal Keratotomy with Femtosecond Laser Avoids Profibrotic TGF-beta 1 Induction

Invest Ophthalmol Vis Sci. 50(8): 3688-95 (2009)

<http://www.iovs.org/content/50/8/3688.long>

Mitrasinovic, O.M., Grattan, A., Robinson, C.C., Lapustea, N.B., Poon, C., Ryan, H., Phong, C., and Murphy, G.M., Jr.:

Microglia overexpressing the macrophage colony-stimulating factor receptor are neuroprotective in a microglial-hippocampal organotypic coculture system

J Neurosci 25(17): 4442-4451 (2005)

<http://www.jneurosci.org/content/25/17/4442.long>

Miyashita T, Wintzer M, Kurotani T, Konishi T, Ichinohe N, Rockland KS:

Neurotrophin-3 Is Involved in the Formation of Apical Dendritic Bundles in Cortical Layer 2 of the Rat

Cereb Cortex 20(1):229-40 (2010)

<http://cercor.oxfordjournals.org/content/20/1/229.short>

Moreno B, Jukes JP, Vergara-Irigaray N, Errea O, Villoslada P, Perry VH, Newman TA:

Systemic inflammation induces axon injury during brain inflammation

Ann Neurol., DOI: 10.1002/ana.22550

<http://onlinelibrary.wiley.com/doi/10.1002/ana.22550/abstract>

Mutsuga, N. and Gainer, H.:

Molecular analysis of the magnocellular neuroendocrine phenotype: from the micropunch to laser microdissection

Neurochem Res 31(2): 189-199 (2006)

<http://www.springerlink.com/content/h585v38344277w47/>

Mutsuga, N., Shahar, T., Verbalis, J.G., Brownstein, M.J., Xiang, C.C., Bonner, R.F., and Gainer, H.:

Selective gene expression in magnocellular neurons in rat supraoptic nucleus

J Neurosci 24(32): 7174-7185 (2004)

<http://www.jneurosci.org/content/24/32/7174.long>

Mutsuga, N., Shahar, T., Verbalis, J.G., Xiang, C.C., Brownstein, M.J., and Gainer, H.:

Regulation of gene expression in magnocellular neurons in rat supraoptic nucleus during sustained hypoosmolality

Endocrinology 146(3): 1254-1267 (2005)

<http://endo.endojournals.org/cgi/content/full/146/3/1254>

Okaty BW, Sugino K, Nelson SB:

Cell Type-Specific Transcriptomics in the Brain

J Neurosci. 2011 May 11;31(19):6939-43

<http://www.jneurosci.org/content/31/19/6939.citation>

Oshima, H., Oshima, M., Inaba, K., and Taketo, M.M.:

Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice

Embo J 23(7): 1669-1678 (2004)

<http://www.nature.com/emboj/journal/v23/n7/full/7600170a.html>

Paciello O, Oliva G, Gradoni L, Manna L, Manzillo VF, Wojcik S, Trapani F, Papparella S:

Canine inflammatory myopathy associated with Leishmania Infantum infection

Neuromuscul Disord. 2009 Feb;19(2):124-30

<http://www.nmd-journal.com/article/S0960-8966%2808%2900677-9/abstract>

Pagenstecher A, Stahl S, Sure U, Felbor U:

A two-hit mechanism causes cerebral cavernous malformations: complete inactivation of CCM1, CCM2 or CCM3 in affected endothelial cells

Hum Mol Genet 18(5):911-8 (2009)

<http://hmg.oxfordjournals.org/content/18/5/911.short>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

Neuronal type-specific gene expression profiling and laser-capture microdissection

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Ploski, J.E., Newton, S.S., and Duman, R.S.:

Electroconvulsive seizure-induced gene expression profile of the hippocampus dentate gyrus granule cell layer

J Neurochem 99(4): 1122-1132 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.04156.x/full>

Pluchino S, Muzio L, Imitola J, Deleidi M, Alfaro-Cervello C, Salani G, Porcheri C, Brambilla E, Cavalasini F, Bergamaschi A, Garcia-Verdugo JM, Comi G, Khoury SJ, Martino G

Persistent inflammation alters the function of the endogenous brain stem cell compartment

Brain. 2008 Oct;131(Pt 10):2564-78

<http://brain.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=18757884>

Raasch J, Zeller N, van Loo G, Merkler D, Mildner A, Erny D, Knobloch KP, Bethea JR, Waisman A, Knust M, Del Turco D, Deller T, Blank T, Priller J, Brück W, Pasparakis M, Prinz M:

I κ B kinase 2 determines oligodendrocyte loss by non-cell-autonomous activation of NF- κ B in the central nervous system

Brain 134(Pt 4): 1184-98 (Epub 2011)

<http://brain.oxfordjournals.org/content/134/4/1184.long>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Reeve AK, Krishnan KJ, Elson JL, Morris CM, Bender A, Lightowlers RN, Turnbull DM:

Nature of mitochondrial DNA deletions in substantia nigra neurons

Am J Hum Genet. 2008 Jan;82(1):228-35.

<http://www.cell.com/AJHG/retrieve/pii/S0002929707000249>

Sanna, P.P., King, A.R., van der Stap, L.D., and Repunte-Canonigo, V.:

Gene profiling of laser-microdissected brain regions and sub-regions

Brain Res Brain Res Protoc 15(2): 66-74 (2005)

<http://dx.doi.org/10.1016/j.brainresprot.2005.04.002>

Sanna PP, Repunte-Canonigo V, Guidotti A:

Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Satoh A, Brace CS, Ben-Josef G, West T, Wozniak DF, Holtzman DM, Herzog ED, Imai S:

SIRT1 promotes the central adaptive response to diet restriction through activation of the dorsomedial and lateral nuclei of the hypothalamus

J Neurosci. 2010 Jul 28;30(30):10220-32.

<http://www.jneurosci.org/content/30/30/10220.short>

Schafer, R., Dehn, D., Burbach, G.J., and Deller, T.:

Differential regulation of chondroitin sulfate proteoglycan mRNAs in the denervated rat fascia dentata after unilateral entorhinal cortex lesion

Neurosci Lett 439(1): 61-65 (2008)

<http://dx.doi.org/10.1016/j.neulet.2008.04.098>

Schneider, A., Kruger, C., Steigleder, T., Weber, D., Pitzer, C., Laage, R., Aronowski, J., Maurer, M.H., Gassler, N., Mier, W., Hasselblatt, M., Kollmar, R., Schwab, S., Sommer, C., Bach, A., Kuhn, H.G., and Schabitz, W.R.:

The hematopoietic factor G-CSF is a neuronal ligand that counteracts programmed cell death and drives neurogenesis

J Clin Invest 115(8): 2083-2098 (2005)

<http://www.jci.org/articles/view/23559>

Schwarzacher, S.W., Vuksic, M., Haas, C.A., Burbach, G.J., Sloviter, R.S., and Deller, T.:

Neuronal hyperactivity induces astrocytic expression of neurocan in the adult rat hippocampus

Glia 53(7): 704-714 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20329/full>

Simunovic, F., Yi, M., Wang, Y., Macey, L., Brown, L.T., Krichevsky, A.M., Andersen, S.L., Stephens, R.M., Benes, F.M., Sonntag, K.C.

Gene expression profiling of substantia nigra dopamine neurons: further insights into Parkinson's disease pathology

Brain 132 (7): 1795-1809 (2008)

<http://brain.oxfordjournals.org/content/132/7/1795.long>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Tateno, M., Sadakata, H., Tanaka, M., Itohara, S., Shin, R.M., Miura, M., Masuda, M., Aosaki, T., Urushitani, M., Misawa, H., and Takahashi, R.:

Calcium-permeable AMPA receptors promote misfolding of mutant SOD1 protein and development of amyotrophic lateral sclerosis in a transgenic mouse model

Hum Mol Genet 13(19): 2183-2196 (2004)

<http://hmg.oxfordjournals.org/content/13/19/2183.long>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wainwright DA, Xin J, Mesnard NA, Beahrs TR, Politis CM, Sanders VM, Jones KJ:

Exacerbation of facial motoneuron loss after facial nerve axotomy in CCR3-deficient mice

ASN Neuro 1(5):e00024 (2009)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2826103/>

Wainwright DA, Xin J, Mesnard NA, Sanders VM, Jones KJ:

Toll-like receptor 2 and facial motoneuron survival after facial nerve axotomy

Neurosci Lett. 2010 Feb 26;471(1):10-4

<http://dx.doi.org/10.1016/j.neulet.2009.12.076>

Wang L, Sharma K, Grisotti G, Roos RP:

The effect of mutant SOD1 dismutase activity on non-cell autonomous degeneration in familial amyotrophic lateral sclerosis

Neurobiol Dis 35(2):234-40 (2009)

<http://dx.doi.org/10.1016/j.nbd.2009.05.002>

Wienecke J, Westerdahl AC, Hultborn H, Kiehn O, Ryge J:

Global gene expression analysis of rodent motor neurons following spinal cord injury associates molecular mechanisms with development of postinjury spasticity

J Neurophysiol 103(2): 761-78 (2009)

<http://jn.physiology.org/content/103/2/761.short>

Xin J, Wainwright DA, Mesnard NA, Serpe CJ, Sanders VM, Jones KJ:

IL-10 within the CNS is necessary for CD4+ T cells to mediate neuroprotection

Brain Behav Immun. 2010 Aug 17. [Epub ahead of print]

<http://dx.doi.org/10.1016/j.bbi.2010.08.004>