

3. Proteomics

Arentz G, Chataway T, Condina MR, Price TJ, Hoffmann P and Hardingham JE:

Increased Phospho-Keratin 8 Isoforms in Colorectal Tumors Associated with EGFR Pathway Activation and Reduced Apoptosis

ISRN Molecular Biology, Volume 2012 (2012), Article ID 706545, 8 pages: doi:10.5402/2012/706545
<http://www.isrn.com/journals/mb/2012/706545/>

Arentz G, Chataway T, Price TJ, Izwan Z, Hardi G, Cummins AG, Hardingham JE:

Desmin expression in colorectal cancer stroma correlates with advanced stage disease and marks angiogenic microvessels

Clin Proteomics. 2011 Dec 5;8(1):16.

<http://www.clinicalproteomicsjournal.com/content/8/1/16/abstract>

Cheng, A.L., Huang, W.G., Chen, Z.C., Peng, F., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Yi, B., and Xiao, Z.Q.:

Identification of novel nasopharyngeal carcinoma biomarkers by laser capture microdissection and proteomic analysis

Clin Cancer Res 14(2): 435-445 (2008)

<http://clincancerres.aacrjournals.org/content/14/2/435.long>

Cheng, A.L., Huang, W.G., Chen, Z.C., Zhang, P.F., Li, M.Y., Li, F., Li, J.L., Li, C., Yi, H., Peng, F., Duan, C.J., and Xiao, Z.Q.:

Identifying cathepsin D as a biomarker for differentiation and prognosis of nasopharyngeal carcinoma by laser capture microdissection and proteomic analysis

J Proteome Res 7(6): 2415-2426 (2008)

<http://pubs.acs.org/doi/abs/10.1021/pr7008548>

De Souza, A.I., McGregor, E., Dunn, M.J., and Rose, M.L.:

Preparation of human heart for laser microdissection and proteomics

Proteomics 4(3): 578-586 (2004)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300660/abstract>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.-C., Fink, L.

Catabolic Properties of Microdissected Human Endosteal Bone Lining Cells

Calcif Tissue Int 84(2): 146-155 (2008)

<http://www.springerlink.com/content/a2h715150m525279/>

Goodwin RJ, Scullion P, Macintyre L, Watson DG, Pitt AR:

Use of a solvent-free dry matrix coating for quantitative matrix-assisted laser desorption ionization imaging of 4-bromophenyl-1,4-diazabicyclo(3.2.2)nonane-4-carboxylate in rat brain and quantitative analysis of the drug from laser microdissected tissue regions

Anal Chem 82(9): 3868-73 (2010)

<http://pubs.acs.org/doi/abs/10.1021/ac100398y>

Kawamura T, Nomura M, Tojo H, Fujii K, Hamasaki H, Mikami S, Bando Y, Kato H, Nishimura T:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (1) Stage-related protein candidates upon non-metastatic lung adenocarcinoma

J Proteomics 73(6): 1089-99 (2010)

<http://dx.doi.org/10.1016/j.jprot.2009.11.011>

Kelly, M.G., Alvero, A.B., Chen, R., Silasi, D.A., Abrahams, V.M., Chan, S., Visintin, I., Rutherford, T., and Mor, G.:

TLR-4 signaling promotes tumor growth and paclitaxel chemoresistance in ovarian cancer

Cancer Res 66(7): 3859-3868 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3859.long>

Kondo, T., Seike, M., Mori, Y., Fujii, K., Yamada, T., and Hirohashi, S.:

Application of sensitive fluorescent dyes in linkage of laser microdissection and two-dimensional gel electrophoresis as a cancer proteomic study tool

Proteomics 3(9): 1758-1766 (2003)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200300531/abstract>

Korekane, H., Shida, K., Murata, K., Ohue, M., Sasaki, Y., Imaoka, S., and Miyamoto, Y.:

Evaluation of laser microdissection as a tool in cancer glycomic studies

Biochem Biophys Res Commun 352(3): 579-586 (2007)

<http://dx.doi.org/10.1016/j.bbrc.2006.10.191>

Li, C., Hong, Y., Tan, Y.X., Zhou, H., Ai, J.H., Li, S.J., Zhang, L., Xia, Q.C., Wu, J.R., Wang, H.Y., and Zeng, R.:
Accurate qualitative and quantitative proteomic analysis of clinical hepatocellular carcinoma using laser capture microdissection coupled with isotope-coded affinity tag and two-dimensional liquid chromatography mass spectrometry

Mol Cell Proteomics 3(4): 399-409 (2004)

<http://www.mcponline.org/content/3/4/399.long>

Li MX, Xiao ZQ, Chen YH, Peng F, Li C, Zhang PF, Li MY, Li F, Duan CJ, Li DJ, Yao HX, Chen ZC:

Proteomic analysis of the stroma-related proteins in nasopharyngeal carcinoma and normal nasopharyngeal epithelial tissues

Med Oncol. 2010 Mar;27(1):134-44.

<http://www.springerlink.com/content/m42pkx852hgh06n0/>

Liu YF, Chen YH, Li MY, Zhang PF, Peng F, Li GQ, Xiao ZQ, Chen ZC:

Quantitative proteomic analysis identifying three annexins as lymph node metastasis-related proteins in lung adenocarcinoma

Med Oncol. 2010 Dec 4. [Epub ahead of print]

<http://www.springerlink.com/content/1h53134871563152/>

Miki A, Katagi M, Kamata T, Zaitu K, Tatsuno M, Nakanishi T, Tsuchihashi H, Takubo T, Suzuki K:

MALDI-TOF and MALDI-FTICR imaging mass spectrometry of methamphetamine incorporated into hair

J Mass Spectrom. 2011 Apr;46(4):411-6

<http://onlinelibrary.wiley.com/doi/10.1002/jms.1908/full>

Miravalle, L., Calero, M., Takao, M., Roher, A.E., Ghetti, B., and Vidal, R.:

Amino-terminally truncated Abeta peptide species are the main component of cotton wool plaques

Biochemistry 44(32): 10810-10821 (2005)

<http://pubs.acs.org/doi/abs/10.1021/bi0508237>

Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:

Advances in isolation and characterization of homogeneous cell populations using laser microdissection

Histol Histopathol 20(1): 139-146 (2005)

http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm

Negishi, A., Masuda, M., Ono, M., Honda, K., Shitashige, M., Satow, R., Sakuma, T., Kuwabara, H., Nakanishi, Y., Kanai, Y., Omura, K., Hirohashi, S., Yamada, T.

Quantitative proteomics using formalin-fixed paraffin-embedded tissues of oral squamous cell carcinoma

Cancer Sci 100(9):1605-1611 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.2009.01227.x/full>

Nishimura T, Nomura M, Tojo H, Hamasaki H, Fukuda T, Fujii K, Mikami S, Bando Y, Kato H:

Proteomic analysis of laser-microdissected paraffin-embedded tissues: (2) MRM assay for stage-related proteins upon non-metastatic lung adenocarcinoma

J Proteomics. 2010 Apr 18;73(6):1100-10

<http://www.sciencedirect.com/science/article/pii/S187439190900342X>

Nomura M, Fukuda T, Fujii K, Kawamura T, Tojo H, Kihara M, Bando Y, Gazdar AF, Tsuboi M, Oshiro H, Nagao T, Ohira T, Ikeda N, Gotoh N, Kato H, Marko-Varga G, Nishimura T

Preferential expression of potential markers for cancer stem cells in large cell neuroendocrine carcinoma of the lung. An FFPE proteomic study

J Clin Bioinforma. 2011 Sep 3;1(1):23.

<http://www.jclinbioinformatics.com/content/1/1/23/abstract>

Okuyama H, Endo H, Akashika T, Kato K, Inoue M:

Downregulation of c-MYC protein levels contributes to cancer cell survival under dual deficiency of oxygen and glucose

Cancer Res 70(24):10213-23 (2010)

<http://cancerres.aacrjournals.org/content/70/24/10213.short>

Sansonno, D., Lauletta, G., and Dammacco, F.:

Detection and quantitation of HCV core protein in single hepatocytes by means of laser capture microdissection and enzyme-linked immunosorbent assay

J Viral Hepat 11(1): 27-32 (2004)

<http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2893.2003.00474.x/full>

Seike, M., Kondo, T., Fujii, K., Okano, T., Yamada, T., Matsuno, Y., Gemma, A., Kudoh, S., and Hirohashi, S.:

Proteomic signatures for histological types of lung cancer

Proteomics 5(11): 2939-2948 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401166/abstract>

Sethi S, Theis JD, Leung N, Dispenzieri A, Nasr SH, Fidler ME, Cornell LD, Gamez JD, Vrana JA, Dogan A:

Mass spectrometry-based proteomic diagnosis of renal immunoglobulin heavy chain amyloidosis

Clin J Am Soc Nephrol. 2010 Dec;5(12):2180-7

<http://cjasn.asnjournals.org/content/5/12/2180.full.pdf+html>

Sethi S, Theis JD, Shiller SM, Nast CC, Harrison D, Rennke HG, Vrana JA, Dogan A:

Medullary amyloidosis associated with apolipoprotein A-IV deposition

Kidney Int. 2011 Sep 7. doi: 10.1038/ki.2011.316.

<http://www.nature.com/ki/journal/vaop/ncurrent/full/ki2011316a.html>

Somiari, R.I., Somiari, S., Russell, S., and Shriver, C.D.:

Proteomics of breast carcinoma

J Chromatogr B Analyt Technol Biomed Life Sci 815(1-2): 215-225 (2005)

<http://dx.doi.org/10.1016/j.jchromb.2004.11.012>

Stephan C, Reidegeld KA, Hamacher M, van Hall A, Marcus K, Taylor C, Jones P, Müller M, Apweiler R, Martens L, Körting G, Chamrad DC, Thiele H, Blüggel M, Parkinson D, Binz PA, Lyall A, Meyer HE:

New mass spectrometric tools in brain research

Proteomics. 2006 Sep;6(18):5015-29.

<http://dx.doi.org/10.1016/j.trac.2010.06.009>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Vrana JA, Gamez JD, Madden BJ, Theis JD, Bergen HR 3rd, Dogan A:

Classification of amyloidosis by laser microdissection and mass spectrometry-based proteomic analysis in clinical biopsy specimens

Blood 114(24): 4957-9 (2009)

<http://bloodjournal.hematologylibrary.org/content/114/24/4957.short>

Wang Y, Ito S, Chino Y, Goto D, Matsumoto I, Murata H, Tsutsumi A, Hayashi T, Uchida K, Usui J, Yamagata K, Sumida T:

Laser microdissection-based analysis of cytokine balance in the kidneys of patients with lupus nephritis

Clin Exp Immunol 159(1):1-10 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2009.04031.x/full>

Wilson, K.E., Marouga, R., Prime, J.E., Pashby, D.P., Orange, P.R., Crosier, S., Keith, A.B., Lathe, R., Mullins, J., Estibeiro, P., Bergling, H., Hawkins, E., and Morris, C.M.:

Comparative proteomic analysis using samples obtained with laser microdissection and saturation dye labelling

Proteomics 5(15): 3851-3858 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/pmic.200401255/abstract>