

## 2. RNA-Research

Abe J, Ueha S, Yoneyama H, Shono Y, Kurachi M, Goto A, Fukayama M, Tomura M, Kakimi K, Matsushima K:  
**B cells regulate antibody responses through the medullary remodeling of inflamed lymph nodes**  
Int Immunol. 2012 Jan;24(1):17-27.

<http://intimm.oxfordjournals.org/content/24/1/17.short>

Abbott E, Hall D, Hamberger B, Bohlmann J.:

**Laser microdissection of conifer stem tissues: isolation and analysis of high quality RNA, terpene synthase enzyme activity and terpenoid metabolites from resin ducts and cambial zone tissue of white spruce (*Picea glauca*).**

BMC Plant Biol 10: 106 (2010)

<http://www.biomedcentral.com/1471-2229/10/106>

Agusti J, Lichtenberger R, Schwarz M, Nehlin L, Greb T:

**Characterization of transcriptome remodeling during cambium formation identifies MOL1 and RUL1 as opposing regulators of secondary growth**

PLoS Genet. 2011 Feb;7(2):e1001312

<http://www.plosgenetics.org/article/info%3Adoi%2F10.1371%2Fjournal.pgen.1001312>

Allen, C.D., Ansel, K.M., Low, C., Lesley, R., Tamamura, H., Fujii, N., and Cyster, J.G.:

**Germinal center dark and light zone organization is mediated by CXCR4 and CXCR5**

Nat Immunol 5(9): 943-952 (2004)

<http://www.nature.com/ni/journal/v5/n9/full/ni1100.html>

Anderle, P., Rumbo, M., Sierro, F., Mansourian, R., Michetti, P., Roberts, M.A., and Kraehenbuhl, J.P.:

**Novel markers of the human follicle-associated epithelium identified by genomic profiling and microdissection**

Gastroenterology 129(1): 321-327 (2005)

[http://www.gastrojournal.org/article/S0016-5085\(05\)00567-6/fulltext](http://www.gastrojournal.org/article/S0016-5085(05)00567-6/fulltext)

Anderle, P., Sengstag, T., Mutch, D.M., Rumbo, M., Praz, V., Mansourian, R., Delorenzi, M., Williamson, G., and Roberts, M.A.:

**Changes in the transcriptional profile of transporters in the intestine along the anterior-posterior and crypt-villus axes**

BMC Genomics 6(1): 69 (2005)

<http://www.biomedcentral.com/1471-2164/6/69>

Archer A, Sauvaget D, Chauffeton V, Bouchet PE, Chambaz J, Pinçon-Raymond M, Cardot P, Ribeiro A, Lacasa M:  
**Intestinal apolipoprotein A-IV gene transcription is controlled by two hormone-responsive elements: a role for hepatic nuclear factor-4 isoforms**

Mol Endocrinol. 2005 Sep;19(9):2320-34.

<http://mend.endojournals.org/content/19/9/2320.long>

Asztalos S, Gann PH, Hayes MK, Nonn L, Beam CA, Dai Y, Wiley EL, Tonetti DA:

**Gene expression patterns in the human breast after pregnancy**

Cancer Prev Res (Phila). 2010 Mar;3(3):301-11

<http://cancerpreventionresearch.aacrjournals.org/content/3/3/301.short>

Ayoub AE, Oh S, Xie Y, Leng J, Cotney J, Dominguez MH, Noonan JP, Rakic P:

**Transcriptional programs in transient embryonic zones of the cerebral cortex defined by high-resolution mRNA sequencing**

Proc Natl Acad Sci U S A. 2011 Aug 22

<http://www.pnas.org/content/early/2011/08/19/1112213108.short>

Bandapalli, O.R., Geheeb, M., Kobelt, D., Kuehnle, K., Elezkurtaj, S., Herrmann, J., Gressner, A.M., Weiskirchen, R., Beule, D., Bluthgen, N., Herzel, H., Franke, C., and Brand, K.:

**Global analysis of host tissue gene expression in the invasive front of colorectal liver metastases**

Int J Cancer 118(1): 74-89 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21307/full>

Becette, V., Vignaud, S., Regnier, C., Labroquere, M., Fourme, E., Menet, E., Bieche, I., and Spyrtos, F.:

**Gene transcript assay by real-time RT-PCR in epithelial breast cancer cells selected by laser microdissection**

Int J Biol Markers 19(2): 100-108 (2004)

<http://cat.inist.fr/?aModele=afficheN&cpsid=15941984>

Berquin, I.M., Min, Y., Wu, R., Wu, H., and Chen, Y.Q.:

**Expression signature of the mouse prostate**

J Biol Chem 280(43): 36442-36451 (2005)

<http://www.jbc.org/content/280/43/36442.long>

Betta P.G., Olivieri F., Lazzarini R., Ceka A., Graciotti L., Babini L., Ripponi M.R., Procopio A., Grosso F., Libener R.:

**miRNAs signature in microdissected tissues and primary cultured cells of malignant mesothelioma**

J Clin Oncol 29: 2011 (suppl; abstr e21031)

[http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst\\_detail\\_view&confID=102&abstractID=78897](http://www.asco.org/ascov2/Meetings/Abstracts?&vmview=abst_detail_view&confID=102&abstractID=78897)

Brown, A.L., Smith, D.W.

**Improved RNA preservation for immunolabeling and laser microdissection**

RNA 2009 15: 2364-2374, Published by Cold Spring Harbor Laboratory Press

<http://rnajournal.cshlp.org/content/15/12/2364.long>

Caruso M, Merelo P, Distefano G, La Malfa S, Lo Piero AR, Tadeo FR, Talon M, Gentile A

**Comparative transcriptome analysis of styler canal cells identifies novel candidate genes implicated in the self-incompatibility response of Citrus clementina**

BMC Plant Biol. 2012 Feb 14;12(1):20

<http://www.biomedcentral.com/1471-2229/12/20>

Chandran D, Inada N, Wildermuth MC:

**Laser microdissection of plant-fungus interaction sites and isolation of RNA for downstream expression profiling**

Methods Mol Biol 712:241-62 (2011)

<http://www.springerlink.com/content/g8x0633768v71816/#section=862301&page=1>

Chen, Z. and Gu, J.:

**Immunoglobulin G expression in carcinomas and cancer cell lines**

Faseb J (2007)

<http://www.fasebj.org/content/21/11/2931.long>

Chokechanachaisakul U, Kaneko T, Okiji T, Kaneko R, Kaneko M, Kawamura J, Sunakawa M, Suda H:

**Increased Gene Expression of Toll-like Receptors and Antigen-Presenting Cell-related Molecules in the Onset of Experimentally Induced Furcation Lesions of Endodontic Origin in Rat Molars**

J Endod. 2010 Feb;36(2):251-5

<http://www.jendodon.com/article/S0099-2399%2809%2900879-6/abstract>

Choudhary RK, Daniels KM, Evoock-Clover CM, Garrett W, Capuco AV:

**Technical note: A rapid method for 5-bromo-2'-deoxyuridine (BrdU) immunostaining in bovine mammary cryosections that retains RNA quality**

J Dairy Sci 93(6):2574-9 (2010)

<http://www.journalofdairyscience.org/article/S0022-0302%2810%2900261-4/abstract>

Clayburgh, D.R., Rosen, S., Witkowski, E.D., Wang, F., Blair, S., Dudek, S., Garcia, J.G., Alverdy, J.C., and Turner, J.R.:

**A differentiation-dependent splice variant of myosin light chain kinase, MLCK1, regulates epithelial tight junction permeability**

J Biol Chem 279(53): 55506-55513 (2004)

<http://www.jbc.org/content/279/53/55506.long>

Costa, E., Auta, J., Grayson, D.R., Matsumoto, K., Pappas, G.D., Zhang, X., and Guidotti, A.:

**GABAA receptors and benzodiazepines: a role for dendritic resident subunit mRNAs**

Neuropharmacology 43(6): 925-937 (2002)

[http://dx.doi.org/10.1016/S0028-3908\(02\)00199-5](http://dx.doi.org/10.1016/S0028-3908(02)00199-5)

Czibere L, Baur LA, Wittmann A, Gemmeke K, Steiner A, Weber P, Pütz B, Ahmad N, Bunck M, Graf C, Widner R, Kühne C, Panhuysen M, Hamsch B, Rieder G, Reinheckel T, Peters C, Holsboer F, Landgraf R, Deussing JM:  
**Profiling Trait Anxiety: Transcriptome Analysis Reveals Cathepsin B (Ctsb) as a Novel Candidate Gene for Emotionality in Mice**

PLoS ONE 6(8): e23604. doi:10.1371/journal.pone.0023604 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023604>

Dai, M.S., Chao, T.Y., Kao, W.Y., Shyu, R.Y., and Liu, T.M.:

**Delayed hepatitis B virus reactivation after cessation of preemptive lamivudine in lymphoma patients treated with rituximab plus CHOP**

Ann Hematol 83(12): 769-774 (2004)

<http://www.springerlink.com/content/x87nue2nfx7pt0ap/>

D'Arrigo, A., Belluco, C., Ambrosi, A., Digito, M., Esposito, G., Bertola, A., Fabris, M., Nofrate, V., Mammano, E., Leon, A., Nitti, D., and Lise, M.:

**Metastatic transcriptional pattern revealed by gene expression profiling in primary colorectal carcinoma**

Int J Cancer 115(2): 256-262 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.20883/full>

de Lagausie, P., de Buys-Roessingh, A., Ferkdadjji, L., Saada, J., Aisenfisz, S., Martinez-Vinson, C., Fund, X., Cayuela, J.M., Peuchmaur, M., Mercier, J.C., and Berrebi, D.:

**Endothelin receptor expression in human lungs of newborns with congenital diaphragmatic hernia**

J Pathol 205(1): 112-118 (2005)

<http://onlinelibrary.wiley.com/doi/10.1002/path.1677/full>

Dehn, D., Burbach, G.J., Schafer, R., and Deller, T.:

**NG2 upregulation in the denervated rat fascia dentata following unilateral entorhinal cortex lesion**

Glia 53(5): 491-500 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/glia.20307/full>

Dierkes, C., Kreisel, M., Schulz, A., Steinmeyer, J., Wolff, J.C., and Fink, L.:

**Catabolic properties of microdissected human endosteal bone lining cells**

Calcif Tissue Int 84(2): 146-155 (2009)

<http://www.springerlink.com/content/a2h715150m525279/>

Ellsworth RE, Field LA, Love B, Kane JL, Hooke JA, and Shriver CD:

**Differential Gene Expression in Primary Breast Tumors Associated with Lymph Node Metastasis**

Int J Breast Cancer Volume 2011 (2011), Article ID 142763, 7 pages

<http://www.sage-hindawi.com/journals/ijbc/2011/142763/abs/>

Ellsworth RE, Seebach J, Field LA, Heckman C, Kane J, Hooke JA, Love B, Shriver CD:

**A gene expression signature that defines breast cancer metastases**

Clin Exp Metastasis 26(3):205-13 (2009)

<http://www.springerlink.com/content/102574228038m751/>

Engelse, M.A., Lardenoye, J.H., Neele, J.M., Grimbergen, J.M., De Vries, M.R., Lamfers, M.L., Pannekoek, H., Quax, P.H., and De Vries, C.J.:

**Adenoviral activin a expression prevents intimal hyperplasia in human and murine blood vessels by maintaining the contractile smooth muscle cell phenotype**

Circ Res 90(10): 1128-1134 (2002)

<http://circres.ahajournals.org/cgi/content/full/90/10/1128>

Frierson, H.F., Jr., El-Naggar, A.K., Welsh, J.B., Sapinoso, L.M., Su, A.I., Cheng, J., Saku, T., Moskaluk, C.A., and Hampton, G.M.:

**Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma**

Am J Pathol 161(4): 1315-1323 (2002)

<http://www.journals.elsevierhealth.com/periodicals/ajpa/article/S0002-9440%2810%2964408-2/abstract>

Gassler, N., Newrzella, D., Bohm, C., Lyer, S., Li, L., Sorgenfrei, O., van Laer, L., Sido, B., Mollenhauer, J., Poustka, A., Schirmacher, P., and Gretz, N.:

**Molecular characterisation of non-absorptive and absorptive enterocytes in human small intestine**

Gut 55(8): 1084-1089 (2006)

<http://gut.bmj.com/content/55/8/1084.abstract>

Giovanetti, E., Del Tacca, M., Mey, V., Funel, N., Nannizzi, S., Ricci, S., Orlandini, C., Boggi, U., Campani, D., Del Chiaro, M., Iannopollo, M., Bevilacqua, G., Mosca, F., and Danesi, R.:

**Transcription analysis of human equilibrative nucleoside transporter-1 predicts survival in pancreas cancer patients treated with gemcitabine**

Cancer Res 66(7): 3928-3935 (2006)

<http://cancerres.aacrjournals.org/content/66/7/3928.long>

Giovanetti E, Funel N, Peters GJ, Del Chiaro M, Erozcenci LA, Vasile E, Leon LG, Pollina LE, Groen A, Falcone A, Danesi R, Campani D, Verheul HM, Boggi U:

**MicroRNA-21 in pancreatic cancer: correlation with clinical outcome and pharmacologic aspects underlying its role in the modulation of gemcitabine activity**

Cancer Res. 2010 Jun 1;70(11):4528-38

<http://cancerres.aacrjournals.org/content/70/11/4528.short>

Gomez SK, Harrison MJ:

**Laser microdissection and its application to analyze gene expression in arbuscular mycorrhizal symbiosis**

Pest Manag Sci 65(5): 504-11 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ps.1715/full>

Gómez-Ariza J, Balestrini R, Novero M and Bonfante P

**Cell-specific gene expression of phosphate transporters in mycorrhizal tomato roots**

Biology and Fertility of Soils 45(8): 845-853 (2009)

<http://www.springerlink.com/content/72503011k6720883/>

Gong L, Yan-Hong Li, Qin Su, Gang Li, Wen-Dong Zhang, and Wei Zhang:

**Use of X-chromosome inactivation pattern and laser microdissection to determine the clonal origin of focal nodular hyperplasia of the liver**

Pathology 2009, Vol. 41, No. 4, Pages 348-355

<http://journals.lww.com/pathologyrcpa/pages/articleviewer.aspx?year=2009&issue=41040&article=00005&type=abstract>

Gründemann J, Schlaudraff F, Haeckel O, Liss B.

**Elevated alpha-synuclein mRNA levels in individual UV-laser-microdissected dopaminergic substantia nigra neurons in idiopathic Parkinson's disease.**

Nucleic Acids Res. 2008 Apr;36(7):e38. Epub 2008 Mar 10.

<http://nar.oxfordjournals.org/content/36/7/e38.long>

Gründemann J, Schlaudraff F, Liss B:

**UV-Laser Microdissection and mRNA Expression Analysis of Individual Neurons from Postmortem Parkinson's Disease Brains**

Methods Mol Biol. 2011;755:363-74

<http://www.springerlink.com/content/n106421460111003/#section=924970&page=1>

Hamatani, K., Eguchi, H., Takahashi, K., Koyama, K., Mukai, M., Ito, R., Taga, M., Yasui, W., and Nakachi, K.: **Improved RT-PCR amplification for molecular analyses with long-term preserved formalin-fixed, paraffin-embedded tissue specimens**

J Histochem Cytochem 54(7): 773-780 (2006)

<http://jhc.sagepub.com/content/54/7/773.long>

Han, Y.M., Romero, R., Kim, J.S., Tarca, A.L., Kim, S.K., Draghici, S., Kusanovic, J.P., Gotsch, F., Mittal, P., Hassan, S.S., and Kim, C.J.:

**Region-specific gene expression profiling: novel evidence for biological heterogeneity of the human amnion**

Biol Reprod 79(5): 954-961 (2008)

<http://www.biolreprod.org/content/79/5/954.long>

Haishima A, Murakami M, Ikeda T, Inoue K, Kamiie J, Shirota K:

**Detection of Bcl-2 mRNA and its product in the glomerular podocytes of the normal rat kidney**

Exp Toxicol Pathol. 2011 Jan 7.

<http://dx.doi.org/10.1016/j.etp.2010.12.006>

Hashimoto, A., Matsui, T., Tanaka, S., Ishikawa, A., Endo, H., Hirohata, S., Kondo, H., Neumann, E., Tarner, I.H., and Muller-Ladner, U.:

**Laser-mediated microdissection for analysis of gene expression in synovial tissue**

Mod Rheumatol 17(3): 185-190 (2007)

<http://www.springerlink.com/content/p7j8347u126p7506/>

Hashimoto, A., Tarner, I.H., Bohle, R.M., Gaumann, A., Manetti, M., Distler, O., Steinmeyer, J., Ulfgren, A.K., Schulz, A., Gay, S., Muller-Ladner, U., and Neumann, E.:

**Analysis of vascular gene expression in arthritic synovium by laser-mediated microdissection**

Arthritis Rheum 56(4): 1094-1105 (2007)

<http://onlinelibrary.wiley.com/doi/10.1002/art.22450/full>

Heil, S.G., De Vriese, A.S., Kluijtmans, L.A., Dijkman, H., van Strien, D., Akkers, R., and Blom, H.J.:

**Cytochrome P450-2C11 mRNA is not expressed in endothelial cells dissected from rat renal arterioles**

Nephron Physiol 99(2): p43-49 (2005)

<http://content.karger.com/produktedb/produkte.asp?DOI=83135&typ=pdf>

Hölscher, D., Schneider, B.

**Application of Laser-Assisted Microdissection for Tissue and Cell-Specific Analysis of RNA, Proteins, and Metabolites**

U. Lüttge et al. (eds.), Progress in Botany 69. 141, © Springer-Verlag Berlin Heidelberg 2008

<http://www.springerlink.com/content/m15305g9262t5776/>

Hsu, K., Huang, S., Chou, C., Shen, M., Cheng, Y., and Chen, Y.Q.:

**SCC A2 and SCC A1 expression level in uterine cervical carcinogenesis**

Proc Amer Assoc Cancer Res 46 (2005)

<http://www.aacrmeetingabstracts.org/cgi/content/abstract/2005/1/85?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&andorexacttitle=&andtitleabstract=SCC+A2+and+SCC+A1+expression+level+in+uterine+cervical+carcinogenesis&andorexacttitleabs=&andorexactfulltext=&andsearchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Huang P, He Z, Ji S, Sun H, Xiang D, Liu C, Hu Y, Wang X, Hui L:

**Induction of functional hepatocyte-like cells from mouse fibroblasts by defined factors.**

Nature [Epub ahead of print] (2011)

<http://www.nature.com/nature/journal/vaop/ncurrent/full/nature10116.html>

Hwang JH, Voortman J, Giovannetti E, Steinberg SM, Leon LG, Kim YT, Funel N, Park JK, Kim MA, Kang GH, Kim SW, Del Chiaro M, Peters GJ, Giaccone G:

**Identification of MicroRNA-21 as a Biomarker for Chemoresistance and Clinical Outcome Following Adjuvant Therapy in Resectable Pancreatic Cancer**

PLoS One. 2010 May 14;5(5):e10630

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0010630>

Ieta K, Tanaka F, Yokobori T, Kita Y, Haraguchi N, Mimori K, Kato H, Asao T, Inoue H, Kuwano H, Mori M:

**Clinicopathological significance of stanniocalcin 2 gene expression in colorectal cancer**

Int J Cancer 125(4):926-31 (2009)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24453/full>

Ito Y, Sonobe H:

**The role of ecdysteroid 22-kinase in the accumulation of ecdysteroids in ovary of silkworm *Bombyx mori***

Ann N Y Acad Sci 1163:421-4 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1749-6632.2009.04465.x/full>

Iwatsuki M, Mimori K, Yokobori T, Tanaka F, Tahara K, Inoue H, Baba H, Mori M:

**A platinum agent resistance gene, POLB, is a prognostic indicator in colorectal cancer**

J Surg Oncol. 2009 Sep 1;100(3):261-6.

<http://onlinelibrary.wiley.com/doi/10.1002/jso.21275/abstract>

Ka, S.M., Rifai, A., Chen, J.H., Cheng, C.W., Shui, H.A., Lee, H.S., Lin, Y.F., Hsu, L.F., and Chen, A.:

**Glomerular crescent-related biomarkers in a murine model of chronic graft versus host disease**

Nephrol Dial Transplant 21(2): 288-298 (2006)

<http://ndt.oxfordjournals.org/content/21/2/288.long>

Kaneko T, Cordeiro MMR, Okiji T, Kaneko R, Suda H and Nör JE:

**Laser capture microdissection from formaldehyde-fixed and demineralized paraffin embedded tissues**

Microscopy: Science, Technology, Applications and Education (2010)

[www.formatex.info/microscopy4/2111-2116.pdf](http://www.formatex.info/microscopy4/2111-2116.pdf)

Kaneko T, Okiji T, Kaneko R, Suda H, Nör JE:

**Gene expression analysis of immunostained endothelial cells isolated from formaldehyde-fixed paraffin embedded tumors using laser capture microdissection--a technical report**

Microsc Res Tech. 2009 Dec;72(12):908-12.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2784235/?tool=pubmed>

Kawasaki, S., Tanioka, H., Yamasaki, K., Yokoi, N., Komuro, A., and Kinoshita, S.:

**Clusters of corneal epithelial cells reside ectopically in human conjunctival epithelium**

Invest Ophthalmol Vis Sci 47(4): 1359-1367 (2006)

<http://www.iovs.org/content/47/4/1359.long>

Khodosevich, K., Inta, D., Seeburg, P.H., and Monyer, H.:

**Gene expression analysis of in vivo fluorescent cells**

PLoS ONE 2(11): e1151 (2007)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0001151>

Kinumatsu T, Hashimoto S, Muramatsu T, Sasaki H, Jung HS, Yamada S, Shimono M:

**Involvement of laminin and integrins in adhesion and migration of junctional epithelium cells**

J Periodontal Res 44(1):13-20 (2009)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0765.2007.01036.x/full>

Kieffer, N., Schmitz, M., Plancon, S., Margue, C., Huselstein, F., Grignard, G., Dippel, W., Nathan, M., Giacchi, S., and Scheiden, R.:

**ILK as a potential marker gene to ascertain specific adenocarcinoma cell mRNA isolation from frozen prostate biopsy tissue sections**

Int J Oncol 26(6): 1549-1558 (2005)

<http://www.spandidos-publications.com/ijo/26/6/1549>

Kim, J.S., Romero, R., Tarca, A.L., LaJeunesse, C., Han, Y.M., Kim, M.J., Suh, Y.L., Draghici, S., Mittal, P., Gotsch, F., Kusanovic, J.P., Hassan, S., and Kim, C.J.:

**Gene expression profiling demonstrates a novel role for foetal fibrocytes and the umbilical vessels in human fetoplacental development**

J Cell Mol Med 12(4): 1317-1330 (2008)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1582-4934.2008.00284.x/full>

Klumpp S, Hwa T.

**Growth-rate-dependent partitioning of RNA polymerases in bacteria.**

Proc Natl Acad Sci U S A. 2008 Dec 23;105(51):20245-50. Epub 2008 Dec 10.

<http://www.pnas.org/content/105/51/20245.long>

Knudsen ES, Ertel A, Davicioni E, Kline J, Schwartz GF, Witkiewicz AK:

**Progression of ductal carcinoma in situ to invasive breast cancer is associated with gene expression programs of EMT and myoepithelia**

Breast Cancer Res Treat. 2011 Dec 2. [Epub ahead of print]

<http://www.springerlink.com/content/f8150452382np711/>

Kobayashi, K., Nishioka, M., Kohno, T., Nakamoto, M., Maeshima, A., Aoyagi, K., Sasaki, H., Takenoshita, S., Sugimura, H., and Yokota, J.:

**Identification of genes whose expression is upregulated in lung adenocarcinoma cells in comparison with type II alveolar cells and bronchiolar epithelial cells in vivo**

Oncogene 23(17): 3089-3096 (2004)

<http://www.nature.com/onc/journal/v23/n17/full/1207433a.html>

Kobayashi, K., Utsumi, H., Okada, M., Sakairi, T., Ikeda, I., Kusakabe, M., and Takagi, S.:

**One-step RT-PCR without initial RNA isolation sStep for laser-microdissected tissue sample**

J Vet Med Sci 65(8): 917-919 (2003)

<http://www.mendeley.com/research/onestep-rtPCR-without-initial-rna-isolation-sstep-for-lasermicrodissected-tissue-sample/>

Kobayashi, T., Uehara, S., Ikeda, T., Itadani, H., and Kotani, H.:

**Vitamin D3 up-regulated protein-1 regulates collagen expression in mesangial cells**

Kidney Int 64: 1632-1642 (2003)

<http://www.nature.com/ki/journal/v64/n5/full/4494068a.html>

Kudo N, Ogose A, Ariizumi T, Kawashima H, Hotta T, Hatano H, Morita T, Nagata M, Siki Y, Kawai A, Hotta Y, Hoshino M, Endo N:

**Expression of Bone Morphogenetic Proteins in Giant Cell Tumor of Bone**

Anticancer Res. 2009 Jun;29(6):2219-25

<http://ar.iiarjournals.org/content/29/6/2219.short>

Kuribayashi, M., Asamoto, M., Suzuki, S., Hokaiwado, N., Ogawa, K., and Shirai, T.:

**Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences**

Cancer Lett 232(2): 289-299 (2006)

<http://www.cancerletters.info/article/S0304-3835%2805%2900231-4/abstract>

Kurita N, Honda S, Usui K, Shimizu Y, Miyamoto A, Tahara-Hanaoka S, Shibuya K, Shibuya A:

**Identification of the Fc $\alpha$ / $\mu$ R isoform specifically expressed in the kidney tubules**

Mol Immunol. 2009 Feb;46(4):749-53.

<http://dx.doi.org/10.1016/j.molimm.2008.10.002>

Kurz A, Double KL, Lastres-Becker I, Tozzi A, Tantucci M, Bockhart V, Bonin M, García-Arencibia M, Nuber S, Schlaudraff F, Liss B, Fernández-Ruiz J, Gerlach M, Wüllner U, Lüddens H, Calabresi P, Auburger G and Gisbert S:  
**A53T-alpha-Synuclein Overexpression Impairs Dopamine Signaling and Striatal Synaptic Plasticity in Old Mice.**

PLoS One 5(7): e11464 (2010)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0011464>

Lin HY, Law PY, Loh HH:

**Activation of PKC $\alpha$  or PKC $\epsilon$  as an approach to increase morphine tolerance in respiratory depression and lethal overdose**

J Pharmacol Exp Ther. 2012 Jan 6. doi: 10.1124/jpet.111.188235

<http://jpet.aspetjournals.org/content/early/2012/01/06/jpet.111.188235.abstract>

Li, Y., Wang, J., Zhu, G., Zhang, X., Zhai, H., Zhang, W., Wang, W., and Huang, G.:

**Detection of parvovirus B19 nucleic acids and expression of viral VP1/VP2 antigen in human colon carcinoma**

Am J Gastroenterol 102(7): 1489-1498 (2007)

<http://www.nature.com/ajg/journal/v102/n7/full/ajg2007292a.html>

Lin, P.C., Hsiao, L.T., Poh, S.B., Wang, W.S., Yen, C.C., Chao, T.C., Liu, J.H., Chiou, T.J., and Chen, P.M.:

**Higher fungal infection rate in elderly patients (more than 80 years old) suffering from diffuse large B cell lymphoma and treated with rituximab plus CHOP**

Ann Hematol 86(2): 95-100 (2007)

<http://www.springerlink.com/content/y0v22r0507522037/>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., and Roeper, J.:

**K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons**

Nat Neurosci 8(12): 1742-1751 (2005)

<http://www.nature.com/neuro/journal/v8/n12/full/nn1570.html>

Liu XS, Chopp M, Zhang RL, Tao T, Wang XL, Kassis H, Hozeska-Solgot A, Zhang L, Chen C, Zhang ZG:  
**MicroRNA Profiling in Subventricular Zone after Stroke: MiR-124a Regulates Proliferation of Neural Progenitor Cells through Notch Signaling Pathway**

PLoS ONE 6(8): e23461. doi:10.1371/journal.pone.0023461 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0023461>

Liu, Y.Y., Leboeuf, C., Shi, J.Y., Li, J.M., Wang, L., Shen, Y., Garcia, J.F., Shen, Z.X., Chen, Z., Janin, A., Chen, S.J., and Zhao, W.L.:

**Rituximab plus CHOP (R-CHOP) overcomes PRDM1-associated resistance to chemotherapy in patients with diffuse large B-cell lymphoma**

Blood 110(1): 339-344 (2007)

<http://bloodjournal.hematologylibrary.org/content/110/1/339.long>

Luo Z, Zhang L, Li Z, Li X, Li G, Yu H, Jiang C, Dai Y, Guo X, Xiang J, Li G

**An in silico analysis of dynamic changes in microRNA expression profiles in stepwise development of nasopharyngeal carcinoma**

BMC Med Genomics. 2012 Jan 19;5(1):3.

<http://www.biomedcentral.com/1755-8794/5/3>

Masuda T, Kai N, Sakuma C, Kobayashi K, Koga H, Yaginuma H:

**Laser capture microdissection and cDNA array analysis for identification of mouse KIAA/FLJ genes differentially expressed in the embryonic dorsal spinal cord**

Brain Res 1249:61-7 (2009)

<http://dx.doi.org/10.1016/j.brainres.2008.10.028>

Mena S, Rodriguez ML, Ortega A, Priego S, Obrador E, Asensi M, Petschen I, Cerda M, Brown BD, Estrela JM:  
**Glutathione and Bcl-2 targeting facilitates elimination by chemoradiotherapy of human A375 melanoma xenografts overexpressing bcl-xl, bcl-2, and mcl-1**

J Transl Med. 2012 Jan 10;10(1):8.

<http://www.translational-medicine.com/content/pdf/1479-5876-10-8.pdf>

Mihelich BL, Khramtsova EA, Arva N, Vaishnav A, Johnson DN, Giangreco AA, Martens-Uzunova E, Bagasra O, Kajdacsy-Balla A, Nonn L:

**The miR-183-96-182 cluster is overexpressed in prostate tissue and regulates zinc homeostasis in prostate cells**

J Biol Chem. 2011 Nov 1. [Epub ahead of print]

<http://www.jbc.org/content/early/2011/11/01/jbc.M111.262915.full.pdf+html>

Mimori, K., Kataoka, A., Yoshinaga, K., Ohta, M., Sagara, Y., Yoshikawa, Y., Ohno, S., Barnard, G.F., and Mori, M.:

**Identification of molecular markers for metastasis-related genes in primary breast cancer cells**

Clin Exp Metastasis 22(1): 59-67 (2005)

<http://www.springerlink.com/content/ju17kr07r6101603/>

Mizuarai, S., Takahashi, K., Kobayashi, T., and Kotani, H.:

**Advances in isolation and characterization of homogeneous cell populations using laser microdissection**

Histol Histopathol 20(1): 139-146 (2005)

[http://www.hh.um.es/Abstracts/Vol\\_20/20\\_1/20\\_1\\_139.htm](http://www.hh.um.es/Abstracts/Vol_20/20_1/20_1_139.htm)

Mori, M., Mimori, K., Yoshikawa, Y., Shibuta, K., Utsunomiya, T., Sadanaga, N., Tanaka, F., Matsuyama, A., Inoue, H., and Sugimachi, K.:

**Analysis of the gene-expression profile regarding the progression of human gastric carcinoma**

Surgery 131(1 Suppl): S39-47 (2002)

<http://www.surgjournal.com/article/S0039-6060%2802%2970084-6/abstract>

Mueller, A., Merrell, D.S., Grimm, J., and Falkow, S.:

**Profiling of microdissected gastric epithelial cells reveals a cell type-specific response to *Helicobacter pylori* infection**

Gastroenterology 127(5): 1446-1462 (2004)

[http://www.gastrojournal.org/article/S0016-5085\(04\)01555-0/fulltext](http://www.gastrojournal.org/article/S0016-5085(04)01555-0/fulltext)

Mueller, A., O'Rourke, J., Grimm, J., Guillemin, K., Dixon, M.F., Lee, A., and Falkow, S.:

**Distinct gene expression profiles characterize the histopathological stages of disease in *Helicobacter*-induced mucosa-associated lymphoid tissue lymphoma**

Proc Natl Acad Sci U S A 100(3): 1292-1297 (2003)

<http://www.pnas.org/content/100/3/1292.long>

Nagahama J, Daa T, Yada N, Kashima K, Fujiwara S, Saikawa T, Yokoyama S:

**Tyrosine kinase receptor RON and its ligand MSP in Merkel cell carcinoma**

Pathol Res Pract. 2011 Jun 29. [Epub ahead of print]

<http://www.sciencedirect.com/science/article/pii/S0344033811001208>

Nagai, Y., Nochi, T., Watanabe, K., Aso, H., Kitazawa, H., Matsuzaki, M., Ohwada, S., and Yamaguchi, T.:

**Localization of interleukin-18 and its receptor in somatotrophs of the bovine anterior pituitary gland**

Cell Tissue Res 322(3): 455-462 (2005)

<http://www.springerlink.com/content/lw37x0713w628807/>

Naganuma, S., Itoh, H., Uchiyama, S., Nagaike, K., Tanaka, H., Akiyama, Y., Chijiwa, K., and Kataoka, H.:

**Nuclear translocation of H2RSP is impaired in regenerating intestinal epithelial cells of murine colitis model**

Virchows Arch 448(3): 354-360 (2006)

<http://www.springerlink.com/content/y54w332352216546/>

Nishida, K., Mine, S., Utsunomiya, T., Inoue, H., Okamoto, M., Udagawa, H., Hanai, T., and Mori, M.:

**Global analysis of altered gene expressions during the process of esophageal squamous cell carcinogenesis in the rat: a study combined with a laser microdissection and a cDNA microarray**

Cancer Res 65(2): 401-409 (2005)

<http://cancerres.aacrjournals.org/content/65/2/401.long>

Nonn L, Vaishnav A, Gallagher L, Gann PH:

**mRNA and micro-RNA expression analysis in laser-capture microdissected prostate biopsies: valuable tool for risk assessment and prevention trials**

Exp Mol Pathol. 2010 Feb;88(1):45-51

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC19874819/?tool=pubmed>

O'Brien, P.M., Millan, D.W., Davis, J.A., and Campo, M.S.:

**In situ isolation of immunoglobulin sequences expressed by single tumor-infiltrating B cells using laser-assisted microdissection**

Mol Biotechnol 29(2): 101-109 (2005)

<http://www.springerlink.com/content/p114h31ru1441kw2/>

Ogawa, K., Asamoto, M., Suzuki, S., Tsujimura, K., and Shirai, T.:

**Downregulation of apoptosis revealed by laser microdissection and cDNA microarray analysis of related genes in rat liver preneoplastic lesions**

Med Mol Morphol 38(1): 23-29 (2005)

<http://www.springerlink.com/content/x70117321m2u095r/>

Olsen Hult LT, Kleiveland CR, Fosnes K, Jacobsen M, Lea T:

**EP Receptor Expression in Human Intestinal Epithelium and Localization Relative to the Stem Cell Zone of the Crypts**

PLoS ONE 6(10): e26816. doi:10.1371/journal.pone.0026816 (2011)

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0026816>

Ozawa H, Iwatsuki M, Mimori K, Sato T, Johansson F, Toh H, Watanabe M, Mori M:

**FANCD2 mRNA overexpression is a bona fide indicator of lymph node metastasis in human colorectal cancer**

Ann Surg Oncol. 2010 Sep;17(9):2341-8. Epub 2010 Mar 26.

<http://www.springerlink.com/content/45444108t4327750/>

Park, J.S., Onodera, T., Nishimura, S., Thompson, R.F., and Itohara, S.:

**Molecular evidence for two-stage learning and partial laterality in eyeblink conditioning of mice**

Proc Natl Acad Sci U S A 103(14): 5549-5554 (2006)

<http://www.pnas.org/content/103/14/5549.long>

Patnaik SK, Kannisto E, Yendamuri S

**Factors affecting the yield of microRNAs from laser microdissectates of formalin-fixed tissue sections**

BMC Res Notes. 2012 Jan 19;5(1):40

<http://www.biomedcentral.com/1756-0500/5/40>

Patnaik KS, Kannisto E, Mallick R, and Yendamuri S:

**Overexpression of the Lung Cancer-Prognostic miR-146b MicroRNAs Has a Minimal and Negative Effect on the Malignant Phenotype of A549 Lung Cancer Cells**

PLoS ONE 6(7): e22379

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022379>

Perros, F., Dorfmueller, P., Souza, R., Durand-Gasselien, I., Godot, V., Capel, F., Adnot, S., Eddahibi, S., Mazmanian, M., Fadel, E., Herve, P., Simonneau, G., Emilie, D., and Humbert, M.:

**Fractalkine-induced smooth muscle cell proliferation in pulmonary hypertension**

Eur Respir J 29(5): 937-943 (2007)

<http://erj.ersjournals.com/content/29/5/937.long>

Petrelli A, Perra A, Schernhuber K, Cargnelutti M, Salvi A, Migliore C, Ghiso E, Benetti A, Barlati S, Ledda-Columbano GM, Portolani N, De Petro G, Columbano A and Giordano S:

**Sequential analysis of multistage hepatocarcinogenesis reveals that miR-100 and PLK1 dysregulation is an early event maintained along tumor progression**

Oncogene, (16 January 2012) | doi:10.1038/onc.2011.631

<http://www.nature.com/onc/journal/vaop/ncurrent/full/onc2011631a.html>

Pietersen CY, Lim MP, Macey L, Woo TU, Sonntag KC:

**Neuronal type-specific gene expression profiling and laser-capture microdissection**

Methods Mol Biol. 2011;755:327-43

<http://www.springerlink.com/content/u2001817462422k1/#section=924892&page=2&locus=77>

Ramirez, A., Heimbach, A., Grundemann, J., Stiller, B., Hampshire, D., Cid, L.P., Goebel, I., Mubaidin, A.F., Wriekat, A.L., Roeper, J., Al-Din, A., Hillmer, A.M., Karsak, M., Liss, B., Woods, C.G., Behrens, M.I., and Kubisch, C.:

**Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase**

Nat Genet 38(10): 1184-1191 (2006)

<http://www.nature.com/ng/journal/v38/n10/full/ng1884.html>

Sakai, T., Larsen, M., and Yamada, K.M.:

**Fibronectin requirement in branching morphogenesis**

Nature 423(6942): 876-881 (2003)

<http://www.nature.com/nature/journal/v423/n6942/full/nature01712.html>

Sanna PP, Repunte-Canonigo V, Guidotti A:

**Gene profiling of laser-microdissected brain regions and individual cells in drug abuse and schizophrenia research**

Methods Mol Biol. 2012;829:541-50.

<http://www.springerlink.com/content/h71q48085067776q/#section=1016811&page=1&locus=14>

Sansonno, D., Lauletta, G., Montrone, M., Grandaliano, G., Schena, F.P., and Dammacco, F.:

**Hepatitis C virus RNA and core protein in kidney glomerular and tubular structures isolated with laser capture microdissection**

Clin Exp Immunol 140(3): 498-506 (2005)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2249.2005.02778.x/full>

Sauvaget, D., Chauffeton, V., Citadelle, D., Chatelet, F.P., Cywiner-Golenzer, C., Chambaz, J., Pincon-Raymond, M., Cardot, P., Le Beyec, J., and Ribeiro, A.:

**Restriction of apolipoprotein A-IV gene expression to the intestine villus depends on a hormone-responsive element and parallels differential expression of the hepatic nuclear factor 4alpha and gamma isoforms**

J Biol Chem 277(37): 34540-34548 (2002)

<http://www.jbc.org/content/277/37/34540.long>

Scott, M., McCluggage, W.G., Hillan, K.J., Hall, P.A., and Russell, S.E.:

**Altered patterns of transcription of the septin gene, SEPT9, in ovarian tumorigenesis**

Int J Cancer 118(5): 1325-1329 (2006)

<http://onlinelibrary.wiley.com/doi/10.1002/ijc.21486/full>

Seki, K., Miyakoshi, S., Lee, G.H., Matsushita, H., Mutoh, Y., Nakase, K., Ida, M., and Taniguchi, H.:

**Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma**

Am J Surg Pathol 28(10): 1384-1388 (2004)

<http://journals.lww.com/ajsp/pages/articleviewer.aspx?year=2004&issue=10000&article=00016&type=abstract>

Shao, Y.Y., Wang, L., Hicks, D.G., and Ballock, R.T.:

**Analysis of gene expression in mineralized skeletal tissues by laser capture microdissection and RT-PCR**

Lab Invest 86(10): 1089-1095 (2006)

<http://www.nature.com/labinvest/journal/v86/n10/full/3700459a.html>

Shin JO, Nakagawa E, Kim EJ, Cho KW, Lee JM, Cho SW, Jung HS

**miR-200b regulates cell migration via Zeb family during mouse palate development**

Histochem Cell Biol. 2012 Jan 20. [Epub ahead of print]

<http://dx.doi.org/10.1007/s00418-012-0915-6>

Sikkema AH, de Bont ES, Molema G, Dimberg A, Zwiers PJ, Diks SH, Hoving EW, Kamps WA, Peppelenbosch MP, den Dunnen WF:

**Vascular endothelial growth factor receptor 2 (VEGFR-2) signalling activity in paediatric pilocytic astrocytoma is restricted to tumour endothelial cells**

Neuropathol Appl Neurobiol. 2011 Aug;37(5):538-48. doi: 10.1111/j.1365-2990.2011.01160.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2990.2011.01160.x/abstract;jsessionid=F0E15DF99666E53D6065E8469E7BE8C0.d01t01>

Simin, K., Hill, R., Song, Y., Zhang, Q., Bash, R., Cardiff, R.D., Yin, C., Xiao, A., McCarthy, K., and van Dyke, T.:  
**Deciphering cancer complexities in genetically engineered mice**  
Cold Spring Harb Symp Quant Biol 70: 283-290 (2005)  
<http://symposium.cshlp.org/content/70/283.full.pdf+html>

Souda M, Umekita Y, Abeyama K, Yoshida H:  
**Gene expression profiling during rat mammary carcinogenesis induced by 7,12-dimethylbenz[a]anthracene**  
Int J Cancer. 2009 Sep 15;125(6):1285-97.  
<http://onlinelibrary.wiley.com/doi/10.1002/ijc.24396/full>

Sukata T, Uwagawa S, Ozaki K, Sumida K, Kushida M, Kakehashi A, Wanibuchi H, Miyata K, Ogata K and Fukushima S:  
**Characteristic Upregulation of Glucose-Regulated Protein 78 in an Early Lesion Negative for Hitherto Established Cytochemical Markers in Rat Hepatocarcinogenesis**  
Journal of Toxicologic Pathology 22(4): pp.281  
[http://www.jstage.jst.go.jp/article/tox/22/4/22\\_281/article](http://www.jstage.jst.go.jp/article/tox/22/4/22_281/article)

Sunde, J.S., Donniger, H., Wu, K., Johnson, M.E., Pestell, R.G., Rose, G.S., Mok, S.C., Brady, J., Bonome, T., and Birrer, M.J.:  
**Expression Profiling Identifies Altered Expression of Genes That Contribute to the Inhibition of Transforming Growth Factor- $\beta$  Signaling in Ovarian Cancer**  
Cancer Res 66(17): 8404-8412 (2006)  
<http://cancerres.aacrjournals.org/content/66/17/8404.long>

Suzuki, S., Asamoto, M., Tsujimura, K., and Shirai, T.:  
**Specific differences in gene expression profile revealed by cDNA microarray analysis of glutathione S-transferase placental form (GST-P) immunohistochemically positive rat liver foci and surrounding tissue**  
Carcinogenesis 25(3): 439-443 (2004)  
<http://carcin.oxfordjournals.org/content/25/3/439.long>

Suzuki, Y., Komi, Y., Ashino, H., Yamashita, J., Inoue, J., Yoshiki, A., Eichmann, A., Amanuma, H., and Kojima, S.:  
**Retinoic acid controls blood vessel formation by modulating endothelial and mural cell interaction via suppression of Tie2 signaling in vascular progenitor cells**  
Blood 104(1): 166-169 (2004)  
<http://bloodjournal.hematologylibrary.org/content/104/1/166.long>

Svec J, Ergang P, Mandys V, Kment M, Pácha J:  
**Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models**  
Int J Exp Pathol 91(1):44-53 (2010)  
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2009.00698.x/full>

Takahashi, K., Mizuarai, S., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., Itadani, H., and Kotani, H.:  
**Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice**  
J Biol Chem 278(47): 46654-46660 (2003)  
<http://www.jbc.org/content/278/47/46654.long>

Tamaki T, Iwakawa M, Ohno T, Imadome K, Nakawatari M, Sakai M, Tsujii H, Nakano T, Imai T:  
**Application of carbon-ion beams or gamma-rays on primary tumors does not change the expression profiles of metastatic tumors in an in vivo murine model**  
Int J Radiat Oncol Biol Phys 74(1):210-8 (2009)  
<http://www.redjournal.org/article/S0360-3016%2809%2900091-1/abstract>

Tamura, J., Konno, A., Hashimoto, Y., and Kon, Y.:

**Upregulation of renal renin-angiotensin system in mouse diabetic nephropathy**

Jpn J Vet Res 53(1-2): 13-26 (2005)

<http://scielinks.jp/j-east/article/200522/000020052205A0809708.php>

Tretiakova M, Hart J:

**Laser microdissection for gene expression study of hepatocellular carcinomas arising in cirrhotic and non-cirrhotic livers**

Methods Mol Biol. 2011;755:233-44

<http://www.springerlink.com/content/m86764hj8232665h/#section=924940&page=2&locus=87>

Tretiakova MS, Shabani-Rad MT, Guggisberg K, Hart J, Anders RA, Gao ZH:

**Genomic and immunophenotypical differences between hepatocellular carcinoma with and without cirrhosis**

Histopathology 56(6):683-93 (2010)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2010.03554.x/full>

Tsukamoto S, Ishikawa T, Iida S, Ishiguro M, Mogushi K, Mizushima H, Uetake H, Tanaka H, Sugihara K:

**Clinical Significance of Osteoprotegerin Expression in Human Colorectal Cancer**

Clin Cancer Res 17(8):2444-50 (2011)

<http://clincancerres.aacrjournals.org/content/17/8/2444.short>

Tuomisto, T.T., Korkeela, A., Rutanen, J., Viita, H., Brasen, J.H., Riekkinen, M.S., Rissanen, T.T., Karkola, K., Kiraly, Z., Kolble, K., and Yla-Herttuala, S.:

**Gene expression in macrophage-rich inflammatory cell infiltrates in human atherosclerotic lesions as studied by laser microdissection and DNA array: overexpression of HMG-CoA reductase, colony stimulating factor receptors, CD11A/CD18 integrins, and interleukin receptors**

Arterioscler Thromb Vasc Biol 23(12): 2235-2240 (2003)

<http://atvb.ahajournals.org/cgi/content/full/23/12/2235>

Tuomisto, T.T. and Yla-Herttuala, S.:

**What have we learnt about microarray analyses of atherogenesis?**

Curr Opin Lipidol 16(2): 201-205 (2005)

<http://journals.lww.com/co-lipidology/pages/articleviewer.aspx?year=2005&issue=04000&article=00011&type=abstract>

Uchiyama S, Itoh H, Naganuma S, Nagaike K, Fukushima T, Tanaka H, Hamasuna R, Chijiwa K, Kataoka H:  
**Enhanced expression of hepatocyte growth factor activator inhibitor type 2-related small peptide at the invasive front of colon cancers**

Gut. 2007 Feb;56(2):215-26

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856747/?tool=pubmed>

van den Akker PC, Nijenhuis M, Meijer G, Hofstra RM, Jonkman MF, Pasmooij AM

**Natural Gene Therapy in Dystrophic Epidermolysis Bullosa**

Arch Dermatol. 2011 Oct 17. [Epub ahead of print]

<http://archderm.ama-assn.org/cgi/content/full/archdermatol.2011.298>

van Royen, N., Voskuil, M., Hoefler, I., Jost, M., de Graaf, S., Hedwig, F., Andert, J.P., Wormhoudt, T.A., Hua, J., Hartmann, S., Bode, C., Buschmann, I., Schaper, W., van der Neut, R., Piek, J.J., and Pals, S.T.:

**CD44 regulates arteriogenesis in mice and is differentially expressed in patients with poor and good collateralization**

Circulation 109(13): 1647-1652 (2004)

<http://circ.ahajournals.org/cgi/content/full/109/13/1647>

Vaira V, Favarsani A, Dohi T, Montorsi M, Augello C, Gatti S, Coggi G, Altieri DC, Bosari S  
**miR-296 regulation of a cell polarity-cell plasticity module controls tumor progression**  
Oncogene. 2012 Jan 5;31(1):27-38. doi: 10.1038/onc.2011.209.  
<http://dx.doi.org/10.1038/onc.2011.209>

Vega, C.J.:

**Laser microdissection sample preparation for RNA analyses**

Methods Mol Biol 414: 241-252 (2008)

<http://www.springerlink.com/content/t61576w4h02hr518/#section=82444&page=1>

Vicidomini R, Tortoriello G, Furia M, Polese G:

**Laser Microdissection Applied to Gene Expression Profiling of Subset of Cells from the Drosophila Wing Disc**  
J Vis Exp (38) (2010)

Includes video:

<https://www.jove.com/details.stp?id=1895>

Wainwright DA, Mesnard NA, Xin J, Sanders VM, Jones KJ:

**Effects of facial nerve axotomy on Th2-associated and Th1-associated chemokine mRNA expression in the facial motor nucleus of wild-type and presymptomatic SOD1 mice**

J Neurodegener Regen 2(1):39-44 (2009)

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2861580/>

Wamunyokoli, F.W., Bonome, T., Lee, J.Y., Feltmate, C.M., Welch, W.R., Radonovich, M., Pise-Masison, C., Brady, J., Hao, K., Berkowitz, R.S., Mok, S., and Birrer, M.J.:

**Expression profiling of mucinous tumors of the ovary identifies genes of clinicopathologic importance**

Clin Cancer Res 12(3 Pt 1): 690-700 (2006)

<http://clincancerres.aacrjournals.org/content/12/3/690.long>

Wang, X., Zhang, G., and Li, Y.:

**Establishment of in situ hybridization technique for detection of parvovirus B19 and its clinical application**

Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi 14(3): 268-270 (2000)

[http://en.cnki.com.cn/Article\\_en/CJFDTOTAL-ZHSB200003022.htm](http://en.cnki.com.cn/Article_en/CJFDTOTAL-ZHSB200003022.htm)

Wersinger E, Bordais A, Schwab Y, Sene A, Bénard R, Alunni V, Sahel JA, Rendon A, Roux MJ:

**Re-Evaluation of Dystrophins Localization in the Mouse Retina**

Invest Ophthalmol Vis Sci. 2011 Sep 6. [Epub ahead of print]

<http://www.iovs.org/content/early/2011/09/02/iovs.11-7519.long>

Wiltling SM, Snijders PJ, Verlaat W, Jaspers A, van de Wiel MA, van Wieringen WN, Meijer GA, Kenter GG, Yi Y, le Sage C, Agami R, Meijer CJ, Steenbergen RD:

**Altered microRNA expression associated with chromosomal changes contributes to cervical carcinogenesis**

Oncogene. 2012 Feb 13. doi: 10.1038/onc.2012.20.

<http://dx.doi.org/10.1038/onc.2012.20>

Withers, D.R., Davison, T.F., and Young, J.R.:

**Diversified bursal medullary B cells survive and expand independently after depletion following neonatal infectious bursal disease virus infection**

Immunology 117(4): 558-565 (2006)

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2567.2006.02332.x/full>

Xiang, C.C., Chen, M., Kozhich, O.A., Phan, Q.N., Inman, J.M., Chen, Y., and Brownstein, M.J.:

**Probe generation directly from small numbers of cells for DNA microarray studies**

Biotechniques 34(2): 386-388, 390, 392-383 (2003)

<http://ukpmc.ac.uk/abstract/MED/12613261/reload=0;jsessionid=37234B6ACAEDB2A4CCB780D6AE5093C5.jvm>  
[1](#)

Xiang, C.C., Mezey, E., Chen, M., Key, S., Ma, L., and Brownstein, M.J.:

**Using DSP, a reversible cross-linker, to fix tissue sections for immunostaining, microdissection and expression profiling**

Nucleic Acids Res 32(22): e185 (2004)

<http://nar.oxfordjournals.org/content/32/22/e185.long>

Young, C.S., Terada, S., Vacanti, J.P., Honda, M., Bartlett, J.D., and Yelick, P.C.:

**Tissue engineering of complex tooth structures on biodegradable polymer scaffolds**

J Dent Res 81(10): 695-700 (2002)

<http://jdr.sagepub.com/content/83/7/523.long>

Zhu, J.S., Guo, H., Song, M.Q., Chen, G.Q., Sun, Q., and Zhang, Q.:

**Gene profiles between non-invasive and invasive colon cancer using laser microdissection and polypeptide analysis**

World J Gastroenterol 14(38): 5887-5892 (2008)

<http://www.wjgnet.com/1007-9327/full/v14/i38/5887.htm>

Zhu Q, Sun W, Okano K, Chen Y, Zhang N, Maeda T, Palczewski K:

**A sponge transgenic mouse model reveals important roles for the miRNA-183/96/182 cluster in post-mitotic photoreceptors of the retina**

J Biol Chem. 2011 Sep 9;286(36):31749-60

<http://www.jbc.org/content/286/36/31749.long>